



CristalRecord
Iluminación - Lighting



www.cristalrecord.com

ÍNDICE

Index/ Index

Lámparas de techo

Ceiling lamps/ Suspensions

Sofis
Pg. 28



Boston
Pg. 31-33



Krabi
Pg. 35



Cala
Pg.37



Coral
Pg. 38



Zora
Pg. 39

Cloe
Pg. 41



Lilian
Pg. 42

Dafne
Pg.43

Mirta
Pg. 45

Morfeo
Pg. 46

Vivit
Pg. 47



Lizer
Pg. 49-50



Lyn
Pg. 52-53



Elegance
Pg. 54



Dunia
Pg. 55



Sand
Pg. 57



Dina
Pg. 58



Rever
Pg. 59



Mad
Pg. 60-61



Fil
Pg. 62



Ari
Pg. 62



Eid
Pg. 63



Dulu
Pg. 63



Noonu
Pg. 63



Lidu
Pg. 63



Medu
Pg. 63



Iluminación

DECORATIVA

Decorative lighting/ Éclairage décoratif

Isdu
Pg. 63



Palm
Pg. 63



Anse
Pg. 63



Keyla
Pg. 65



Addu
Pg. 65



Male
Pg. 66



Tenai
Pg. 66



Zazu
Pg. 66



Sena
Pg. 66



Dera
Pg. 66



Winery
Pg. 68-69



Pendels
Pg. 67



Ari
Pg. 71



Anna
Pg. 73



Saturno
Pg. 74



Marmol
Pg. 75



Lotto
Pg. 177



Bravo
Pg. 210



Alfa
Pg. 210



Rusty
Pg. 211



Traktor
Pg. 211



Candy
Pg. 214



Noah
Pg. 215



Princess
Pg. 215



Champion
Pg. 213



Lámparas de pie

Floor lamps/ Lampadaire

Solor Pg. 77 Noova Pg. 79 Garona Pg. 80 Teo Pg. 80 Siro Pg. 81 Aten Pg. 82 Aten II Pg. 82 Alari Pg. 83 LampaLisa Pg. 83 Varia Pg. 84 Luxo Pg. 85



Plafones

Surface mounted/ Plafonniers

Fabi
Pg. 87



Hasbi
Pg. 89-91



Taoro
Pg. 93



Mad
Pg. 95



Cres
Pg. 96



Aster
Pg. 97



Siena
Pg. 98



Lili
Pg. 99



Lea
Pg. 101



Iluminación

DECORATIVA

Decorative lighting/ Éclairage décoratif

Cryn
Pg. 103



Cryn SMART 
Pg. 105-107



Elora
Pg. 108




Cora
Pg. 109



Mei
Pg. 111



Otie
Pg. 113



Otie II
Pg. 113



Ara
Pg. 115



Ness
Pg. 116



Niza
Pg. 117



Ryad
Pg. 118



Rus
Pg. 119



Saren
Pg. 120



Aquila
Pg. 121



Vega
Pg. 123



Draco
Pg. 125




Elba
Pg. 126




Pixy
Pg. 127



Naos
Pg. 129



Naos Nature
Pg. 131



Lou
Pg. 132




Nox
Pg. 133



Cloud
Pg. 135



Plafon SMART
Pg. 136



Rosse
Pg. 136



Aiko
Pg. 136



Milea
Pg. 137



Silvy
Pg. 137



Melissa
Pg. 137



Mery
Pg. 150



Mery
Pg. 151



Fugaz
Pg. 212



Bloom
Pg. 212



Lotto
Pg. 177



New kaster
Pg. 179



Arco
Pg. 180-181



Moka
Pg. 182-183



Boston
Pg. 33



Krabi
Pg. 175



Veleta
Pg. 184



Oroel
Pg. 185



Dera
Pg. 172



Lan
Pg. 173



Aspe
Pg. 185



Iris
Pg. 176



Downlights

Downlights/ Downlights

Sever
Pg. 139



Kaju empotrable
Pg. 141-142



Kaju superficie
Pg. 143-144



Halo
Pg. 147



Levo
Pg. 148



Liveo
Pg. 149



Apliques

Wall lamps/ Applique murale

Nani
Pg. 153



Greta
Pg. 154



Luna
Pg. 155



Boston
Pg. 157



Krabi
Pg. 159



Solor
Pg. 161



Classic
Pg. 163



Dera
Pg. 172



Dera
Pg. 173



Calabri
Pg. 170



Lotto
Pg. 177



Rob
Pg. 165



Rob II
Pg. 167



Renoir
Pg. 168



Ravel
Pg. 168



Bach
Pg. 168



Mel
Pg. 169



Basket
Pg. 169



Irena
Pg. 169



Polare
Pg. 169



Cryn SMART
Pg. 106-107



Rod
Pg. 207



Odette
Pg. 209



Focos y regletas

Spots and strip spot/ Spots

Dera
Pg. 172



Lan
Pg. 173



Iris
Pg. 176



Heli
Pg. 176



New flipper
Pg. 177



Moka
Pg. 182-183



Aspe
Pg. 185



Oroel
Pg. 185



Krabi
Pg. 175



New lug
Pg. 177



New kaster
Pg. 179



Arco
Pg. 180-181



Focos empotrables

Recessed spotlight/ Spots encastrables

Tejar
Pg. 171



Kony
Pg. 186



Gemo
Pg. 187



Ilux
Pg. 187



Laber
Pg. 187



Luxor
Pg. 188



Avalio
Pg. 189



Nabila
Pg. 191



Flexos y lámparas de mesa

Flexos and table lamp/ Lampes et Lampes de chevet

Camaleon Pg. 193 Gamer Pg. 195 Duck Pg. 197 Bil Pg. 198 Dent Pg. 198 Miri Pg. 199 Rai Pg. 199 Lul Pg. 200 Yule Pg. 200 Star Pg. 200



Podium Pg. 201 Galaxy Pg. 201 Angle Pg. 201 Parga Pg. 201 Laxity Pg. 202 Ventix Pg. 202 Tinvi Pg. 202 Sedan Pg. 203 Pala Pg. 203 Hadar Pg. 204



Rigel Pg. 204 Betel Pg. 205 Canopus Pg. 205 Luxo Pg. 85 Champion Pg. 213 Boston Pg. 31 Solor Pg. 77 Centauri Pg. 205 Mush Pg. 202 New kaster Pg. 179



Moka Pg. 182 Arco Pg. 180 Noah Pg. 215 Princess Pg. 215 Candy Pg. 214 Charlie Pg. 217 Micaela Pg. 217 Harry Pg. 217 Hansel Pg. 217 Merlin Pg. 217



Empotrables

Recessed Spotlights/ Spots encastrables

Sofia
Pg. 220-221



Kit 3 focos
Pg. 222



Nosy
Pg. 223



Lanka
Pg. 224



Samui
Pg. 225



Prim
Pg. 226



Sirion
Pg. 229



Know empotrable
Pg. 230-231



Tekia
Pg. 234



Adato
Pg. 235



Gave
Pg. 235



Sylt
Pg. 238



Tyr
Pg. 239



Akrah
Pg. 242



Reto
Pg. 243



Apolo
Pg. 244



Living
Pg. 245



Duo
Pg. 246



Oneo
Pg. 246



Nael
Pg. 247



Zeus
Pg. 247



Frey
Pg. 248



Idun
Pg. 249



Domino
Pg. 251



Tecno
Pg. 253



Helium PLUS
Pg. 255



Helium
Pg. 254-257



Eclo
Pg. 258



Terra
Pg. 259



Zar
Pg. 261



053100
Pg. 262



053300
Pg. 262



353100
Pg. 263



353300
Pg. 263



174100
Pg. 264



174300
Pg. 264



374100
Pg. 265



374300
Pg. 265



065200
Pg. 266



055200
Pg. 266



491100
Pg. 267



492100
Pg. 267



Panel
Pg. 268



Wall washer
Pg. 270




Ice
Pg. 277



Luminarias de superficie

Surface Spotlights/ Plafonniers

Prim
Pg. 227-228



Know
Pg. 232-233



Eduba
Pg. 269



Masta
Pg. 236-237



Skadi
Pg. 240

Norna
Pg. 241



Bilo
Pg. 271



Flin
Pg. 272



Neil
Pg. 273



Sira
Pg. 274



Clark
Pg. 275



Ice
Pg. 276



Tiras LED

*LED strips/
Bandes LED*

Pg. 278-279



Pg. 281



Iluminación SOLAR

Solar lighting/ Éclairage solaire

Apliques

Wall lamps/ Applique murale

Open
Pg. 285



Chimo
Pg. 286



Raksa
Pg. 287



Iros
Pg. 287



Vio
Pg. 289



Calm
Pg. 290



Nalin
Pg. 290



Diamante
Pg. 291



Nil
Pg. 291



Clip
Pg. 293



Mix
Pg. 293



Zeffa
Pg. 295



Proyectores

Outdoors projectors/ Projecteur extérieur

Telia
Pg. 292



Bee
Pg. 292



Guirnaldas

Outdoors Tionsels/ Guirlande lumineuse

Teide
Pg. 299



Etna
Pg. 298



Guirnalda
Pg. 298



Sobremuro

*Bollard light/
Borne extérieure*

Zeffa
Pg. 295



Lampara de pie

*Solar floor lamp/
Lampadaire extérieur*

Balma
Pg. 296



Lampara de mesa

*Solar table lamp/
Solar lampe de table*

Silver
Pg. 297



Iluminación

EXTERIOR

Outdoor lighting/ Éclairage extérieur

Apliques

Wall lamps/ Applique murale

Morgan
Pg. 302



Elber
Pg. 303



Open
Pg. 305-307



Dunn
Pg. 308



Tivo
Pg. 309



Cipri
Pg. 310



Sun
Pg. 311



Urpi
Pg. 312



Antop
Pg. 313



View
Pg. 314



Satur
Pg. 316



Mint
Pg. 322



Mota
Pg. 322



Confo evo
Pg. 323



Confo
Pg. 324



Relax
Pg. 325



Durham
Pg. 326



Rute
Pg. 327



Ronda
Pg. 328



Nera
Pg. 329



Sobremuro-Baliza

Bollard light/ Borne extérieur

Satur
Pg. 316



Pisa
Pg. 317



Maribo
Pg. 317



Durham
Pg. 326



Small
Pg. 331



Merida
Pg. 332



Kid
Pg. 333



Lina
Pg. 334



Lámparas de mesa

Outdoor table lamps/
Lampe de table extérieur

Proyectores

*Outdoors projectors/
Projecteur extérieur*

Projector 12v Pg. 318
Luxek Pg. 319



Lámparas de techo

*Ceiling lamps/
Suspensions*

Ronda Nera Pg. 328
Pendant Pg. 329
Pg. 330



Plafones

*Surface mounted/
Plafonniers*

Aspen Pg. 315



Otros

*Others/
Autres*

Put Pg. 320
Laocai Pg. 321



Tapon Pg. 335

Iluminación BAÑO

LED mirror light/ Applique miroir LED

Appliques de baño

LED mirror lights/ Applique miroir LED

Madge Pg. 338



Odile Pg. 339



Roth Pg. 340



Malaga Pg. 341



Sevilla Pg. 342



Mallorca Pg. 343



Leon Pg. 344



Murcia Pg. 345



Iluminación BAÑO

LED mirror light/ Applique miroir LED

Empotrables

Recessed Spotlights/ Spots encastrables

Domino Pg. 347



Acuario Pg. 356



Dalai Pg. 357



Alhambra Pg. 350



Alhambra I Pg. 351



Sofia Pg. 353-354



Lannic Pg. 359



Sol Pg. 360



Tango Pg. 361



Soner Pg. 363



Kaju IP44 Pg. 365



Plafones

Surface mounted/ Plafonniers

Gelys Pg. 362



Ara Pg. 364



25-10w Pg. 366-367



25-13w Pg. 367



Fred Pg. 349



Focos

Spots/ Spots

51-20w Pg. 368-369



51-26w Pg. 369



00-20w Pg. 370-371



00-26w Pg. 371



56-20w Pg. 373



ÍNDICE

por referencias

Reference Index/ index par référence

Ref.:



Descripción

Description/ Description

001-2000-1-001	180	○	ARCO 1xGU10
001-2000-1-053	180	●	ARCO 1xGU10
001-2000-3-001	181	○	ARCO 3xGU10
001-2000-3-053	181	●	ARCO 3xGU10
001-2000-3-056	181	●	ARCO 3xGU10
001-2150-3-053	183	●	MOKA 3xGU10
001-2150-3-125	183	○	MOKA 3xGU10
001-2150-4-053	183	●	MOKA 4xGU10
001-2150-4-125	183	○	MOKA 4xGU10
001-2195-6-053	177	●	LOTTO 6xG9
001-2195-8-016	177	●	LOTTO 8xG9
001-2195-8-053	177	○	LOTTO 8xG9
001-2200-1-053	179	●	NEW KASTER 1xG9
001-2200-4-053	179	●	NEW KASTER 4xG9
001-2230-1-069	177	●	NEW LUG 1xGU10
001-2888-1-053	177	●	NEW FLIPPER 1xGU10
001-2888-1-080	177	○	NEW FLIPPER 1xGU10
001-2888-3-080	177	○	NEW FLIPPER 3xGU10
00-140-01-100	189	○	AVALIO 1xGU10
00-140-01-142	189	●	AVALIO 1xGU10
00-140-01-180	189	●	AVALIO 1xGU10
002-2000-2-001	180	○	ARCO 2xGU10
002-2000-2-053	180	●	ARCO 2xGU10
002-2000-2-056	180	●	ARCO 2xGU10
002-2000-3-001	180	○	ARCO 3xGU10
002-2000-3-053	180	●	ARCO 3xGU10
002-2000-3-056	180	●	ARCO 3xGU10
002-2000-4-001	180	○	ARCO 4xGU10
002-2000-4-053	180	●	ARCO 4xGU10
002-2150-2-125	183	○	MOKA 2xGU10
002-2150-3-053	183	●	MOKA 3xGU10
002-2150-3-125	183	○	MOKA 3xGU10
002-2150-4-125	182	●	MOKA 4xGU10
002-2200-2-053	179	●	NEW KASTER 2xG9
00-290-00-181	188	●	LUXOR 1xGU10
00-301-01-381	187	●	LABER 1xGU10
006-2195-1-016	177	●	LOTTO 1xG9
006-2195-1-053	177	●	LOTTO 1xG9

00-871-01-381	187	●	GEMO 1xGU10
00-930-01-001	186	●	KONY 1xGU10
00-930-01-301	186	●	KONY1xGU10
01-040-01-160	189	●	AVALIO 1xGU10
01-040-01-180	189	●	AVALIO 1xGU10
01-040-01-190	189	●	AVALIO 1xGU10
01-180-01-018	191	●	NABILA 1xGU10
01-180-01-110	191	○	NABILA 1xGU10
01-180-01-281	191	●	NABILA 1xGU10
013-2200-4-053	179	●	NEW KASTER 4xG9
014-2000-6-053	181	●	ARCO 6xGU10
014-2000-6-056	181	●	ARCO 6xGU10
014-2150-6-053	182	●	MOKA 6 xGU10
01-633-01-381	187	●	ILUX 1xGU10
01-637-27-006	171	●	TEJAR 1xE27
01-637-27-017	171	●	TEJAR 1xE27
01-637-27-090	171	●	TEJAR 1xE27
01-871-01-381	187	●	GEMO 1xGU10
01-930-01-001	186	●	KONY 1xGU10
01-930-01-301	186	●	KONY 1xGU10
02-232-07-400	148	○	LEVO -7W
02-232-26-300	148	○	LEVO -26W
02-232-26-400	148	○	LEVO -26W
02-506-08-181	144	●	KAJU -8W
02-506-08-320	144	○	KAJU -8W
02-506-08-381	144	●	KAJU -8W
02-506-08-420	144	○	KAJU -8W
02-506-16-181	144	●	KAJU -16W
02-506-30-006	144	●	KAJU -30W
02-506-30-181	144	●	KAJU -30W
02-506-30-280	144	●	KAJU -30W
02-506-30-420	144	○	KAJU -30W
02-556-08-001	141	●	KAJU -8W
02-556-08-006	141	●	KAJU -8W
02-556-08-181	141	●	KAJU -8W
02-556-08-420	141	○	KAJU -8W
02-556-16-006	141	●	KAJU -16W
02-556-16-181	141	●	KAJU -16W

02-556-16-280	141	●	KAJU -16W
02-556-16-420	141	○	KAJU -16W
02-556-30-006	141	●	KAJU -30W
02-556-30-181	141	●	KAJU -30W
02-556-30-280	141	●	KAJU -30W
02-556-30-320	141	○	KAJU -30W
02-556-30-420	141	○	KAJU -30W
02-606-08-181	143	●	KAJU -8W
02-606-08-420	143	○	KAJU -8W
02-606-16-181	143	●	KAJU -16W
02-606-16-420	143	○	KAJU -16W
02-606-30-006	143	●	KAJU -30W
02-606-30-280	143	●	KAJU -30W
02-606-30-420	143	○	KAJU -30W
02-656-08-001	142	Ch	KAJU -8W
02-656-08-006	142	●	KAJU -8W
02-656-08-280	142	●	KAJU -8W
02-656-08-420	142	○	KAJU -8W
02-656-16-420	142	○	KAJU -16W
02-656-30-420	142	○	KAJU -30W
02-660-24-400	149	○	LIVEO -24W
02-888-15-180	147	●	HALO -15W
02-888-15-333	147	○	HALO -15W
02-888-24-180	147	●	HALO -24W
02-888-24-333	147	○	HALO -24W
02-888-36-180	147	●	HALO -36W
02-888-36-333	147	○	HALO -36W
035-2000-1-053	180	■	ARCO 1xGU10
035-2150-1-125	182	○	MOKA 1xGU10
035-2200-1-053	179	■	NEW KASTER 1xGU10
04+530-14-180	201	●	GALAXY -8W
04+707-05-115	197	●	DUCK -5W
04+707-05-180	197	●	DUCK -5W
04-004-03-100	217	○	CHARLIE -1,5W
04-005-03-100	217	○	MICHAEL -1,5W
04-006-03-100	217	○	HARRY -3W
04-007-03-100	217	○	HANSEL -1W
04-008-03-100	217	○	MERLIN -1W
04-017-01-222	213	■	CHAMPION 1xE27
04-065-05-100	193	○	CAMALEON -5W
04-065-05-180	193	○	CAMALEON -5W
04-285-12-160	202	●	VENTIX -12W
04-401-03-100	205	○	CANOPUS -3W
04-411-03-100	204	○	HADAR 4W
04-421-03-100	205	○	BETEL -3W
04-431-03-100	204	○	RIGEL -4W
04-525-12-100	201	○	PODIUM -4W
04-532-10-140	199	■	MIRI -10W
04-552-10-100	199	■	RAI -10W
04-601-27-100	85	○	LUXO 1xE27
04-601-27-180	85	●	LUXO 1xE27
04-602-10-100	203	○	SEDAN -10W

04-602-10-281	203	■	SEDAN -10W
04-621-05-180	202	●	LAXITY -5W
046-2195-6-016	177	Ch	LOTTO 6xG9
046-2195-6-053	177	■	LOTTO 6xG9
04-666-08-100	200	○	STAR -4W
04-666-08-180	200	●	STAR -4W
04-711-05-130	203	●	PALA -4W
04-711-05-142	203	●	PALA -4W
04-820-10-181	200	■	YULE -10W
04-874-05-100	202	○	TINVI -4W
04-880-10-100	200	○	LUL -10W
04-905-05-160	201	●	PARGA -6W
04-960-07-180	201	●	ANGLE -6W
04-965-10-140	198	■	DENT -10W
04-965-10-281	198	■	DENT -10W
04-970-10-100	195	○	GAMER -7W
04-995-10-181	198	■	BIL -10W
05-005-01-140	215	●	PRINCESS 1xE14
05-006-01-100	214	○	CANDY 1xE14
05-007-01-120	215	■	NOAH 1xE14
05-441-04-100	205	○	CENTAURI -3W
05-441-04-120	205	■	CENTAURI -3W
05-443-27-100	77	■	SOLOR 1x E27
05-443-27-180	77	■	SOLOR 1x E27
06-175-27-001	79	Ch	NOOVA 1x E27
06-175-27-002	79	■	NOOVA 1x E27
06-175-27-006	79	●	NOOVA 1x E27
06-175-27-007	79	●	NOOVA 1x E27
06-175-27-008	79	○	NOOVA 1x E27
06-205-06-000	83	●	LAMPA -23W
06-205-21-000	83	■	LAMPA -23W
06-206-27-100	77	■	SOLOR 1x E27
06-206-27-180	77	■	SOLOR 1x E27
06-325-20-008	82	○	ATEN II -20W
06-325-30-002	82	■	ATEN -30W
06-400-27-002	84	■	VARIA 1x E27+1x E14
06-400-27-006	84	●	VARIA 1x E27+1x E14
06-405-20-002	80	■	GARONA -25W
06-405-20-006	80	●	GARONA -25W
06-410-18-302	81	■	SIRO -22W
06-410-18-306	81	○	SIRO -22W
06-601-27-100	85	○	LUXO 1x E27
06-601-27-180	85	●	LUXO 1x E27
06-622-18-002	83	■	ALARI -23W
06-622-18-006	83	●	ALARI -23W
06-773-18-302	80	■	TEO -23W
06-773-18-306	80	●	TEO -23W
06-773-18-380	80	○	TEO -23W
06-809-02-100	84	○	LISA 1x E27+1x E14
06-809-02-180	84	●	LISA 1x E27+1x E14
06-809-02-281	84	■	LISA 1x E27+1x E14
23-068-28-100	107	○	CRYN -25W

23-068-40-100	107	○	CRYN -50W
23-100-18-100	150	○	MERY -18W
23-100-18-116	150	🌿	MERY -18W
23-100-18-180	150	●	MERY -18W
23-101-18-100	151	○	MERY -18W
24-002-04-141	212	●	BLOOM 1x E27
24-004-01-130	212	●	FUGAZ 1x E27
24-100-24-100	150	○	MERY -24W
24-100-24-116	150	🌿	MERY -24W
24-100-24-180	150	●	MERY -24W
24-101-32-100	151	○	MERY -32W
25+844-50-000	185	○	OROEL 4x GU10
25-103-14-000	173	○	LAN 3x E14
25-135-03-000	176	○	IRIS 3x GU10
25-135-03-002	176	🌿	IRIS 3x GU10
25-172-28-116	91	●	HASBI -20W
25-173-28-116	91	🌿	HASBI -24W
25-174-28-116	91	●	HASBI -32W
25-175-28-116	91	🌿	HASBI -38W
25-272-28-116	90	●	HASBI -24W
25-273-28-116	89	●	HASBI -30W
25-274-28-116	89	●	HASBI -40W
25-275-28-116	89	●	HASBI -50W
25-303-14-000	172	🌿	DERA 3xE14
25-720-03-000	176	○	HELI 3xGU10
25-720-03-006	176	🌿	HELI 3xGU10
25-784-50-000	185	○	ASPE 4xGU10
25-994-35-000	184	○	VELETA 4xGU10
26-102-42-100	139	○	SEVER -42W
26-102-42-500	139	○	SEVER -42W
26-216-36-000	136	○	PLAFON 🌿-36W
26-616-36-000	136	○	PLAFON 🌿-36W
26-616-52-000	136	○	PLAFON 🌿-52W
27-001-60-100	136	○	ROSSE-60W
27-035-30-316	95	🌿	MAD -28W
27-073-55-162	125	●	DRACO -100W
27-082-50-094	127	●	PIXY -60W
27-083-50-112	127	●	PIXY -72W
27-094-97-100	118	○	RYAD -85W
27-095-97-100	119	○	RUS -85W
27-097-10-100	120	○	SAREN -110W
27-100-60-100	116	○	NESS -60W
27-102-72-100	139	○	SEVER -72W
27-102-72-500	139	○	SEVER -72W
27-110-30-300	98	○	SIENA -30W
27-110-30-308	98	●	SIENA -30W
27-116-10-100	126	●	ELBA -100W
27-150-50-110	123	●	VEGA -72W
27-151-50-094	123	●	VEGA -60W
27-184-12-100	132	○	LOU -105W
27-185-11-100	133	○	NOX -90W
27-190-50-100	96	○	CRES -50W

27-195-12-100	135	○	CLOUD -100W
27-201-60-100	99	○	LILI -50W
27-201-60-180	99	●	LILI -50W
27-202-60-100	101	○	LEA -60W
27-202-60-180	101	●	LEA -60W
27-202-72-100	101	○	LEA -72W
27-202-72-180	101	●	LEA -72W
27-211-30-300	97	○	ASTER -30W
27-216-52-000	136	○	PLAFON 🌿-52W
27-237-95-100	115	○	ARA -70W
27-238-94-100	115	○	ARA -90W
27-241-14-100	111	○	MEI -125W
27-242-15-100	111	○	MEI -135W
27-244-13-100	111	○	MEI -115W
27-258-11-100	113	○	OTIE -90W
27-259-15-100	113	○	OTIE -135W
27-526-25-001	137	🌿	MILEA 2 -25W
27-526-60-001	137	🌿	MILEA -60W
27-630-10-003	136	🌿	AIKO -85W
27-661-11-100	129	○	NAOS -100W
27-662-11-100	129	○	NAOS -75W
27-671-11-116	131	🌿	NAOS nature -100W
27-672-11-116	131	🌿	NAOS nature -75W
27-680-62-100	93	🌿	TAORO -70W
27-680-62-180	93	●	TAORO -70W
27-771-10-100	108	○	ELORA -86W
27-772-10-100	108	○	ELORA -106W
27-821-70-100	117	○	NIZA -117W
27-826-40-100	137	○	MELISSA 40W
27-881-78-100	109	○	CORA -78W
27-882-78-100	109	○	CORA -82W
27-992-72-100	137	○	SILVY -72W
28-035-50-316	95	🌿	MAD -42W
28-068-10-100	105	○	CRYN -102W
28-069-56-400	103	○	CRYN -56W
28-069-56-600	103	○	CRYN -56W
28-072-65-146	125	●	DRACO -92W
28-102-10-100	139	○	SEVER -100W
28-102-10-500	139	○	SEVER -100W
28-126-10-100	126	●	ELBA -92W
28-826-60-100	137	○	MELISSA -60W
28-895-65-115	87	●	FABI -62W
28-895-65-116	87	●	FABI -62W
28-895-65-117	87	●	FABI -62W
28-895-65-181	87	●	FABI -62W
28-895-65-182	87	●	FABI -62W
28-895-80-117	87	●	FABI -80W
28-895-80-181	87	●	FABI -80W
29-006-12-334	121	●	AQUILA -222W
29-035-55-316	95	🌿	MAD -52W
29-035-60-316	95	🌿	MAD -56W
29-071-10-348	125	●	DRACO -226W

29-081-12-244	127	PIXY -156W
29-146-10-100	126	ELBA -226W
29-168-12-100	105	CRYN - 125W
29-169-56-400	103	CRYN -64W
29-169-56-600	103	CRYN -64W
29-250-10-250	123	VEGA -160W
29-268-19-100	105	CRYN -160W
29-269-19-100	103	CRYN -99W
29-269-19-600	103	CRYN -99W
29-302-10-100	139	SEVER -100W
29-302-10-500	139	SEVER -100W
29-372-88-116	89	HASBI -54W
43+782-50-000	185	ASPE 2xGU10
43+783-50-000	185	ASPE 3xGU10
43+841-50-000	185	OROEL 1xGU10
43+842-50-000	185	OROEL 2xGU10
43+843-50-000	185	OROEL 3xGU10
43-004-27-100	161	SOLOR 1xE27
43-004-27-180	161	SOLOR 1xE27
43-016-27-100	155	LUNA 1xE27
43-016-27-180	155	LUNA 1xE27
43-018-27-100	154	GRETA 1xE27
43-018-27-180	154	GRETA 1xE27
43-019-27-100	153	NAMI 1xE27
43-019-27-105	153	NAMI 1xE27
43-019-27-106	153	NAMI 1xE27
43-019-27-107	153	NAMI 1xE27
43-019-27-180	153	NAMI 1xE27
43-068-38-100	106	CRYN -35W
43-101-14-000	173	LAN 1xE14
43-102-14-000	173	LAN 2xE14
43-103-14-000	173	LAN 3xE14
43-109-08-300	165	ROB -8W
43-119-08-380	167	ROB II -8W
43-125-14-100	169	IRENA -14W
43-125-14-180	169	IRENA -14W
43-135-01-000	176	IRIS 1xGU10
43-135-01-002	176	IRIS 1xGU10
43-135-02-000	176	IRIS 2xGU10
43-135-02-002	176	IRIS 2xGU10
43-135-03-000	176	IRIS 3xGU10
43-135-03-002	176	IRIS 3xGU10
43-160-08-116	168	RAVEL -14W
43-162-08-116	168	RENOIR -14W
43-164-08-116	168	BACH -14W
43-205-03-100	157	BOSTON 1xE14
43-205-03-102	157	BOSTON 1xE14
43-206-01-180	175	KRABI 1xE27
43-206-02-180	175	KRABI 2xE27
43-206-03-180	175	KRABI 3xE27
43-206-04-180	175	KRABI 4xE27
43-209-08-300	165	ROB -8W

43-229-08-380	167	ROB II -8W
43-234-03-100	163	CLASIC -3W
43-234-03-180	163	CLASIC -3W
43-234-30-100	163	CLASIC -3W
43-234-30-180	163	CLASIC -3W
43-301-14-000	172	DERA 1xE14
43-302-14-000	172	DERA 2xE14
43-303-14-000	172	DERA 3xE14
43-309-08-300	165	ROB -8W
43-339-08-380	167	ROB II-8W
43-431-01-006	170	CALABRI 1xE27
43-593-06-181	169	MEL -6W
43-593-06-281	169	MEL -6W
43-630-12-100	169	POLARE -12W
43-720-01-000	176	HELI 1xGU10
43-720-01-006	176	HELI 1xGU10
43-720-02-000	176	HELI 2xGU10
43-720-02-006	176	HELI 2xGU10
43-720-03-000	176	HELI 3xGU10
43-720-03-006	176	HELI 3xGU10
43-888-07-100	169	BASKET -7W
43-980-02-100	209	ODETTE -2W
43-982-01-116	207	ROD -1W
80-190-00-181	188	LUXOR 1xGU10
88-160-12-777	202	MUSH -4,5W
88-205-03-100	31	BOSTON 1xE14
88-205-03-102	31	BOSTON 1xE14
93-001-10-053	73	ANNA 1xGU10
93-001-10-100	73	ANNA 1xGU10
93-015-27-100	38	CORAL 1xE27
93-015-27-180	38	CORAL 1xE27
93-030-27-100	43	DAFNE 1xE27
93-030-27-180	43	DAFNE 1xE27
93-041-27-005	74	SATURNO 1xE27
93-041-27-280	74	SATURNO 1xE27
93-155-27-100	39	ZORA 1xE27
93-155-27-180	39	ZORA 1xE27
93-204-01-106	28	SOFIS 1xE27
93-204-03-106	28	SOFIS 3xE27
93-204-11-106	28	SOFIS 1xE27
93-204-13-106	28	SOFIS 3xE27
93-204-21-106	28	SOFIS 1xE27
93-205-01-100	31	BOSTON 1xE14
93-205-01-102	31	BOSTON 1xE14
93-205-03-100	31	BOSTON 3xE14
93-205-03-102	31	BOSTON 3xE14
93-205-09-100	33	BOSTON 9xE14
93-205-09-102	33	BOSTON 9xE14
93-205-19-100	33	BOSTON 9xE14
93-205-19-102	33	BOSTON 9xE14
93-207-27-100	41	CLOE 1xE27
93-207-27-180	41	CLOE 1xE27

93-208-01-180	35	●	KRABI 1xE27
93-208-03-180	35	●	KRABI 3xE27
93-208-13-180	35	●	KRABI 3xE27
93-212-27-100	37	○	CALA 1xE27
93-212-27-180	37	●	CALA 1xE27
93-220-27-100	42	○	LILIAN 1xE27
93-220-27-105	42	●	LILIAN 1xE27
93-220-27-106	42	●	LILIAN 1xE27
93-220-27-107	42	●	LILIAN 1xE27
93-220-27-180	42	●	LILIAN 1xE27
93-421-15-170	75	○	MARMOL 1xE27
93-553-01-000	71	○	ARI 1xGU10
93-553-01-006	71	●	ARI 1xGU10
93-553-01-008	71	●	ARI 1xGU10
93-725-27-116	67	●	PENDEL 1xE27
93-725-27-180	67	●	PENDEL 1xE27
93-841-02-116	69	●	WINERY 2xE27
93-841-06-116	68	●	WINERY 6xE27
93-841-15-100	69	○	WINERY 1xE27
93-841-15-116	69	●	WINERY 1xE27
93-841-15-180	69	●	WINERY 1xE27
99-006-05-100	214	○	CANDY 5xE14
99-007-01-120	215	●	NOAH 1xE14
99-008-01-140	215	●	PRINCESS 1xE14
99-009-01-142	210	●	ALFA 1xE27
99-010-01-120	210	●	BRAVO 1xE27
99-012-02-130	211	●	RUSTY 1xE27
99-013-02-130	211	●	TRAKTOR 1xE27
99-017-01-222	213	●	CHAMPION 1xE27
99-035-30-316	60	●	MAD -28W
99-035-50-316	61	●	MAD -42W
99-035-60-316	61	●	MAD -56W
99-072-22-300	57	○	SAND -22W
99-072-22-380	57	●	SAND -22W
99-072-36-300	57	○	SAND -36W
99-072-48-300	57	○	SAND -48W
99-073-36-300	54	○	ELEGANCE -36W
99-073-36-380	54	●	ELEGANCE -36W
99-074-50-380	58	●	DINA -50W
99-109-30-400	52	○	LYN -30W
99-109-30-481	52	●	LYN -30W
99-109-40-500	53	○	LYN -40W
99-109-40-581	53	●	LYN -40W
99-109-40-600	53	○	LYN -40W
99-109-40-681	53	●	LYN -40W
99-207-49-116	59	●	REVER -49W
99-237-03-100	41	○	CLOE 3xE27
99-237-03-180	41	●	CLOE 3xE27
99-312-03-100	37	○	CALA 3xE27
99-312-03-180	37	●	CALA 3xE27
99-510-21-100	49	○	LIZER -21W
99-510-21-115	49	●	LIZER -21W

99-510-21-281	49	●	LIZER -21W
99-510-36-100	49	○	LIZER -36W
99-510-36-115	49	●	LIZER -36W
99-510-36-281	49	●	LIZER -36W
99-510-48-100	50	○	LIZER -48W
99-510-48-115	50	●	LIZER -48W
99-510-48-281	50	●	LIZER -48W
99-510-72-100	50	○	LIZER -72W
99-510-72-115	50	●	LIZER -72W
99-510-72-281	50	●	LIZER -72W
99-511-30-100	45	○	MIRTA -50W
99-511-30-180	45	●	MIRTA -50W
99-840-06-116	68	●	WINERY 6xE27
99-903-53-000	55	○	DUNIA -53W
99-903-53-008	55	●	DUNIA -53W
99-911-50-100	47	○	VIVIT -50W
99-911-50-180	47	●	VIVIT -50W
99-912-70-100	46	○	MORFEO -70W
99-912-70-180	46	●	MORFEO -70W
PAN-100-01-115	66	●	MALE 1xE27
PAN-101-01-100	66	●	ZAZU 1xE27
PAN-103-01-115	66	●	SENA 1xE27
PAN-104-01-115	66	●	TENAI 1xE27
PAN-105-01-111	65	●	KEYLA 1xE27
PAN-110-01-115	66	●	MALE 1xE27
PAN-113-01-115	66	●	SENA 1xE27
PAN-200-01-115	63	●	LIDU 1xE27
PAN-201-01-100	65	●	ADDU 1xE27
PAN-201-01-115	65	●	ADDU 1xE27
PAN-202-01-115	63	●	EID 1xE27
PAN-203-01-115	63	●	DULU 1xE27
PAN-204-01-115	63	●	NOONU 1xE27
PAN-205-01-115	62	●	ARI 1xE27
PAN-215-01-115	62	●	ARI 1xE27
PAN-225-01-115	62	●	ARI 1xE27
PAN-300-01-115	63	●	MEDU 1xE27
PAN-301-01-115	63	●	ISDU 1xE27
PAN-302-01-115	63	●	PALM 1xE27
PAN-303-01-115	63	●	ANSE 1xE27
PAN-304-01-115	66	●	DERA 1xE27
PAN-305-01-180	66	●	DERA 1xE27
PAN-306-01-115	62	●	FIL 1xE27

00-036-06-400	226	○	PRIM -6W
00-120-00-000	258	○	ECLO 1xGU10
00-120-00-001	258	●	ECLO 1xGU10
00-120-00-002	258	●	ECLO 1xGU10
00-120-00-003	258	●	ECLO 1xGU10
00-120-00-004	258	●	ECLO 1xGU10
00-120-00-006	258	●	ECLO 1xGU10
00-121-04-002	259	●	TERRA 1xGU10
00-176-01-000	245	○	LIVING 1xGU10

00-176-01-281	245	\$	LIVING 1xGU10
00-493-01-000	247	○	ZEUS 1xGU10
00-593-01-000	244	○	APOLO 1xGU10
00-823-03-000	222	○	KIT 3 FOCOS -3W
00-893-01-000	247	○	NAEL 1xGU10
01-010-00-000	254	○	HELIUM 1xGU10
01-010-00-003	254	N	HELIUM 1xGU10
01-010-00-006	254	A	HELIUM 1xGU10
01-010-00-115	254	N	HELIUM 1xGU10
01-010-80-180	254	●	HELIUM 1xGU10
01-020-00-000	261	○	ZAR 1xGU10
01-020-00-001	261	Ch	ZAR 1xGU10
01-020-00-002	261	N	ZAR 1xGU10
01-020-00-006	261	A	ZAR 1xGU10
01-020-00-008	261	●	ZAR 1xGU10
01-021-04-000	259	○	TERRA 1xGU10
01-021-04-002	259	N	TERRA 1xGU10
01-021-04-006	259	A	TERRA 1xGU10
01-047-01-000	243	○	RETO 1xGU10
01-047-01-008	243	●	RETO 1xGU10
ARO-047-000	243	○	RETO
ARO-047-001	243	Ch	RETO
ARO-047-002	243	N	RETO
ARO-047-008	243	●	RETO
01-050-01-100	248	○	FREY 1xGU10
01-050-01-180	248	●	FREY 1xGU10
01-061-01-100	249	○	IDUN 1xGU10
01-061-01-180	249	●	IDUN 1xGU10
01-076-01-000	245	○	LIVING 1xGU10
01-076-01-008	245	●	LIVING 1xGU10
01-076-01-281	245	\$	LIVING 1xGU10
01-100-00-000	255	○	HELIUM PLUS 1xGU10
01-100-00-003	255	N	HELIUM PLUS 1xGU10
01-121-00-100	242	○	AKRAH 1xGU10
01-121-00-180	242	●	AKRAH 1xGU10
01-240-08-100	239	○	TYR -8W
01-240-08-180	239	●	TYR -8W
01-493-01-000	247	○	ZEUS 1xGU10
01-593-01-000	244	○	APOLO 1xGU10
01-823-03-000	222	○	KIT 3 FOCOS -3W
01-853-00-100	246	○	DUO 1xGU10
01-893-01-000	247	○	NAEL 1xGU10
01-953-00-100	246	○	ONEO 1xGU10
01-980-01-100	251	○	DOMINO 1xGU10
01-983-01-100	251	○	DOMINO 1xGU10
02-012-08-420	228	●	PRIM -8W
02-012-15-000	228	○	PRIM -16W
02-012-15-420	228	●	PRIM -16W
02-012-24-000	228	○	PRIM -24W
02-012-24-420	228	●	PRIM -24W
02-036-20-400	226	○	PRIM
02-100-06-181	230	●	KNOW -6W

02-100-06-400	230	○	KNOW -6W
02-100-12-181	230	●	KNOW -12W
02-100-12-400	230	○	KNOW -12W
02-100-18-181	230	●	KNOW -18W
02-100-18-300	230	○	KNOW -18W
02-100-18-400	230	○	KNOW -18W
02-112-08-000	227	○	PRIM -8W
02-112-08-420	227	●	PRIM -8W
02-112-15-000	227	○	PRIM -16W
02-112-15-420	227	●	PRIM -16W
02-112-24-000	227	○	PRIM -24W
02-112-24-420	227	●	PRIM -24W
02-200-06-181	231	●	KNOW -6W
02-200-06-400	231	○	KNOW -6W
02-200-12-181	231	●	KNOW -12W
02-200-12-400	231	○	KNOW -12W
02-200-18-400	231	○	KNOW -18W
02-290-05-100	224	○	LANKA -5W
02-291-08-100	223	○	NOSY -8W
02-291-12-100	223	○	NOSY -12W
02-292-08-100	225	○	SUMAI -8W
02-292-08-DIF	225	●	SUMAI de 8W
02-292-12-100	225	○	SUMAI -12W
02-292-12-DIF	225	●	SUMAI de12W
02-300-06-181	232	●	KNOW -6W
02-300-12-181	232	●	KNOW -12W
02-300-12-400	232	○	KNOW -12W
02-300-18-181	232	●	KNOW -18W
02-300-18-400	232	○	KNOW -18W
02-406-18-333	235	○	GAVE -18W
02-406-28-333	235	○	GAVE -30W
02-413-30-400	230	○	KNOW -30W
02-433-30-300	232	○	KNOW -30W
02-433-30-400	232	○	KNOW -30W
02-445-20-300	235	○	ADATO -20W
02-445-20-400	235	○	ADATO -20W
02-445-20-600	235	○	ADATO -20W
02-513-30-400	231	○	KNOW -30W
02-533-30-400	233	○	KNOW -30W
02-600-06-181	233	●	KNOW -6W
02-600-06-400	233	○	KNOW -6W
02-600-12-181	233	●	KNOW -12W
02-600-12-400	233	○	KNOW -12W
02-600-18-181	233	●	KNOW -18W
02-600-18-400	233	○	KNOW -18W
02-633-25-300	229	○	SIRION -30W
02-633-25-400	229	○	SIRION -30W
02-633-25-600	229	○	SIRION -30W
02-906-07-000	238	○	SYLT -5W
02-943-18-333	234	○	TEKIA -18W
02-943-18-ARO-NEGRO	234	●	TEKIA
02-943-18-ARO-PLATA	234	\$	TEKIA

03-031-00-000	253	○	TECNO 1xAR111
03-031-00-003	253	●	TECNO 1xAR111
03-032-00-000	253	○	TECNO 3xAR111
03-032-00-003	253	●	TECNO 3xAR111
03-060-00-000	256	○	HELIUM 1xGU10
03-061-00-000	256	○	HELIUM 1xGU10
03-061-00-003	256	●	HELIUM 1xGU10
03-061-00-006	256	●	HELIUM 1xGU10
03-061-00-007	256	●	HELIUM 1xGU10
03-061-00-115	256	●	HELIUM 1xGU10
03-061-80-180	256	●	HELIUM 1xGU10
03-062-00-000	257	○	HELIUM 2xGU10
03-062-00-003	257	●	HELIUM 2xGU10
03-062-00-115	257	●	HELIUM 2xGU10
03-062-80-180	257	●	HELIUM 2xGU10
03-063-00-115	257	●	HELIUM 3xGU10
03-064-00-003	257	●	HELIUM 4xGU10
03-064-00-115	257	●	HELIUM 4xGU10
03-121-00-100	242	○	AKRAH 1xGU10
03-121-00-180	242	●	AKRAH 1xGU10
03-122-00-100	242	○	AKRAH 3xGU10
03-122-00-180	242	●	AKRAH 3xGU10
03-456-10-400	270	○	WALL WASHER -10W
03-456-20-400	270	○	WALL WASHER -20W
18-312-03-300	281	○	TIRA LED -3W
26-877-48-420	271	○	BILO -48W
30-125-40-333	268	○	PANEL -40W
30-125-40-400	268	○	PANEL -40W
30-550-40-PER	268	○	PANEL
43-007-06-100	241	○	NORNA -6W
43-007-06-180	241	●	NORNA -6W
43-055-01-000	277	○	ICE -9W
43-055-01-002	277	●	ICE -9W
43-055-01-300	277	○	ICE -9W
43-115-01-000	274	○	SIRA 1xGU10
43-115-01-008	274	●	SIRA 1xGU10
43-147-08-100	240	○	SKADI -8W
43-147-08-180	240	●	SKADI -8W
43-210-02-000	275	○	CLARK 2xGU10
43-210-02-008	275	●	CLARK 2xGU10
43-519-48-333	269	○	EDUBA -40W
43-656-01-000	272	○	FLIN 1xGU10
43-656-01-008	272	●	FLIN 1xGU10
43-685-01-000	273	○	NEIL 1xGU10
43-685-01-008	273	●	NEIL 1xGU10
43-861-01-000	276	○	ICE -16W
43-861-01-002	276	●	ICE -16W
63-171-50-001	237	●	MASTA
90-171-50-001	237	●	MASTA 1xGU10
CARR-CR2	237	●	MASTA 4xGU10
10-333-15-003	236	●	MASTA
10-334-15-003	236	●	MASTA

10-335-15-003	236	●	MASTA
053100-**-**	262		SERIE 053100
053300-**-**	262		SERIE 053300
055200-**-**	266		SERIE 055200
065200-**-**	266		SERIE 065200
174100-**-**	264		SERIE 174100
174300-**-**	264		SERIE 174300
353100-**-**	263		SERIE 353100
353300-**-**	263		SERIE 353300
374100-**-**	265		SERIE 374100
374300-**-**	265		SERIE 374300
491100-**-**	267		SERIE 491100
492100-**-**	267		SERIE 492100
LS0064,8W/m-**-**	278		TIRA LED 4,8W/m
LS0069,6W/m-**-**	278		TIRA LED 9,6W/m
LS00614,4W/m-**-**	278		TIRA LED 14,4W/m
LS00619,2W/m-**-**	278		TIRA LED 19,2W/m
REC1-070-**-**	279		PERFIL EMPOTRABLE
REC2-070-**-**	279		PERFIL EMPOTRABLE
REC1-144-**-**	279		PERFIL EMPOTRABLE
REC2-144-**-**	279		PERFIL EMPOTRABLE
SPF1-070-**-**	279		PERFIL SUPERFICIE
SPF2-070-**-**	279		PERFIL SUPERFICIE
SPF1-144-**-**	279		PERFIL SUPERFICIE
SPF2-144-**-**	279		PERFIL SUPERFICIE
COR1-190-**-**	279		PERFIL CORNER
COR2-190-**-**	279		PERFIL CORNER

05-581-01-481	297	●	SILVER -200lm
06-247-02-381	296	●	BALMA -200lm
07-001-01-180	295	●	ZEFFA -350lm
16-577-08-300	299	●	TEIDE -430lm
16-580-03-300	298	●	ETNA -330lm
16-678-03-270	298	●	GUIRNALDA -600lm
43-006-01-180	295	●	ZEFFA -350lm
43-008-05-181	287	●	IROS -1000lm
43-009-05-180	287	●	RAKSA -1000lm
43-017-05-180	286	●	CHIMO -1000lm
43-255-02-180	290	●	CALM -150lm
43-256-01-180	291	●	DIAMANTE -120lm
43-257-03-380	289	●	VIO -120lm
43-257-03-480	289	●	VIO -120lm
43-258-01-380	290	●	NALIN -120lm
43-258-01-480	290	●	NALIN -120lm
43-259-02-380	291	●	NIL -120lm
43-415-08-182	285	●	OPEN SOLAR -1050lm
43-508-08-480	293	●	MIX -950lm
43-889-03-480	293	●	CLIP -300lm
77-300-08-180	292	●	TELIA -850lm
77-300-16-180	292	●	TELIA -1650lm
77-528-10-300	292	●	BEE -1560lm
77-528-10-600	292	●	BEE -1560lm

77-528-30-300	292	●	BEE -3900lm
77-528-30-600	292	●	BEE -3900lm
05-201-04-300	332	🏠	MERIDA -3W
05-202-03-380	332	●	MERIDA -3W
05-207-04-300	331	○	SMALL -3W
05-420-04-300	335	●	TAPON -3,5W
07-113-12-481	320	●	PUT -12W
07-201-05-481	316	●	SATUR -8W
07-280-01-180	326	●	DURHAM 1xE27
07-373-09-481	317	●	PISA -9W
07-406-10-482	317	●	MARIBO -10W
07-573-09-481	317	●	PISA -9W
08-206-06-482	317	●	MARIBO -7W
24-610-18-100	315	○	ASPEN -18W
24-620-18-100	315	○	ASPEN -18W
25-610-24-100	315	○	ASPEN -24W
25-620-24-100	315	○	ASPEN -24W
43-000-27-181	322	●	MINT 1xE27
43-000-27-263	322	●	MINT 1xE27
43-022-27-180	329	●	NERA 1xE27
43-070-27-181	322	●	MOTA 1xE27
43-070-27-263	322	●	MOTA 1xE27
43-124-12-380	308	●	DUNN -12W
43-149-06-481	311	●	SUN -8W
43-151-06-481	309	●	TIVO -6W
43-170-27-180	326	●	DURHAM 1xE27
43-171-27-180	326	●	DURHAM 1xE27
43-201-08-481	316	●	SATUR -8W
43-206-12-482	310	●	CIPRI -12W
43-239-10-100	302	○	MORGAN -10W
43-239-10-180	302	●	MORGAN -10W
43-250-27-180	327	●	RUTE 1xE27
43-260-27-180	328	●	RONDA 1xE27
43-338-06-100	303	○	ELBER -6W
43-338-06-180	303	●	ELBER -6W
43-351-06-481	309	●	TIVO -6W
43-372-03-300	321	🇳🇮	LAOCAI -2,4W
43-410-10-100	305	○	OPEN -10W
43-410-10-182	305	●	OPEN -10W
43-410-10-263	305	●	OPEN -10W
43-410-10-300	305	○	OPEN -10W
43-410-10-382	305	●	OPEN -10W
43-410-10-777	306	●	OPEN SMART -10W
43-441-01-180	325	●	RELAX 1xGU10
43-442-02-180	325	●	RELAX 2xGU10
43-454-06-400	313	○	ANTOP -12W
43-651-01-100	324	○	CONFO 1xGU10
43-652-02-100	324	○	CONFO 2xGU10
43-705-06-400	314	○	VIEW -6W
43-751-01-100	323	○	CONFO EVO 1xGU10
43-751-01-180	323	●	CONFO EVO 1xGU10

43-752-02-100	323	○	CONFO EVO 2xGU10
43-752-02-180	323	●	CONFO EVO 2xGU10
43-820-20-100	307	○	OPEN PLUS -20W
43-820-20-182	307	●	OPEN PLUS -20W
43-820-20-263	307	●	OPEN PLUS -20W
43-924-06-400	312	●	URPI -6W
77-102-10-181	319	●	LUXEK -10W
77-102-20-181	319	●	LUXEK -20W
77-102-30-181	319	●	LUXEK -30W
77-652-10-181	318	●	PROYECTOR 12V -10W
77-652-30-181	318	●	PROYECTOR 12V -30W
77-652-50-181	318	●	PROYECTOR 12V -50W
88-200-03-777	334	●	LINA -3W
88-256-02-777	333	●	KID -1,8W
93-022-27-180	329	●	NERA 1xE27
93-148-44-116	330	●	PEDANT 1xE27
93-260-27-180	328	●	RONDA 1xE27
00-302-01-000	350	○	ALHAMBRA 1xGU10
00-302-01-008	350	●	ALHAMBRA 1xGU10
01-302-01-000	350	○	ALHAMBRA 1xGU10
01-302-01-008	350	●	ALHAMBRA 1xGU10
01-402-01-888	351	●	ALHAMBRA 1xGU10
AR-403-00-000	351	○	ALHAMBRA I
AR-403-00-002	351	🇳🇮	ALHAMBRA I
AR-404-00-000	351	○	ALHAMBRA I
AR-404-00-002	351	🇳🇮	ALHAMBRA I
01-935-06-100	357	●	DALAI -7W
01-935-06-180	357	○	DALAI -7W
01-970-01-100	356	○	ACUARIO 1xGU10
01-971-01-100	356	○	ACUARIO mini 1xGU10
01-982-01-100	347	○	DOMINO 1xGU10
02-018-18-300	364	○	ARA -18W
02-018-18-400	364	○	ARA -18W
02-018-24-300	364	○	ARA -24W
02-018-24-400	364	○	ARA -24W
02-018-32-300	364	○	ARA -32W
02-018-32-400	364	○	ARA -32W
02-018-40-300	364	○	ARA -40W
02-018-40-400	364	○	ARA -40W
02-415-15-400	363	○	SONER -15W
02-444-18-000	362	○	GELYS -18W
02-444-18-380	362	●	GELYS -18W
02-444-30-000	362	○	GELYS -30W
02-444-30-380	362	●	GELYS -30W
02-515-15-400	363	○	SONER -15W
02-516-08-001	365	🇨🇭	KAJU IP44 -8W
02-526-30-001	365	🇨🇭	KAJU IP44 -30W
02-615-20-400	363	○	SONER -20W
02-644-18-000	362	○	GELYS -18W
02-644-18-380	362	●	GELYS -18W
02-644-30-000	362	○	GELYS -36W

02-644-30-380	362	●	GELYS -36W
02-671-09-300	361	○	TANGO -9W
02-671-09-600	361	○	TANGO -9W
02-671-36-300	361	○	TANGO -36W
02-671-36-400	361	○	TANGO -36W
02-671-36-600	361	○	TANGO -36W
02-771-30-000	360	○	SOL -30W
02-771-30-001	360	○	SOL -30W
02-771-30-300	360	○	SOL -30W
02-771-30-301	360	○	SOL -30W
02-771-30-570	360	○	SOL -30W
02-771-30-571	360	○	SOL -30W
02-815-20-400	363	○	SONER -20W
02-815-30-400	363	○	SONER -30W
02-908-07-003	359	●	LANNIC -7W
02-908-07-100	359	○	LANNIC -7W
02-908-07-180	359	●	LANNIC -7W
43-286-06-001	341	Ch	MALAGA -6W
43-610-03-001	345	Ch	MURCIA -3W
43-617-05-001	344	Ch	LEON -5W
43-690-06-001	342	Ch	SEVILLA -6W
43-851-01-000	349	○	FRED 1xGU10
43-851-01-008	349	●	FRED 1xGU10
43-898-03-001	343	Ch	MALLORCA -6W
43-950-08-180	339	●	ODILE -8W
43-960-06-180	338	●	MADGE -6W
43-960-08-180	338	●	MADGE -8W
43-970-06-180	340	●	ROTH -6W
43-970-08-180	340	●	ROTH -8W
43-970-12-180	340	●	ROTH -12W
DR077073-06-IP44	353	○	SOFIA -7W
DR077073-06-IP65	353	○	SOFIA -7W
DR077103-06-IP44	354	○	SOFIA -10W
DR077103-06-IP65	354	○	SOFIA -10W
DR077104-06-IP44	354	○	SOFIA -10W
DR077104-06-IP65	354	○	SOFIA -10W
DR077106-06-IP44	354	○	SOFIA -10W
DR077106-06-IP65	354	○	SOFIA -10W
DR077153-06-IP44	354	○	SOFIA -12W
DR077153-06-IP65	354	○	SOFIA -12W
DR077154-06-IP44	354	○	SOFIA -12W
DR077154-06-IP65	354	○	SOFIA -12W
DR077156-06-IP44	354	○	SOFIA -12W
DR077156-06-IP65	354	○	SOFIA -12W
L25110620-**	366		SERIE 25-10W
L25110621-**	366		SERIE 25-10W
L25110625-**	366		SERIE 25-10W
L25110620**-TCI-HP	367		SERIE 25-10W
L25110621**-TCI-HP	367		SERIE 25-10W
L25110625**-TCI-HP	367		SERIE 25-10W
L25113620**-TCI-HP	367		SERIE 25-13W
L25113621**-TCI-HP	367		SERIE 25-13W

L25113625**-TCI-HP	367		SERIE 25-13W
L00122620-**	370		SERIE 00-20W
L00122621-**	370		SERIE 00-20W
L00122626-**	370		SERIE 00-20W
L00122620**-TCI-HP	371		SERIE 00-20W
L00122621**-TCI-HP	371		SERIE 00-20W
L00122625**-TCI-HP	371		SERIE 00-20W
L00128620**-TCI-HP	371		SERIE 00-26W
L00128621**-TCI-HP	371		SERIE 00-26W
L00128625**-TCI-HP	371		SERIE 00-26W
L51122620-**	368		SERIE 51-20W
L51122621-**	368		SERIE 51-20W
L51122626-**	368		SERIE 51-20W
L51122620**-TCI-HP	369		SERIE 51-20W
L51122621**-TCI-HP	369		SERIE 51-20W
L51122625**-TCI-HP	369		SERIE 51-20W
L51128620**-TCI-HP	369		SERIE 51-26W
L51128621**-TCI-HP	369		SERIE 51-26W
L51128625**-TCI-HP	369		SERIE 51-26W
L56122620-**	373		SERIE 56-20W
L56122621-**	373		SERIE 56-20W
L56122626-**	373		SERIE 56-20W
KE-1H-7W-TCI	366-373		KIT EMERGENCIA 1H
KE-3H-7W-TCI	366-373		KIT EMERGENCIA 3H





Iluminación **DECORATIVA**

*Decorative lighting/
Éclairage décoratif*



1x E27
● Ref.: 93-204-11-106



1x E27
● Ref.: 93-204-01-106



1x E27
● Ref.: 93-204-21-106

1000 mm



Ø200 mm



Ø200 mm



Ø150 mm



3x E27
● Ref.: 93-204-03-106



Ø370 mm



3x E27
● Ref.: 93-204-13-106



840x200 mm







Boston



1x E14
● Ref.: 93-205-01-100





1x E14
● Ref.: 93-205-01-102



1x E14
● Ref.: 43-205-03-100



1x E14
● Ref.: 43-205-03-102



3x E14
● Ref.: 93-205-03-100





3x E14
● Ref.: 93-205-03-102



1x E14
● Ref.: 88-205-03-100



1x E14
● Ref.: 88-205-03-102







Boston




33



9x G9

● Ref.: 93-205-19-100

○ Ref.: 93-205-19-102



9x G9

● Ref.: 93-205-09-100

○ Ref.: 93-205-09-102



Material: Metal + Cristal/ Metal + glass / Metal + verre
220-240V 50/60Hz






Krabi




35




1x E27
● Ref.: 93-208-01-180



3x E27
● Ref.: 93-208-03-180



3x E27
● Ref.: 93-208-13-180



Combina con:

Combine with/ Combinez avec:



Material: Metal + papel/ Metal + paper/ Metal + papier / 230V 50Hz E14 (Max. 25W)





Cala



E27



1x E27

● Ref.: 93-212-27-100

● Ref.: 93-212-27-180




3x E27

● Ref.: 99-312-03-100



3x E27

● Ref.: 99-312-03-180



Material: Metal + Madera / Natural wood/ bois naturel / 220-240V 50/60Hz

Coral



E27



1x E27

● Ref.: 93-015-27-100

● Ref.: 93-015-27-180



Material: Metal + Madera / Metal + natural wood/ Metal + bois naturel / 220-240V 50/60Hz



Zora



E27



39



1x E27
 Ref.: 93-155-27-100



1x E27
 Ref.: 93-155-27-180



Material: Aluminio + Madera / Aluminium + natural wood/ Aluminium + bois naturel / 220-240V 50/60Hz





Cloe



E27



41



1x E27

● Ref.: 93-207-27-100

● Ref.: 93-207-27-180




3x E27

● Ref.: 99-237-03-100



3x E27


● Ref.: 99-237-03-180



Ø140 mm

Material: Metal + Madera / Metal + natural wood/ Metal + bois naturel / 220-240V 50/60Hz

Lilian



1x E27

● Ref.: 93-220-27-105



1x E27

● Ref.: 93-220-27-107



1x E27

● Ref.: 93-220-27-100




1x E27

● Ref.: 93-220-27-106



1x E27

● Ref.: 93-220-27-180



Material: Metal + Madera / Natural wood/ bois naturel / 220-240V 50/60Hz



Dafne



43



1x E27

○ Ref.: 93-030-27-100

● Ref.: 93-030-27-180



Material: Aluminio/ Aluminium/ Aluminium / 220-240V 50/60Hz





Mirta

W LUZ CÁLIDA
warm light lumière chaude

45




3500lm 50W $\angle 120^\circ$
W 3000K
● Ref.: 99-511-30-180



3500lm 50W $\angle 120^\circ$
W 3000K
○ Ref.: 99-511-30-100

Material: Aluminio/ Aluminium/ Aluminium / 220-240V 50/60Hz




Morfeo




W 3000K N 4000K C 5500K




7700lm 70W $\wedge 120^\circ$
○ Ref.: 99-912-70-100




7700lm 70W $\wedge 120^\circ$
● Ref.: 99-912-70-180



Material: Metal + PC / 220-240V 50/60Hz



*Doble iluminación/
Dual lighting/ Double éclairage*



W 3000K
N 4000K
C 5500K



5400lm 50W $\angle 120^\circ$
● Ref.: 99-911-50-100



5400lm 50W $\angle 120^\circ$
○ Ref.: 99-911-50-1

320-1200 mm
Ø600 mm

Material: Metal + PC / 220-240V 50/60Hz





Lizer

W LUZ CÁLIDA
warm light lumière chaude

49



1300lm 21W $\angle 120^\circ$

W 3000K

○ Ref.: 99-510-21-100



1300lm 21W $\angle 120^\circ$

W 3000K

● Ref.: 99-510-21-115



1300lm 21W $\angle 120^\circ$

W 3000K

● Ref.: 99-510-21-281



2250lm 36W $\angle 120^\circ$

W 3000K

○ Ref.: 99-510-36-100



2250lm 36W $\angle 120^\circ$

W 3000K

● Ref.: 99-510-36-115



2250lm 36W $\angle 120^\circ$

W 3000K

● Ref.: 99-510-36-281



Material: Aluminio/ Aluminium/ Aluminium / 220-240V 50/60Hz

Lizer

W LUZ CÁLIDA
warm light lumière chaude

50



3000lm 48W $\angle 120^\circ$
W 3000K
○ Ref.: 99-510-48-100



3000lm 48W $\angle 120^\circ$
W 3000K
● Ref.: 99-510-48-115



3000lm 48W $\angle 120^\circ$
W 3000K
● Ref.: 99-510-48-281



400-1200 mm
Ø800 mm



60 mm



4900lm 72W $\angle 120^\circ$
W 3000K
○ Ref.: 99-510-72-100



4900lm 72W $\angle 120^\circ$
W 3000K
● Ref.: 99-510-72-115



4900lm 72W $\angle 120^\circ$
W 3000K
● Ref.: 99-510-72-281



400-1200 mm
Ø1000 mm



60 mm

Material: Aluminio/ Aluminium/ Aluminium / 220-240V 50/60Hz



Lyn




W 2800K
N 4000K
C 5500K



2300lm 30W $\angle 120^\circ$
● Ref.: 99-109-30-481



2300lm 30W $\angle 120^\circ$
○ Ref.: 99-109-30-400



Material: Metal + PC / 220-240V 50/60Hz



Lyn



53


W 2800K
N 4000K
C 5500K



2800lm 40W $\angle 120^\circ$
● Ref.: 99-109-40-581




2800lm 40W $\angle 120^\circ$
○ Ref.: 99-109-40-500



2800lm 40W $\angle 120^\circ$
● Ref.: 99-109-40-681



2800lm 40W $\angle 120^\circ$
○ Ref.: 99-109-40-600



Material: Metal + PC / 220-240V 50/60Hz

Elegance

W LUZ CÁLIDA
warm light lumière chaude

54



2800lm 36W $\angle 120^\circ$

W 3000K

● Ref.: 99-073-36-380



2800lm 36W $\angle 120^\circ$

W 3000K

○ Ref.: 99-073-36-300




Material: Aluminio/ Aluminium/ Aluminium / 220-240V 50/60Hz

Dunia



55



W 2800K
N 4000K
C 5500K



4600lm 53W $\angle 120^\circ$
● Ref.: 99-903-53-008



4600lm 53W $\angle 120^\circ$
○ Ref.: 99-903-53-000



Material: Aluminio/ Aluminium/ Aluminium / 220-240V 50/60Hz

Sand

W **LUZ CÁLIDA**
warm light lumière chaude

56







1760lm 22W $\wedge 120^\circ$
W 3000K
 ● Ref.: 99-072-22-380




1760lm 22W $\wedge 120^\circ$
W 3000K
 ○ Ref.: 99-072-22-300



2880lm 36W $\wedge 120^\circ$
W 3000K
 ○ Ref.: 99-072-36-300



3480lm 48W $\wedge 120^\circ$
W 3000K
 ○ Ref.: 99-072-48-300



Material: Metal + PC / 220-240V 50/60Hz

Dina

W LUZ CÁLIDA
warm light lumière chaude



4000lm 50W $\angle 120^\circ$

W 3000K

● Ref.: 99-074-50-380



Material: Madera natural/ Natural wood/ bois naturel / 220-240V 50/60Hz

Rever



LUZ CÁLIDA

warm light lumière chaude




59



3920lm 49W $\angle 120^\circ$

3000K

Ref.: 99-207-49-116



Material: Madera natural/ Natural wood/ bois naturel / 220-240V 50/60Hz

Mad

W LUZ CÁLIDA
warm light lumière chaude



2007lm 28W $\angle 120^\circ$

W 3000K

Ref.: 99-035-30-316



70 mm

Material: Madera natural/ Natural wood/ bois naturel / 220-240V 50/60Hz

Mad

W LUZ CÁLIDA
warm light lumière chaude



61

Colección:

Collection/ Collection:



3200lm 42W $\angle 120^\circ$

W 3000K

● Ref.: 99-035-50-316




Ø670 mm




4030lm 56W $\angle 120^\circ$

W 3000K

● Ref.: 99-035-60-316



Ø920 mm



Material: Madera natural/ Natural wood/ bois naturel / 220-240V 50/60Hz

PANTALLAS

Fil

ESTILO NATURAL

*Natural style lampshades/
Abat-jours de style naturel*



1x E27
Ref.: PAN-306-01-115



Material: Jacinto acuático/
Water hyacinth / Jacinthe d'eau

Ari



PEQUEÑA

Small / Petit



1x E27
Ref.: PAN-205-01-115



MEDIANA

Medium / Moyen



1x E27
Ref.: PAN-215-01-115




GRANDE

Big / Grande



1x E27
Ref.: PAN-225-01-115



Material: Hierba marina/ Seaweeds/ Algues

Eid




1x E27
Ref.: PAN-202-01-115



Dulu



1x E27
Ref.: PAN-203-01-115



Noonu



1x E27
Ref.: PAN-204-01-115



Lidu



1x E27
Ref.: PAN-200-01-115



Material: Yute/ Jute/ Jute

Medu



1x E27
Ref.: PAN-300-01-115



Isdu



1x E27
Ref.: PAN-301-01-115



Palm



1x E27
Ref.: PAN-302-01-115



Anse



1x E27
Ref.: PAN-303-01-115



Material: Hierba marina / Seaweeds/ Algues





Keyla



1x E27
Ref.: PAN-105-01-111



Material: Hierba marina/
Seaweeds/ Algues

Addu



1x E27
Ref.: PAN-201-01-100



1x E27
Ref.: PAN-201-01-115



Material: Ratán / Rattan/ Rotin

Male



GRANDE

Big / Grande




1x E27
Ref.: PAN-110-01-115



1x E27
Ref.: PAN-100-01-115



Ø340mm




Ø200 mm

Material: Yute / Jute/ Jute

Tenai



1x E27
Ref.: PAN-104-01-115



Ø300 mm

Material: Yute/ Jute/ Jute

Zazu



1x E27
Ref.: PAN-101-01-100



Ø180 mm

Material: Bambú/ Bamboo/ Bambou

Sena



GRANDE

Big / Grande



1x E27
Ref.: PAN-113-01-115



1x E27
Ref.: PAN-103-01-115



Ø500 mm



Ø400 mm

Material: Bambú/ Bamboo/ Bambou

Dera



1x E27
Ref.: PAN-304-01-115



1x E27
Ref.: PAN-305-01-180



Ø300 mm

Material: Bambú/ Bamboo/ Bambou




COMBINA ESTAS PANTALLAS CON NUESTROS PENDANTS

COMBINE THESE LAMPSHADES WITH OUR PENDANTS/
COMBINEZ CES ABAT-JOURS AVEC NOS SUSPENSIONS



1x E27

● Ref.: 93-725-27-116



Ø100 mm



1x E27

● Ref.: 93-725-27-180



Ø90 mm

Material: Metal + Cuerda / Metal + Rope/ Metal + corde
220-240V 50/60Hz

Material: Acrílico / Acrylic / Acrylique / IP20 220-240V 50/60Hz

Winery



E27



6x E27

● Ref.: 99-840-06-116



800 mm

500-2000 mm

Material: Metal+Bambú+cuerda/ Metal+Bamboo+rope/
Metal+bambou+corde / 220-240V 50/60Hz



6x E27

● Ref.: 93-841-06-116



Ø200-400 mm

520-2000 mm

Material: Metal+Cuerda/ Metal+rope/ Metal+corde
220-240V 50/60Hz



Winery



1x E27

● Ref.: 93-841-15-116



1x E27

○ Ref.: 93-841-15-100

● Ref.: 93-841-15-180



2x E27

● Ref.: 93-841-02-116




Material: Metal + Cuerda/ rope/ corde / 220-240V 50/60Hz



Ari

GU10

71




1x GU10
○ Ref.: 93-553-01-000



1x GU10
● Ref.: 93-553-01-006



1x GU10
● Ref.: 93-553-01-008



Material: Aluminio/ Aluminium/ Aluminium / 220-240V 50/60Hz / GU10 max.50W



Anna


GU10


73



1x GU10
● Ref.: 93-001-10-053



1x GU10
○ Ref.: 93-001-10-100



Material: Aluminio/ Aluminium/ Aluminium / 220-240V 50/60Hz

Saturno



E27




1x E27

● Ref.: 93-041-27-280




1x E27

● Ref.: 93-041-27-005



Material: Metal + Madera / Natural wood/ bois naturel / 220-240V 50/60Hz




Marmol

PENDANT



75



1x E27
○Ref.: 93-421-15-170

Material: Metal / 220-240V 50/60Hz E27 max. 60W






Solor



77



1X E27
Ref.: 06-206-27-180



1X E27
Ref.: 06-206-27-100



1X E27
Ref.: 05-443-27-180




1X E27
Ref.: 05-443-27-100



1X E27
Ref.: 43-004-27-180



1X E27
Ref.: 43-004-27-100



Material: Metal + Tela / Metal + Fabric / Metal + Tissu / 220-240V 50/60Hz



Noova



79



1xE27
● Ref.: 06-175-27-001



1xE27
● Ref.: 06-175-27-002




1xE27
● Ref.: 06-175-27-008



1xE27
● Ref.: 06-175-27-007



1xE27
● Ref.: 06-175-27-006




Material: Metal + mármol Mámol/ Metal + marble / Metal + marbre / 220-240V 50Hz

Garona

W LUZ CÁLIDA
warm light lumière chaude



*Doble iluminación/
Dual lighting/ Double éclairage*



2000+440lm $\angle 120^\circ$
20 + 5W **W** 3000K
● Ref.: 06-405-20-002

2000+440lm $\angle 120^\circ$
20 + 5W **W** 3000K
● Ref.: 06-405-20-006


Material: Metal + PC / 220-240V 50/60Hz

Teo



W LUZ CÁLIDA
warm light lumière chaude

*Doble iluminación/
Dual lighting/ Double éclairage*




2200+480lm $\angle 120^\circ$
18,5+4,5W **W** 3000K
● Ref.: 06-773-18-380

2200+480lm $\angle 120^\circ$
18,5+4,5W **W** 3000K
● Ref.: 06-773-18-306

2200+480lm $\angle 120^\circ$
18,5+4,5W **W** 3000K
● Ref.: 06-773-18-302

Material: Metal + PC / 220-240V 50/60Hz



Siro



LUZ CÁLIDA

warm light lumière chaude



81



1900+400lm $\angle 120^\circ$

18 + 4W  3000K


 Ref.: 06-410-18-306



1900+400lm $\angle 120^\circ$

18 + 4W  3000K

 Ref.: 06-410-18-302



Material: Metal / 220-240V 50/60Hz




Aten




2600lm 30W $\wedge 120^\circ$
W 3000K
● Ref.: 06-325-30-002

Aten II



1800lm 20W $\wedge 120^\circ$
● Ref.: 06-325-20-008

W 3000K
N 4000K
C 5000K



Material: Aluminio/ Aluminium/ Aluminium / 220V 50/60Hz

Alari



Doble iluminación/

Dual lighting/ Double éclairage



1700lm 18W $\angle 100^\circ$

W 3000K

480lm 5W $\angle 100^\circ$

N 4200K

Ref.: 06-622-18-002



1700lm 18W $\angle 100^\circ$

W 3000K

480lm 5W $\angle 100^\circ$

N 4200K

Ref.: 06-622-18-006



Material: Metal + cristal / Metal + glass / Metal + verre / 230V 50/60Hz

83

Lampa



Doble iluminación/

Dual lighting/ Double éclairage



1700lm 18W $\angle 100^\circ$

W 3000K

480lm 5W $\angle 100^\circ$

N 4200K

Ref.: 06-205-21-000




1700lm 18W $\angle 100^\circ$

W 3000K

480lm 5W $\angle 100^\circ$

N 4200K

Ref.: 06-205-06-000



Material: Metal + cristal / Metal + glass / Metal + verre / 230V 50/60Hz

Lisa



Doble iluminación/

Dual lighting/ Double éclairage




1x E27 + 1x E14
● Ref.: 06-809-02-180



1x E27 + 1x E14
● Ref.: 06-809-02-281



1x E27 + 1x E14
○ Ref.: 06-809-02-100



Material: Metal + ABS / 220-240V

Varia




Doble iluminación/


Dual lighting/ Double éclairage



2x E27 + 1x E14
● Ref.: 06-400-27-002
● Ref.: 06-400-27-006



Material: Aluminio/ Aluminium/ Aluminium / 230V 50Hz



Luxo



E27

85



1x E27
● Ref.: 06-601-27-180



1x E27
○ Ref.: 06-601-27-100



Ø285 mm



1x E27
● Ref.: 04-601-27-180



1x E27
○ Ref.: 04-601-27-100




Ø155 mm

Material: Metal / 85-240V 50/60Hz



W 3000K N 4000K C 6000K





Fabi



87



4300lm 62W $\wedge 120^\circ$
● Ref.: 28-895-65-115



4300lm 62W $\wedge 120^\circ$
● Ref.: 28-895-65-116




4300lm 62W $\wedge 120^\circ$
● Ref.: 28-895-65-117



4300lm 62W $\wedge 120^\circ$
● Ref.: 28-895-65-182




4300lm 62W $\wedge 120^\circ$
● Ref.: 28-895-65-181



5500lm 80W $\wedge 120^\circ$
● Ref.: 28-895-80-181



5500lm 80W $\wedge 120^\circ$
● Ref.: 28-895-80-117



Material: Metal + PMMA + Tela / Metal + PMMA + Fabric / Metal + PMMA + Tissu
220-240V 50/60Hz





Hasbi




W 3000K N 4000K C 6000K




2000lm 25W $\angle 120^\circ$
● Ref.: 25-273-28-116




3500lm 35W $\angle 120^\circ$
● Ref.: 25-274-28-116



4400lm 45W $\angle 120^\circ$
● Ref.: 25-275-28-116



5900lm 54W $\angle 120^\circ$
● Ref.: 29-372-88-116




Material: Aluminio+Madera+Acrílico/ Aluminium+Wood+Acrylic/ Aluminium+Acrylique / 220-240V 50/60Hz

Hasbi



W 3000K
N 4000K
C 6000K



1400lm 24W $\angle 120^\circ$
● Ref.: 25-272-28-116



300x300 mm

Material: Aluminio+Madera+Acrílico/ Aluminium+Wood+Acrylic/ Aluminium+Acrylique / 220-240V 50/60Hz



W 3000K N 4000K C 6000K

Hasbi



1200lm 20W $\angle 120^\circ$
● Ref.: 25-172-28-116



300x300 mm



1800lm 24W $\angle 120^\circ$
● Ref.: 25-173-28-116



400x400 mm



2800lm 32W $\angle 120^\circ$
● Ref.: 25-174-28-116



500x500 mm



3350lm 38W $\angle 120^\circ$
● Ref.: 25-175-28-116



600x600 mm

Material: Aluminio+Madera+Acrílico/ Aluminium+Wood+Acrylic/ Aluminium+Acrylique / 220-240V 50/60Hz





Taoro




W 3000K
N 4000K
C 6000K



4100lm 70W $\angle 120^\circ$
 ● Ref.: 27-680-62-180



4100lm 70W $\angle 120^\circ$
 ○ Ref.: 27-680-62-100



Material: Metal, PC + Madera / Wood / Bois / 170-265V 50/60Hz



Colección:

Collection/ Collection:



Mad



LUZ CÁLIDA

warm light lumière chaude




95



2007lm 28W $\wedge 120^\circ$

3000K


Ref.: 27-035-30-316



3200lm 42W $\wedge 120^\circ$

3000K


Ref.: 28-035-50-316



4030lm 56W $\wedge 120^\circ$

3000K


Ref.: 29-035-60-316



3680lm 52W $\wedge 120^\circ$

3000K

Ref.: 29-035-55-316



Material: Madera natural/ Natural wood/ bois naturel
220-240V 50/60Hz

Cres



W 3000K
N 4000K
C 6500K



5500lm 50W $\wedge$ 120°
● Ref.: 27-190-50-100



Material: PC / 220-240V 50/60Hz



Aster

W LUZ CÁLIDA
warm light lumière chaude



97



2400lm 30W $\wedge 120^\circ$

W 3000K

○ Ref.: 27-211-30-300

55 mm



Ø450 mm

Material: Aluminio + PC/ Aluminium + PC/ Aluminium + PC/ 220-240V 50/60Hz

Siena

98



W 2800K

N 4000K

C 5500K



1300lm 30W $\wedge 120^\circ$
○ Ref.: 27-110-30-300



1300lm 30W $\wedge 120^\circ$
● Ref.: 27-110-30-308



115 mm



Ø450 mm

Material: Metal + PC / 220-240V 50/60Hz



Lili

W LUZ CÁLIDA
warm light lumière chaude


99



3800lm 50W $\wedge 120^\circ$
W 3000K
Ref.: 27-201-60-180



3800lm 50W $\wedge 120^\circ$
W 3000K
Ref.: 27-201-60-100



Material: Metal + PC / 220-240V 50/60Hz





Lea

W LUZ CÁLIDA
warm light lumière chaude


101



3700lm 55W $\angle 120^\circ$
W 3000K
Ref.: 27-202-60-180




3700lm 55W $\angle 120^\circ$
W 3000K
Ref.: 27-202-60-100



4500lm 72W $\angle 120^\circ$
W 3000K
Ref.: 27-202-72-180



4500lm 72W $\angle 120^\circ$
W 3000K
Ref.: 27-202-72-100



Material: Metal + PC / 220-240V 50/60Hz





Cryn

103



4200lm 56W $\angle 120^\circ$

N 4000K


○ Ref.: 28-069-56-400



4200lm 56W $\angle 120^\circ$

C 6000K

○ Ref.: 28-069-56-600



8400lm 99W $\angle 120^\circ$

N 4000K

○ Ref.: 29-269-19-100



5200lm 64W $\angle 120^\circ$

N 4000K


○ Ref.: 29-169-56-400



8400lm 99W $\angle 120^\circ$

C 6000K


○ Ref.: 29-269-19-600



5200lm 64W $\angle 120^\circ$

C 6000K

○ Ref.: 29-169-56-600








Cryn


SMART




7000lm 102W $\wedge 120^\circ$
 ○ Ref.: 28-068-10-100



9000lm 125W $\wedge 120^\circ$
 ○ Ref.: 29-168-12-100




14000lm 160W $\wedge 120^\circ$
 ○ Ref.: 29-268-19-100



Material: Aluminio/ Aluminium/ Aluminium / 170-220V 50/60Hz CRI≥80



3040lm 35W $\angle 120^\circ$
 ○ Ref.: 43-068-38-100



Material: Aluminio/ Aluminium/ Aluminium / 170-220V 50/60Hz CRI≥80




Cryn



107




2240lm 25W $\wedge 120^\circ$
○ Ref.: 23-068-28-100



60 mm
200x200 mm



5800lm 50W $\wedge 120^\circ$
○ Ref.: 23-068-40-100



60 mm
300x300 mm

Material: Aluminio/ Aluminium/ Aluminium / 170-220V 50/60Hz CRI $\geq$ 80

Elora


108




W 3000K
N 4000K
C 5500K




6700lm 86W $\wedge 120^\circ$
○ Ref.: 27-771-10-100



7800lm 106W $\wedge 120^\circ$
○ Ref.: 27-772-10-100



Material: Metal + PC / 220-240V 50/60Hz CRI $\geq$ 80



Cora




109




W 3000K
N 4000K
C 5500K



6500lm 78W $\angle 120^\circ$
● Ref.: 27-881-78-100



5500lm 82W $\angle 120^\circ$
● Ref.: 27-882-78-100



Material: Metal + PC / 220-240V 50/60Hz CRI $\geq$ 80







Mei



W 3000K
N 4000K
C 6000K

111



10900lm 125W $\angle 120^\circ$
○Ref.: 27-241-14-100

75 mm



Ø500 mm



12000lm 135W $\angle 120^\circ$
○Ref.: 27-242-15-100

75 mm



500x500 mm



9900lm 115W $\angle 120^\circ$
○Ref.: 27-244-13-100


75 mm



500x500 mm

Material: Metal + PC / 175-265V 50/60Hz CRI $\geq$ 80









Otie




113




11900lm 135W $\wedge_{120^\circ}$
○ Ref.: 27-259-15-100



8000lm 90W $\wedge_{120^\circ}$
○ Ref.: 27-258-11-100




Material: Metal + PC / 175-265V 50/60Hz CRI $\geq$ 80



Ara



W 3000K
N 4000K
C 6000K




8000lm 90W $\angle 120^\circ$
○ Ref.: 27-238-94-100

60 mm



500x500 mm



7000lm 70W $\angle 120^\circ$
○ Ref.: 27-237-95-100

55 mm



500x500 mm




Material: Metal + PC / 175-265V 50/60Hz CRI $\geq$ 80

Ness

116



W 3000K
N 4000K
C 5500K




3900lm 60W $\wedge 120^\circ$
○ Ref.: 27-100-60-100

50 mm



450x450 mm

Material: Metal + PC / 175-265V 50/60Hz




Niza



117




4550lm 70W $\wedge 120^\circ$
○ Ref.: 27-821-70-100



Material: Metal + PC / 175-265V 50/60Hz

Ryad

118



7300lm 85W $\angle 120^\circ$
 ○Ref.: 27-094-97-100



Material: Metal + PC / 170-220V 50/60Hz




Rus

119



7300lm 85W $\angle 120^\circ$
 ○ Ref.: 27-095-97-100




Material: Metal + PC / 170-220V 50/60Hz

Saren

120



9300lm 110W $\wedge 120^\circ$
 ○ Ref.: 27-097-10-100





Material: Metal + PC / 170-220V 50/60Hz




Aquila



121



11100lm 222W $\wedge 120^\circ$
 ● Ref.: 29-006-12-334



Material: Metal + PC / 175-265V 50/60Hz






Vega




123




3000lm 60W $\angle 120^\circ$
 Ref.: 27-151-50-094



3600lm 72W $\angle 120^\circ$
 Ref.: 27-150-50-110



8000lm 160W $\angle 120^\circ$
 Ref.: 29-250-10-250



Material: Metal + PC / 175-265V 50/60Hz



Draco

125




4600lm 92W $\angle 120^\circ$
● Ref.: 28-072-65-146

70 mm



Ø550 mm



5000lm 100W $\angle 120^\circ$
● Ref.: 27-073-55-162

70 mm



450x450 mm



11300lm 226W $\angle 120^\circ$
● Ref.: 29-071-10-348

70 mm



900x600 mm

Material: Metal + PC / 175-265V 50/60Hz



4600lm 92W $\angle 120^\circ$
 Ref.: 28-126-10-100

70 mm



Ø550 mm



5000lm 100W $\angle 120^\circ$
 Ref.: 27-116-10-100

70 mm



450x450 mm



11300lm 226W $\angle 120^\circ$
 Ref.: 29-146-10-100

70 mm



900x600 mm

Material: Metal + PC / 175-265V 50/60Hz

Pixy

127



3900lm 60W $\angle 120^\circ$
● Ref.: 27-082-50-094

70 mm



Ø450 mm



4500lm 72W $\angle 120^\circ$
● Ref.: 27-083-50-112

70 mm



420x420 mm




7800lm 156W $\angle 120^\circ$
● Ref.: 29-081-12-244


70 mm



1050x700 mm

Material: Metal + PC / 175-265V 50/60Hz






Naos





129

W 3000K
N 4000K
C 5500K



5840lm 75W $\wedge 120^\circ$
○ Ref.: 27-662-11-100



7920lm 100W $\wedge 120^\circ$
○ Ref.: 27-661-11-100

Material: Aluminio + PVC / Aluminium + PVC / Aluminium + PVC / 175-265V 50Hz






Naos

NATURE





131

W 3000K
N 4000K
C 5500K



5840lm 75W $\angle 120^\circ$
Ref.: 27-672-11-116




7920lm 100W $\angle 120^\circ$
Ref.: 27-671-11-116

Material: Aluminio + PVC / Aluminium + PVC / Aluminium + PVC / 175-265V 50Hz

Lou

132




W 3000K

N 4000K

C 6000K



9200lm 105W $\wedge 120^\circ$
 ○Ref.: 27-184-12-100




Material: Metal + PC / 170-220V 50/60Hz



Nox



133




7800lm 90W $\wedge 120^\circ$
○ Ref.: 27-185-11-100



Material: Metal + PC / 170-220V 50/60Hz






Cloud



135



8800lm 100W $\angle 120^\circ$
○ Ref.: 27-195-12-100



Material: Metal + PC / 170-220V 50/60Hz

Plafon SMART


136




3000lm 36W $\angle 120^\circ$
○ Ref.: 26-616-36-000



3000lm 36W $\angle 120^\circ$
○ Ref.: 26-216-36-000



4500lm 52W $\angle 120^\circ$
○ Ref.: 26-616-52-000



4500lm 52W $\angle 120^\circ$
○ Ref.: 27-216-52-000




Material: ABS / 180-240V 50/60Hz


Rosse



4000lm 60W $\angle 120^\circ$
○ Ref.: 27-001-60-100



6900lm 85W $\angle 120^\circ$
● Ref.: 27-630-10-003



Material: Metal + PC / 175-265V 50/60Hz


Aiko

Material: Metal + PC / 170-265V 50/60Hz

Milea



4500lm 60W $\wedge 120^\circ$
 ○ Ref.: 27-526-60-001



2000lm 25W $\wedge 120^\circ$
 N 4000K
 ○ Ref.: 27-526-25-001




Material: Metal + PC / 170-265V 50/60Hz

Silvy



4750lm 72W $\wedge 120^\circ$
 ○ Ref.: 27-992-72-100





Material: Metal + PC / 175-265V 50/60Hz

Melissa



3600lm 40W $\wedge 120^\circ$
 ○ Ref.: 27-826-40-100

4800lm 60W $\wedge 120^\circ$
 ○ Ref.: 28-826-60-100



Material: Metal + PC / 175-265V 50/60Hz



Sever

139



W 2700K
N 4200K
C 6500K



3050lm 42W $\angle 120^\circ$
○ Ref.: 26-102-42-500



4750lm 72W $\angle 120^\circ$
○ Ref.: 27-102-72-500



6600lm 100W $\angle 120^\circ$
○ Ref.: 28-102-10-500



6600lm 100W $\angle 120^\circ$
○ Ref.: 29-302-10-500



3050lm 42W $\angle 120^\circ$
○ Ref.: 26-102-42-100







4750lm 72W $\angle 120^\circ$
○ Ref.: 27-102-72-100



6600lm 100W $\angle 120^\circ$
○ Ref.: 28-102-10-100



6600lm 100W $\angle 120^\circ$
○ Ref.: 29-302-10-100



Material: PMMA/ 180-240V 50/60Hz





Kaju

EMPOTRABLE

LUZ NEUTRA
Neutral light lumière neutre

141



680lm 8W $\wedge 120^\circ$

N 4200K

○ Ref.: 02-556-08-420



● Ref.: 02-556-08-181



A Ref.: 02-556-08-006



Ch Ref.: 02-556-08-001

⌀ 70 mm



Ø90 mm



1380lm 16W $\wedge 120^\circ$

N 4200K

○ Ref.: 02-556-16-420



● Ref.: 02-556-16-181



● Ref.: 02-556-16-280



A Ref.: 02-556-16-006

⌀ 130 mm



Ø145 mm



2600lm 30W $\wedge 120^\circ$

W 3000K

○ Ref.: 02-556-30-320



2600lm 30W $\wedge 120^\circ$

N 4200K

○ Ref.: 02-556-30-420



● Ref.: 02-556-30-181



● Ref.: 02-556-30-280



A Ref.: 02-556-30-006

⌀ 200 mm



Ø225 mm

Material: Aluminio/ Aluminium/ Aluminium / 230V 50/60Hz

Kaju

EMPOTRABLE

LUZ NEUTRA
Neutral light lumière neutre



680lm 8W $\wedge 120^\circ$

4200K

○ Ref.: 02-656-08-420



● Ref.: 02-656-08-001



● Ref.: 02-656-08-006



● Ref.: 02-656-08-280

70x70 mm



90x90 mm



1380lm 16W $\wedge 120^\circ$

4200K

○ Ref.: 02-656-16-420

130x130 mm



145x145 mm



2600lm 30W $\wedge 120^\circ$

4200K

○ Ref.: 02-656-30-420

200x200 mm



225x225 mm


Material: Aluminio/ Aluminium/ Aluminium / 230V 50/60Hz

Kaju

SUPERFICIE

LUZ NEUTRA
Neutral light lumière neutre

143



680lm 8W $\angle 120^\circ$

N 4200K

○ Ref.: 02-606-08-420



1380lm 16W $\angle 120^\circ$

N 4200K

○ Ref.: 02-606-16-420



2600lm 30W $\angle 120^\circ$

N 4200K

○ Ref.: 02-606-30-420



● Ref.: 02-606-08-181



● Ref.: 02-606-16-181



A Ref.: 02-606-30-006



● Ref.: 02-606-30-280

25 mm



90x90 mm

25 mm



145x145 mm

25 mm



225x225 mm

Material: Aluminio/ Aluminium/Aluminium / 230V 50/60Hz

Kaju

SUPERFICIE



144



680lm 8W $\wedge 120^\circ$

N 4200K

○ Ref.: 02-506-08-420



1380lm 16W $\wedge 120^\circ$

N 4200K

● Ref.: 02-506-16-181



2600lm 30W $\wedge 120^\circ$

N 4200K

○ Ref.: 02-506-30-420



● Ref.: 02-506-08-181

25 mm



Ø145 mm



A Ref.: 02-506-30-006



680lm 8W $\wedge 120^\circ$

W 3000K

○ Ref.: 02-506-08-320



● Ref.: 02-506-30-181



● Ref.: 02-506-08-381

25 mm



Ø90 mm

25 mm



Ø225 mm

Material: Alumínio/ Aluminium/ Aluminium / 230V 50/60Hz







Halo



W 2800K
N 4000K
C 6500K

*Doble iluminación/
Dual lighting/ Double éclairage*



1500lm 15W $\angle 120^\circ$
● Ref.: 02-888-15-180



2600lm 24W $\angle 120^\circ$
● Ref.: 02-888-24-180



3600lm 36W $\angle 120^\circ$
● Ref.: 02-888-36-180



1500lm 15W $\angle 120^\circ$
○ Ref.: 02-888-15-333



2600lm 24W $\angle 120^\circ$
○ Ref.: 02-888-24-333



3600lm 36W $\angle 120^\circ$
○ Ref.: 02-888-36-333

Ø95 mm

42 mm



Ø134 mm

Ø68-220 mm

43 mm



Ø260 mm

Ø168-300 mm

42 mm



Ø360 mm

Material: Metal + PC / 170-265V 50/60Hz

Levo

LUZ NEUTRA
Neutral light lumière neutre

148



630lm 7W $\angle 110^\circ$
N 4000K
○ Ref.: 02-232-07-400

⌀ 75 mm
19 mm
⌀ 95 mm



2340lm 26W $\angle 110^\circ$
N 4000K
○ Ref.: 02-232-26-400



2340lm 26W $\angle 110^\circ$
W 3000K
○ Ref.: 02-232-26-300

⌀ 210 mm
19 mm
⌀ 221 mm


Material: Aluminio / Aluminium / Aluminium / 100-240V 50/60Hz LED SANAN SMD5630

Liveo

LUZ NEUTRA
Neutral light lumière neutre



149



*Doble iluminación/
Dual lighting/ Double éclairage*



2250lm 24W $\wedge 120^\circ$
N 4000K
○ Ref.: 02-660-24-400

⌀ 55-170 mm

10 mm
⌀ 225 mm

Material: Aluminio + acrílico / Aluminium + acrylic / Aluminium + acrylique / 220-240V 50/60Hz

Mery



W 3000K


N 4000K

C 6500K

Sin tornillos visibles/

No screws in sight/

Aucune vis en vue



1782lm 18W $\angle 120^\circ$
● Ref.: 23-100-18-180



1782lm 18W $\angle 120^\circ$
○ Ref.: 23-100-18-100



1782lm 18W $\angle 120^\circ$
● Ref.: 23-100-18-116

25 mm



Ø230 mm



2420lm 24W $\angle 120^\circ$
● Ref.: 24-100-24-180



2420lm 24W $\angle 120^\circ$
○ Ref.: 24-100-24-100



2420lm 24W $\angle 120^\circ$
● Ref.: 24-100-24-116

25 mm



Ø300 mm

Material: ABS / 180-240V 50/60Hz

Mery



W 3000K

N 4000K

C 6500K



Sin tornillos visibles/

No screws in sight/

Aucune vis en vue



Sensor microondas/
Microwaves sensor/
Capteur de micro-ondes



1782lm 18W $\angle 120^\circ$
○ Ref.: 23-101-18-100

25 mm



Ø230 mm



3630lm 32W $\angle 120^\circ$
○ Ref.: 24-101-32-100

25 mm



Ø400 mm

Material: ABS / 180-240V 50/60Hz





Nami



E27



153



1x E27
● Ref.: 43-019-27-105



1x E27
● Ref.: 43-019-27-107




1x E27
● Ref.: 43-019-27-180



1x E27
● Ref.: 43-019-27-106



1x E27
● Ref.: 43-019-27-100



Material: Metal + Madera / Natural wood/ bois naturel / 220-240V 50/60Hz

Greta



E27



2x E27

Ref.: 43-018-27-180




2x E27

Ref.: 43-018-27-100



Material: Metal + Madera / Natural wood/ bois naturel / 220-240V 50/60Hz

Luna



E27



1x E27

● Ref.: 43-016-27-180



1x E27



● Ref.: 43-016-27-100



120x200 mm

250 mm

Material: Metal + Madera / Natural wood/ bois naturel / 220-240V 50/60Hz





Boston



157



1x E14
● Ref.: 43-205-03-102



1x E14
● Ref.: 43-205-03-100



Combina con:

Combine with/ Combinez avec:



Material: Metal + cristal / Metal + glass / Metal + verre / 230V 50Hz E14 (Max. 25W)





Krabi



E14

159



1x E14

● Ref.: 43-206-01-180



95x174 mm

Combina con:

Combine with/ Combinez avec:



Material: Metal + papel/ Metal + paper/ Metal + papier / 230V 50Hz E14 (Max. 25W)





Solor



161



1X E27

Ref.: 43-004-27-180



1X E27

Ref.: 43-004-27-100



Combina con:

Combine with/ Combinez avec:



Material: Metal + PC / 175-265V 50/60Hz



Classic

163



450lm 3W $\angle 60^\circ$

N 4000K

● Ref.: 43-234-03-180

W 3000K

● Ref.: 43-234-30-180



450lm 3W $\angle 60^\circ$

N 4000K

○ Ref.: 43-234-03-100

W 3000K

○ Ref.: 43-234-30-100



Material: Aluminio + acrílico/ Aluminium + acrylic/ Aluminium + acrylique / 220-240V 50/60Hz





Rob


W LUZ CÁLIDA
warm light lumière chaude



165




532lm 5+3W $\wedge 120^\circ$
W 3000K
○ Ref.: 43-109-08-300




*Doble iluminación/
Dual lighting/ Double éclairage*



530lm 5+3W $\wedge 120^\circ$
W 3000K
○ Ref.: 43-209-08-300



526lm 5+3W $\wedge 120^\circ$
W 3000K
○ Ref.: 43-309-08-300



Material: Aluminio + acrílico/ Aluminium + acrylic/ Aluminium + acrylique / 220-240V 50/60Hz








Rob II

W LUZ CÁLIDA
warm light lumière chaude



167

*Doble iluminación/
Dual lighting/ Double éclairage*




Material: Aluminio + acrílico/ Aluminium + acrylic/ Aluminium + acrylique / 220-240V 50/60Hz

Apliques

Madera

Wooden wall lamps/
Appliques murales en bois

Doble iluminación/
Dual lighting/ Double éclairage



W **LUZ CÁLIDA**
warm light lumière chaude




Renoir



525lm 5+3W $\wedge$ 30°

W 3000K

● Ref.: 43-162-08-116



Ravel



523lm 5+3W $\wedge$ 30°

W 3000K

● Ref.: 43-160-08-116




Bach



528lm 5+3W $\wedge$ 30°

W 3000K

● Ref.: 43-164-08-116



Material: Metal + Madera natural/ Natural wood/ Bois naturel / 220-240V 50/60Hz

Mel

Basket

169

LUZ NEUTRA
Neutral light lumière neutre



360lm 6W $\angle 120^\circ$
N 4000K
● Ref.: 43-593-06-181



● Ref.: 43-593-06-281

Material: Metal + PC / 100-240V 50/60Hz

LUZ CÁLIDA
warm light lumière chaude



476lm 7W $\angle 120^\circ$
W 3000K
○ Ref.: 43-888-07-100



Material: Aluminio/ Aluminium/ Aluminium / 100-240V 50/60Hz

Irena

Polare


LUZ CÁLIDA
warm light lumière chaude



921lm 11+3W $\angle 30^\circ$
W 3000K
● Ref.: 43-125-14-180




921lm 11+3W $\angle 30^\circ$
W 3000K
○ Ref.: 43-125-14-100



LUZ CÁLIDA
warm light lumière chaude



400lm 12W $\angle 120^\circ$
W 3000K
○ Ref.: 43-630-12-100



Material: Aluminio/ Aluminium/ Aluminium / 100-240V 50/60Hz

Calabri



170



1x E27
● Ref.: 43-431-01-006




Material: Metal / 230V 50/60Hz

Tejar



171




1x E27
● Ref.: 01-637-27-006



1x E27
● Ref.: 01-637-27-017



1x E27
● Ref.: 01-637-27-090



Material: Metal / 230V 50/60Hz

Focos

Madera

*Wooden spotlights/
Spot en bois*



Dera



3x E14
● Ref.: 25-303-14-000



1x E14
● Ref.: 43-301-14-000



2x E14
● Ref.: 43-302-14-000



3x E14
● Ref.: 43-303-14-000



Ø200 mm




3x
E14



208x60 mm




1x
E14



250x60 mm



2x
E14



470x60 mm



3x
E14

Material: Metal + Madera natural/ Natural wood/ bois naturel / 230V 50/60Hz



Lan




3x E14
● Ref.: 25-103-14-000




1x E14
● Ref.: 43-101-14-000



2x E14
● Ref.: 43-102-14-000



3x E14
● Ref.: 43-103-14-000



Material: Metal + Madera natural/ Natural wood/ bois naturel / 230V 50/60Hz





Krabi



175



1x E14

● Ref.: 43-206-01-180



95x174 mm



2x E14

● Ref.: 43-206-02-180



501x95 mm

178 mm



3x E14

● Ref.: 43-206-03-180



Ø500mm

128 mm



4x E14

● Ref.: 43-206-04-180



906x95 mm

180 mm

Combina con:

Combine with/ Combinez avec:



Iris



176



1x GU10
○ Ref.: 43-135-01-000
● Ref.: 43-135-01-002




3x GU10
○ Ref.: 25-135-03-000
● Ref.: 25-135-03-002



2x GU10
○ Ref.: 43-135-02-000
● Ref.: 43-135-02-002



3x GU10
○ Ref.: 43-135-03-000
● Ref.: 43-135-03-002



Heli




1x GU10
○ Ref.: 43-720-01-000
● Ref.: 43-720-01-006




3x GU10
○ Ref.: 25-720-03-000
● Ref.: 25-720-03-006



2x GU10
○ Ref.: 43-720-02-000
● Ref.: 43-720-02-006



3x GU10
○ Ref.: 43-720-03-000
● Ref.: 43-720-03-006



Material: Aluminio/ Aluminium/ Aluminium / 220-240V 50/60Hz



Ref.: 006-2195-1-053



Ref.: 046-2195-6-053



Ref.: 001-2195-6-053



Ref.: 001-2195-8-053



Ref.: 006-2195-1-016




Ref.: 046-2195-6-016



Ref.: 001-2195-8-016



Ø65 mm



735x450 mm



735x450 mm



965x450 mm

Material: Aluminio/ Aluminium/ Aluminium / 220-240V 50/60Hz

New Flipper



Ref.: 001-2888-1-053



Ref.: 001-2888-1-080



Ref.: 001-2888-3-080



Ø70 mm



Ø250 mm

115 mm

New lug



Ref.: 001-2230-1-069



90x90 mm

Material: Aluminio/ Aluminium/ Aluminium / 220-240V 50/60Hz

Material: Aluminio/ Aluminium/ Aluminium / 220-240V 50/60Hz





New kaster



179



● Ref.: 001-2200-1-053



● Ref.: 002-2200-2-053



● Ref.: 001-2200-4-053



● Ref.: 013-2200-4-053



● Ref.: 035-2200-1-053

Material: Aluminio/ Aluminium/ Aluminium / 220-240V 50/60Hz



● Ref.: 035-2000-1-053



○ Ref.: 001-2000-1-001




● Ref.: 001-2000-1-053



○ Ref.: 002-2000-2-001



● Ref.: 002-2000-2-056



● Ref.: 002-2000-2-053



○ Ref.: 002-2000-3-001



● Ref.: 002-2000-3-053




● Ref.: 002-2000-3-056



○ Ref.: 002-2000-4-001



● Ref.: 002-2000-4-053





Arco

GU10



■ Ref.: 014-2000-6-053



▲ Ref.: 014-2000-6-056

◀▶ max.1890mm ▲ 200 mm



○ Ref.: 001-2000-3-001



■ Ref.: 001-2000-3-053



▲ Ref.: 001-2000-3-056



Material: Aluminio/ Aluminium/ Aluminium / 220-240V 50/60Hz

Moka



○ Ref.: 035-2150-1-125




300 mm




● Ref.: 014-2150-6-053



○ Ref.: 002-2150-4-125



Material: Aluminio/ Aluminium/ Aluminium / IP20 220-240V 50/60Hz



Moka



■ Ref.: 002-2150-3-053



■ Ref.: 001-2150-3-053



■ Ref.: 001-2150-4-053



○ Ref.: 002-2150-2-125



○ Ref.: 002-2150-3-125




○ Ref.: 001-2150-3-125



○ Ref.: 001-2150-4-125




390x55 mm



600x55 mm



Ø250 mm



300x300 mm


Material: Aluminio/ Aluminium/ Aluminium / IP20 220-240V 50/60Hz

Veleta



GU10

184



4x GU10

○Ref.: 25-994-35-000

120 mm



210x210 mm

Material: Aluminio / Aluminium / Aluminium / 220-240V 50 Hz

Aspe



GU10




4x GU10
○ Ref.: 25-784-50-000



3x GU10
○ Ref.: 43+783-50-000




2x GU10
○ Ref.: 43+782-50-000



210x210 mm



580x65 mm



360x65 mm

Material: Aluminio / Aluminium / Aluminium / 220-240V 50 Hz

Oroel



GU10



4x GU10
○ Ref.: 25+844-50-000



3x GU10
○ Ref.: 43+843-50-000



2x GU10
○ Ref.: 43+842-50-000




1x GU10
○ Ref.: 43+841-50-000



250x250 mm



570x80 mm



350x80 mm



140x80 mm

Material: Aluminio / Aluminium / Aluminium / 220-240V 50 Hz

Empotrables Decorativos



*Decorative recessed lights/
Lumières décoratives encastrées*

Kony



1xGU10 + 300lm

3W  4000K

 Ref.: 00-930-01-001



1xGU10 + 300lm

3W  3000K

 Ref.: 00-930-01-301



1xGU10 + 300lm

3W  4000K

 Ref.: 01-930-01-001



1xGU10 + 300lm

3W  3000K

 Ref.: 01-930-01-301

 Ø75 mm



90x90 mm

 Ø75 mm



Ø90 mm



Gemo

Ilux

Laber



1xGU10 + 300lm

3W 4000K

Ref.: 00-871-01-381



1xGU10 + 300lm

3W 4000K

Ref.: 01-871-01-381



1xGU10 + 300lm

3W 4000K

Ref.: 01-633-01-381




1xGU10 + 300lm

3W 4000K

Ref.: 00-301-01-381

Ø75 mm



90x90 mm

Ø75 mm



Ø90 mm

Ø75 mm



Ø90 mm

Ø75 mm



90x90 mm


Material: Metal + Cristal/ Glass/ Verre / 220-240V 50/60Hz

Luxor



GU10

188



1x GU10

● Ref.: 00-290-00-181

Ø 65 mm



25 mm

105x105 mm



1x GU10

● Ref.: 80-190-00-181

Ø 65 mm



15 mm

95x95 mm

Material: Metal + Cristal/ Glass/ Verre / 220-240V 50/60Hz - GU10 o GX5.3



Avalio




189



1x GU10
○ Ref.: 00-140-01-100




1x GU10
● Ref.: 01-040-01-160



1x GU10
● Ref.: 01-040-01-180



1x GU10
● Ref.: 00-140-01-142





1x GU10
● Ref.: 01-040-01-190



1x GU10
● Ref.: 81-040-01-142




1x GU10
● Ref.: 00-140-01-180



Material: Metal + Cristal/ Metal + Glass/ Metal + Verre / 220-240V 50/60Hz





Nabila




191



Ø 65 mm



Ø 88 mm



Ø 95 mm



1x GU10
● Ref.: 01-180-01-018



1x GU10
● Ref.: 01-180-01-281



1x GU10
○ Ref.: 01-180-01-110

Material: Aluminio/ Aluminium/ Aluminium / 220-240V 50Hz



W 3000K N 4000K C 5500K

Camaleon



193



4x1





330lm 6W $\wedge 24^\circ$
○ Ref.: 04-065-05-100



330lm 6W $\wedge 24^\circ$
● Ref.: 04-065-05-180



Material: Aluminio + ABS / Aluminium + ABS / Aluminium + ABS / 220-240V 50/60Hz




Gamer

195



Microfono integrado:
"coordina sonido y RGB/
Integrated speaker:
"coordinates sound and RGB/
Microphone intégré :
"coordonne le son et le RVB



W 3000K
N 4000K
C 5500K

450lm 10W $\wedge 120^\circ$
○ Ref.: 04-970-10-100

340mm
180x125 mm

Material: ABS/ LED SMD2835 220-240V 50/60Hz



Duck

LUZ FRÍA
Cold light lumière froide



200lm 5W $\angle 120^\circ$

5500K

● Ref.: 04+707-05-115



200lm 5W $\angle 120^\circ$

5500K

● Ref.: 04+707-05-180



Material: Aluminio+cuero / Aluminium+leather / Aluminium+cuir
220-240V 50/60Hz CRI $\geq$ 80



Bil

Dent



W 3000K

N 4900K

C 6500K



550lm 10W $\angle 120^\circ$

● Ref.: 04-995-10-181




550lm 10W $\angle 120^\circ$

■ Ref.: 04-965-10-140




550lm 10W $\angle 120^\circ$

● Ref.: 04-965-10-281



Material: Metal + ABS / 100-240V 50/60Hz



Miri

Rai



W 3000K
N 4900K
C 6500K



550lm 10W $\angle 120^\circ$
Ref.: 04-532-10-140



550lm 10W $\angle 120^\circ$
Ref.: 04-552-10-100



Material: Metal + ABS / 100-240V 50/60Hz

Flexo

Cargador

Flexo with mobile charger/

Flexo avec chargeur mobile



W 3000K N 4000K C 6500K

Lul

Yule



550lm 10W $\angle 120^\circ$
● Ref.: 04-880-10-100



550lm 10W $\angle 120^\circ$
● Ref.: 04-820-10-181



Material: PCB + ABS / 100-240V 50/60Hz

Star



600lm 10W $\angle 120^\circ$
● Ref.: 04-666-08-180



600lm 10W $\angle 120^\circ$
○ Ref.: 04-666-08-100

W 2800K
N 4000K
C 5500K




Material: Aluminio/ Aluminium/ Aluminium / 220-240V 50/60Hz

Podium

LUZ FRÍA
Cold light lumière froide



500lm 12W $\angle 100^\circ$
5500K
○ Ref.: 04-525-12-100



Material: ABS + Metal / IP20 220V 50/60Hz
CRI $\geq$ 80 35.000H On/off 15.000


Galaxy



2500K
4000K
7000K



530lm 8W $\angle 120^\circ$
● Ref.: 04+530-14-180




Material: PC / IP20 220V 50Hz
CRI $\geq$ 80 35.000H On/off 15.000

Angle

LUZ NEUTRA
Neutral light lumière neutre



540lm 6W $\angle 100^\circ$
4000K
● Ref.: 04-960-07-180



Material: Aluminio / Aluminium / Aluminium / 220V 50/60Hz

Parga

LUZ NEUTRA
Neutral light lumière neutre



350lm 6W $\angle 120^\circ$
4000K
● Ref.: 04-905-05-160



Material: Aluminio / Aluminium / Aluminium / 250V 50Hz

Laxity



W 3000K
N 4000K
C 6400K



500lm 5W $\wedge 120^\circ$
● Ref.: 04-621-05-180

Material: ABS / 220V 50/60Hz

Ventix

LUZ FRÍA
Cold light lumière froide



550lm 12W $\wedge 120^\circ$
C 6000K
● Ref.: 04-285-12-160


Material: ABS / 220V 50/60Hz

Mush

LUZ NEUTRA
Neutral light lumière neutre



70lm 4,5W $\wedge 120^\circ$
N 4000K
○ Ref.: 88-160-12-777



Material: ABS / 250V 50/60Hz

Tinvi



200lm 5W $\wedge 100^\circ$
C 5500K
○ Ref.: 04-874-05-100

Material: ABS / 100-240V 50/60Hz

Sedan

203




W 3000K
N 4000K
C 6000K



550lm 10W $\angle 120^\circ$
○ Ref.: 04-602-10-100



550lm 10W $\angle 120^\circ$
● Ref.: 04-602-10-281



Material: ABS / 100-240V 50/60Hz

Pala


W LUZ CÁLIDA
warm light lumière chaude



350lm 4W $\angle 30^\circ$
● W 3000K
● Ref.: 04-711-05-130



350lm 4W $\angle 30^\circ$
● W 3000K
● Ref.: 04-711-05-142



Material: Aluminio/ Aluminium/ Aluminium / 220-240V 50/60Hz

Hadar



1200mA
3-12h

USB-C
USB 5V

W 3000K
N 4000K
C 6000K



280lm 4W $\wedge 120^\circ$
○Ref.: 04-411-03-100

Material: Acrílico / Acrylic / Acrylique / 220-240V 50Hz




Rigel



1200mA
2-10h

USB-C
USB 5V

W 3000K
N 4000K
C 6000K



110lm 3W $\wedge 120^\circ$
○Ref.: 04-431-03-100


Material: Acrílico / Acrylic / Acrylique / 220-240V 50Hz



Betel

Canopus

205




142lm 3W $\angle 120^\circ$
6000K
 ○ Ref.: 04-421-03-100

Material: Acrílico / Acrylic / Acrylique / 220-240V 50Hz



3000K
4000K
6000K



120lm 3W $\angle 120^\circ$
 ○ Ref.: 04-401-03-100


Material: Acrílico / Acrylic / Acrylique / 220-240V 50Hz

Centauri

W LUZ CÁLIDA
 warm light lumière chaude



1200mA
2-10h



120lm 3W $\angle 120^\circ$
3000K
 ○ Ref.: 05-441-04-100



120lm 3W $\angle 120^\circ$
3000K
 ● Ref.: 05-441-04-120




Material: Acrílico / Acrylic / Acrylique / 220-240V 50Hz





Rod



W 3000K
N 4000K
C 6500K

207



2 Modos de uso:

2 Mode os use:

2 Modes d'utilisation:

- 1 100%
- 2 100% 15" 0%




100lm 1W $\wedge 120^\circ$
Ref.: 43-982-01-116



Ø25 mm

Material: ABS / ABS / ABS / 220-240V 50/60Hz





Odette

LUZ NEUTRA
Neutral light lumière neutre

USB-C
USB 5V




209



120lm 2W $\wedge 120^\circ$

4000K

Ref.:43-980-02-100



Material: Aluminio + PC/ Aluminium + PC/ Aluminium + PC / 220-240V 50/60Hz LED SMD 2835

Bravo




E27



1x E27

● Ref.: 99-010-01-120



Material: Acrílico / Acrylic / Acrylique / 220-240V 50Hz



Alfa




E27



1x E27

● Ref.: 99-009-01-142




Material: Acrílico / Acrylic / Acrylique / 220-240V 50Hz





2x E27
● Ref.: 99-012-02-130




Material: Acrílico / Acrylic / Acrylique / 220-240V 50Hz

Traktor



2x E27
● Ref.: 99-013-02-130



Material: Acrílico / Acrylic / Acrylique / 220-240V 50Hz



Fugaz



E27



1x E27

● Ref.: 24-004-01-130



Material: Acrílico / Acrylic / Acrylique / 220-240V 50Hz

Bloom



E27



4x E27

● Ref.: 24-002-04-141



Material: Acrílico / Acrylic / Acrylique / 220-240V 50Hz


Champion



213



1x E27
● Ref.: 99-017-01-222



1x E27
● Ref.: 04-017-01-222



Material: Metal / 230V 50/60Hz

Candy

214



5x E14
○ Ref.: 99-006-05-100



1x E14
○ Ref.: 05-006-01-100




Material: Metal, acrílico y tela / Metal, acrylic + fabric / Metal, acrylique + tissu / 220-240V 50/60Hz



1x E14

● Ref.: 99-007-01-120



1x E14

● Ref.: 05-007-01-120



Material: Metal, acrílico y tela / Metal, acrylic + fabric / Metal, acrylique + tissu / 220-240V 50/60Hz




Princess



1x E14

● Ref.: 99-008-01-140



1x E14

● Ref.: 05-005-01-140



Material: Metal, acrílico y tela / Metal, acrylic + fabric / Metal, acrylique + tissu / 220-240V 50/60Hz





Charlie Micaela

3000-6000K 30-60s 1200mA



1,5W $\angle 360^\circ$
 ○ Ref.: 04-004-03-100



Material: ABS + HIPS +
 silica/ ABS+HIPS+silicone/
 ABS+HIPS+silicone



1200mA 30-60s

1,2W $\angle 360^\circ$
 ○ Ref.: 04-005-03-100



Material: ABS + HIPS +
 silica/ ABS+HIPS+silicone/
 ABS+HIPS+silicone



Harry

1200mA



3W $\angle 360^\circ$
 ○ Ref.: 04-006-03-100
 3000K



Material: ABS + PC +
 silica/ ABS+PC+silicone/
 ABS+PC+silicone

Hansel

30-60s 1200mA



1W $\angle 360^\circ$
 ○ Ref.: 04-007-03-100



Material: ABS + HIPS +
 silica/ ABS+HIPS+silicone/
 ABS+HIPS+silicone

Merlin

30-60s 1200mA



1W $\angle 360^\circ$
 Ref.: 04-008-03-100



Material: ABS + HIPS +
 silica/ ABS+HIPS+silicone/
 ABS+HIPS+silicone





Iluminación **TÉCNICA**

*Technical lighting/
Éclairage technique*

Sofia 7w

Serie / Serie / Série

DR077073-06-IP44



IP 44

DR077073-06-IP65




IP 65



○ **710lm 7W** $\wedge 36^\circ$
W 3000K

⌀ 73,5 mm



Material: Aluminio/ Aluminium / Aluminium / 220-240V 50/60Hz PF0,5 300 mA CRI $\geq$ 80 50.000H On/Off 15.000

Sofia 10w

Serie / Serie / Série

W 3000K

Serie / Serie / Série

N 4000K

Serie / Serie / Série

C 6000K

DR077103-06-IP44



IP 44

DR077103-06-IP65



IP 65

DR077104-06-IP44



IP 44

DR077104-06-IP65



IP 65

DR077106-06-IP44



IP 44

DR077106-06-IP65




IP 65



○ **1020lm 10W** $\wedge 36^\circ$

⌀ 73,5 mm



Material: Aluminio/ Aluminium / Aluminium / 220-240V 50/60Hz PF0,5 250 mA CRI $\geq$ 80 50.000H On/Off 15.000
DRIVER 0-10V *DALI DRIVER - Bajo pedido mínimo / Upon minimum order / Sur commande minimum*



Sofia 12w

Serie / Serie / Série

W 3000K

DR077153-06-IP44



IP 44

DR077153-06-IP65



IP 65

Serie / Serie / Série

N 4000K

DR077154-06-IP44



IP 44

DR077154-06-IP65



IP 65

Serie / Serie / Série

C 6000K

DR077156-06-IP44



IP 44

DR077156-06-IP65



IP 65



○1200lm 12W $\wedge$ 36°

Ø73,5 mm

79 mm



Ø82 mm

Material: Aluminio/ Aluminium / Aluminium / 220-240V 50/60Hz PF0,5 250 mA CRI≥80 50.000H On/Off 15.000
DRIVER 0-10V *DALI DRIVER - Bajo pedido mínimo / Upon minimum order / Sur commande minimum*


Kit 3 focos

LUZ NEUTRA
Neutral light lumière neutre


222




3x **300lm** 3W $\angle 100^\circ$
N 4000K
○Ref.: 00-823-03-000



3x **300lm** 3W $\angle 100^\circ$
N 4000K
○Ref.: 01-823-03-000



Material: Aluminio / Aluminium / Aluminium / 230V 50/60Hz CRI $\geq$ 80 30.000H On/off 15.000



W 3000K N 4000K C 6500K



800lm 8W $\angle 36^\circ$
 ○Ref.: 02-291-08-100

Ø56 mm



1200lm 12W $\angle 36^\circ$
 ○Ref.: 02-291-12-100

Ø73 mm



Material: Aluminio + acrílico / Aluminium + acrylic / Aluminium + acrylique / 220-240V 50/60Hz CRI $\geq$ 80 P.F.: 0,5 30.000H On/off 15.000

Lanka



W 3000K N 4000K C 6500K




500lm 5W $\wedge$ 36°
○ Ref.: 02-290-05-100



Ø 36 mm



Material: Aluminio + acrílico / Aluminium + acrylic / Aluminium + acrylique / 220-240V 50/60Hz CRI $\geq$ 80 P.F.: 0,5 30.000H On/off 15.000



W 3000K N 4000K C 6500K




Material: Aluminio + acrílico / Aluminium + acrylic / Aluminium + acrylic / 220-240V 50/60Hz CRI $\geq$ 80 P.F.: 0,5 30.000H On/off 15.000




540lm 6W $\angle 120^\circ$
 N 4000K
 ○Ref.: 00-036-06-400

70x70 mm



1800lm 20W $\angle 120^\circ$
 N 4000K
 ○Ref.: 02-036-20-400

195x195 mm



Material: Metal / 85-265V 50/60Hz CRI $\geq$ 80 P.F.: 0.9 30.000H On/off 20.000



Prim

227



680lm 8W $\angle 120^\circ$
 N 4200K
 ● Ref.:02-112-08-420



1275lm 16W $\angle 120^\circ$
 N 4200K
 ● Ref.:02-112-15-420



2000lm 24W $\angle 120^\circ$
 N 4200K
 ● Ref.:02-112-24-420






680lm 8W $\angle 120^\circ$
 N 4200K
 ○ Ref.:02-112-08-000



1275lm 16W $\angle 120^\circ$
 N 4200K
 ○ Ref.:02-112-15-000



2000lm 24W $\angle 120^\circ$
 N 4200K
 ○ Ref.:02-112-24-000



Material: Metal / 85-265V 50/60Hz CRI $\geq$ 80 P.F.: 0.9 30.000H On/off 20.000

Prim

228



680lm 8W $\angle 120^\circ$
 N 4200K
 ● Ref.:02-012-08-420



1275lm 16W $\angle 120^\circ$
 N 4200K
 ● Ref.:02-012-15-420






2000lm 24W $\angle 120^\circ$
 N 4200K
 ● Ref.:02-012-24-420



1275lm 16W $\angle 120^\circ$
 N 4200K
 ○ Ref.:02-012-15-000



2000lm 24W $\angle 120^\circ$
 N 4200K
 ○ Ref.:02-012-24-000



Material: Metal / 85-265V 50/60Hz CRI $\geq$ 80 P.F.: 0.9 30.000H On/off 20.000



Sirion

229



1875lm 25W $\angle 90^\circ$
W 3000K
 ○ Ref.: 02-633-25-300



1875lm 25W $\angle 90^\circ$
N 4000K
 ○ Ref.: 02-633-25-400



1875lm 25W $\angle 90^\circ$
C 6000K
 ○ Ref.: 02-633-25-600

Ø205 mm

35 mm



Ø225 mm

Material: Aluminio/ Aluminium/ Aluminium / 85-265V 50/60Hz CRI≥80 P.F.: 0,5 30.000H On/off 20.000

Know

EMPOTRABLE

230



480lm 6W $\angle 120^\circ$
N 4000K
 ○ Ref.: 02-100-06-400
 ● Ref.: 02-100-06-181

Ø105 mm
 12 mm
 Ø120 mm



960lm 12W $\angle 120^\circ$
N 4000K
 ○ Ref.: 02-100-12-400
 ● Ref.: 02-100-12-181

Ø155 mm
 12 mm
 Ø175 mm



1440lm 18W $\angle 120^\circ$
N 4000K
 ○ Ref.: 02-100-18-400
 ● Ref.: 02-100-18-181
W 3000K
 ○ Ref.: 02-100-18-300

Ø205 mm
 25 mm
 Ø225 mm



2450lm 30W $\angle 120^\circ$
N 4000K
 ○ Ref.: 02-413-30-400

Ø280 mm
 25 mm
 Ø300 mm

Material: Aluminio + acrílico / Aluminium + acrylic / Aluminium + acrylique /
 LED SANAN SMD 5630 85-265V 50/60Hz PF0,5 CRI $\geq$ 80 20.000H On/off 15.000



Know

EMPOTRABLE

231



105x105 mm

480lm 6W $\angle 120^\circ$

N 4000K

○Ref.: 02-200-06-400

●Ref.: 02-200-06-181

12 mm



Ø120 mm



155x155 mm

960lm 12W $\angle 120^\circ$

N 4000K

○Ref.: 02-200-12-400

●Ref.: 02-200-12-181

12 mm



Ø175 mm



205x205 mm

1440lm 18W $\angle 120^\circ$

N 4000K

○Ref.: 02-200-18-400

25 mm



Ø225 mm



280x280 mm

2450lm 30W $\angle 120^\circ$

N 4000K

○Ref.: 02-513-30-400

25 mm



Ø300 mm

Material: Aluminio + acrílico / Aluminium + acrylic / Aluminium + acrylique /
LED SANAN SMD 5630 85-265V 50/60Hz PF0,5 CRI≥80 20.000H On/off 15.000

Know

SUPERFICIE

232



480lm 6W $\angle 120^\circ$
N 4000K
 ● Ref.: 02-300-06-181



960lm 12W $\angle 120^\circ$
N 4000K
 ○ Ref.: 02-300-12-400
 ● Ref.: 02-300-12-181



1440lm 18W $\angle 120^\circ$
N 4000K
 ○ Ref.: 02-300-18-400
 ● Ref.: 02-300-18-181



2450lm 30W $\angle 120^\circ$
N 4000K
 ○ Ref.: 02-433-30-400
W 3000K
 ○ Ref.: 02-433-30-300



Material: Aluminio + acrílico / Aluminium + acrylic / Aluminium + acrylique /
 LED SANAN SMD 5630 85-265V 50/60Hz PF0,5 CRI $\geq$ 80 20.000H On/off 15.000



Know

SUPERFICIE

233



480lm 6W $\angle 120^\circ$

N 4000K

○ Ref.: 02-600-06-400

● Ref.: 02-600-06-181



960lm 12W $\angle 120^\circ$

N 4000K

○ Ref.: 02-600-12-400

● Ref.: 02-600-12-181



1440lm 18W $\angle 120^\circ$

N 4000K

○ Ref.: 02-600-18-400

● Ref.: 02-600-18-181



2450lm 30W $\angle 120^\circ$

N 4000K

○ Ref.: 02-533-30-400



Material: Aluminio + acrílico / Aluminium + acrylic / Aluminium + acrylique /
LED SANAN SMD 5630 85-265V 50/60Hz PF0,5 CRI $\geq$ 80 20.000H On/off 15.000

Downlights

Para agujeros irregulares

For irregular holes/

Pour trous irréguliers



Tekia



Dos instalaciones:
Superficie y empotrado

Two installatios options:
Surface and recessed

Deux modes d'installation:
Surface et encastrée



2,5 m
4 m
^ 110°
30-180s

EXTRAS



Ref.: 02-943-18-ARO-PLATA



Ref.: 02-943-18-ARO-NEGRO



W 3000K N 4000K C 6500K

1620lm 18W ^110°
○ Ref.: 02-943-18-333

Ø65-205mm
18 mm
Ø220 mm

Material: Aluminio + PC / Aluminium + PC / Aluminium + PC

220-240V 50/60Hz LED EPISTAR SMD CRI≥80 P.F.:0,5 30.000H On/off 15.000



1600lm 20W $\wedge 120^\circ$
W 3000K

○ Ref.: 02-445-20-300



1900lm 20W $\wedge 120^\circ$
N 4000K

○ Ref.: 02-445-20-400



1900lm 20W $\wedge 120^\circ$
C 6000K

○ Ref.: 02-445-20-600

Ø50-205 mm
 10 mm
 Ø230 mm

Material: Metal

175-250V 50/60Hz LED SANAN SMD2835 CRI $\geq$ 80 P.F.:0,5 30.000H On/off 20.000

Gave



Dos instalaciones:
 Superficie y empotrado

Two installatio options:
 Surface and recessed

Deux modes d'installation:
 Surface et encastrée



2000lm 18W $\wedge 120^\circ$
 ○ Ref.: 02-406-18-333

Ø50-200 mm
 17 mm
 Ø212 mm



2520lm 30W $\wedge 120^\circ$
 ○ Ref.: 02-406-28-333

Ø65-310mm
 17 mm
 Ø330 mm

W 3000K
N 4000K
C 6000K

Material: Aluminio + PC / Aluminium + PC / Aluminium + PC

175-250V 50/60Hz LED SMD2835 CRI $\geq$ 80 P.F.:0,5 30.000H On/off 20.000



CONECTORES / CONNECTORS / CONNECTEURS



Ref.: 10-333-15-003



Ref.: 10-335-15-003



Ref.: 10-334-15-003


Material: Aluminio / Aluminium / Aluminium / IP20 220-240V 50/60Hz - GU10 max. 50W



Masta



237



1x GU10
 ● Ref.: 63-171-50-001


PACK:

2x Carriles 1m + 4x Focos + 1x Conector 10-333-15-003
 2x Rail 1m + 4x Spotlights + 1x Connector 10-333-15-003 included
 Inclus 2x Rail 1m + 4x Spotlights + 1x Connecteur 10-333-15-003


CARRIL / RAIL / RAIL



● Ref.: CARR-CR2



4x GU10
 ● Ref.: 90-171-50-001




Material: Aluminio / Aluminium / Aluminium / 220-240V 50/60Hz - GU10 max. 50W

Sylt



238



W 3000K N 4000K C 6500K



600lm 7W $\angle 120^\circ$
 ○ Ref.: 02-906-07-000

Ø 75 mm



Material: Aluminio + acrílico / Aluminium + acrylic / Aluminium + acrylique / 220-240V 50/60Hz CRI $\geq$ 80 P.F.: 0,5 30.000H On/off 15.000

Tyr

LUZ NEUTRA
Neutral light lumière neutre



239



1000lm 8W $\angle 24^\circ$

N 4000K

○ Ref.: 01-240-08-100

1000lm 8W $\angle 24^\circ$

N 4000K

● Ref.: 01-240-08-180

Ø 75 mm



61 mm


Ø 82 mm

Material: Aluminio/ Aluminium/ Aluminium / 230V 50/60Hz CRI $\geq$ 80 PF:0,5 15.000H On/off 10.000

Skadi

LUZ NEUTRA
Neutral light lumière neutre

240



900lm 8W $\angle 24^\circ$

N 4000K

● Ref.: 43-147-08-180

900lm 8W $\angle 24^\circ$

N 4000K

○ Ref.: 43-147-08-100



Ø55 mm

147 mm

Material: Aluminio / Aluminium / Aluminium / 220-240V 50/60Hz CRI $\geq$ 80 P.F.: 0,5 15.000H On/off 10.000



570lm 6W $\angle 24^\circ$
N 4000K
 ● Ref.: 43-007-06-100



570lm 6W $\angle 24^\circ$
N 4000K
 ○ Ref.: 43-007-06-180



Akrah



GU10

Reemplazo de bombilla
por la parte delantera /
Front replace bulb /
Remplacer ampoule à l'avant



2x GU10

● Ref.: 03-122-00-180



1x GU10

● Ref.: 03-121-00-180



1x GU10

● Ref.: 01-121-00-180



2x GU10

○ Ref.: 03-122-00-100



1x GU10

○ Ref.: 03-121-00-100



1x GU10

○ Ref.: 01-121-00-100



2x
GU10

170x90 mm



45 mm
185x100 mm



1x
GU10

90x90 mm



45 mm
100x100 mm



1x
GU10

Ø90 mm



45 mm
Ø100 mm

Material: Aluminio / Aluminium / Aluminium / 220-240V 50/60Hz - GU10 max. 50W

Reto



GU10

Reemplazo de bombilla
por la parte trasera /
Back replace bulb /
Remplacer ampoule à le
derrière

243



EXTRAS



- Ref.: ARO-047-000
- Ref.: ARO-047-001
- Ref.: ARO-047-002
- Ref.: ARO-047-008



1x GU10
○ Ref.: 01-047-01-000




1x GU10
● Ref.: 01-047-01-008



Material: Aluminio / Aluminium / Aluminium / 220-240V 50/60Hz - GU10 max. 50W



Apolo



Reemplazo de bombilla
por la parte trasera /
Back replace bulb /
Remplacer ampoule à le
derrière



1x GU10
○Ref.: 00-593-01-000



1x GU10
○Ref.: 01-593-01-000



1x
GU10
78x78 mm
52 mm
88x88 mm

1x
GU10
Ø72 mm
52 mm
Ø82 mm

Material: Aluminio / Aluminium / Aluminium / 220-240V 50/60Hz - GU10 max. 50W



Living

245



Reemplazo de bombilla
por la parte trasera /
Back replace bulb /
Remplacer ampoule à le
dernière



1x GU10
○ Ref.: 00-176-01-000



1x GU10
● Ref.: 00-176-01-281



1x GU10
○ Ref.: 01-076-01-000



1x GU10
● Ref.: 01-076-01-281



1x GU10
● Ref.: 01-076-01-008



Material: Aluminio / Aluminium / Aluminium / 220-240V 50/60Hz - GU10 max. 50W

Duo



GU10

Reemplazo de bombilla
por la parte trasera /
Back replace bulb /
Remplacer ampoule à le
derrière



1x GU10
○Ref.: 01-853-00-100



1x
GU10



Ø90 mm



55 mm

Ø110 mm



Material: Aluminio / Aluminium / Aluminium / 220-240V 50/60Hz - GU10 max. 50W

Oneo



GU10

Reemplazo de bombilla
por la parte trasera /
Back replace bulb /
Remplacer ampoule à le
derrière



1x GU10
○Ref.: 01-953-00-100



1x
GU10



Ø90 mm



45 mm

Ø100 mm



Material: Aluminio / Aluminium / Aluminium / 220-240V 50/60Hz - GU10 max. 50W

Nael





Reemplazo de bombilla
por la parte delantera /
Front replace bulb /
Remplacer ampoule à l'avant



1x GU10
○Ref.: 00-893-01-000



1x GU10
○Ref.: 01-893-01-000



Material: Aluminio / Aluminium / Aluminium / 220-240V 50/60Hz - GU10 max. 50W

Zeus



Reemplazo de bombilla
por la parte trasera /
Back replace bulb /
Remplacer ampoule à le
dernière



1x GU10
○Ref.: 00-493-01-000




1x GU10
○Ref.: 01-493-01-000



Material: Aluminio / Aluminium / Aluminium / 220-240V 50/60Hz - GU10 max. 50W

Frey

248



1x GU10
○ Ref.: 01-050-01-100



1x GU10
● Ref.: 01-050-01-180



Ø 70 mm



Material: Aluminio + PC / Aluminium + PC / Aluminium + PC / 220-240V 50/60Hz



Idun


GU10

249



1x E27
● Ref.: 01-061-01-180



1x E27
○ Ref.: 01-061-01-100

 1x
GU10
 Ø70 mm
 40 mm
Ø86 mm

Material: Aluminio + PC / Aluminium + PC / Aluminium + PC / 220-240V 50/60Hz





Domino



GU10



1x GU10

○ Ref.: 01-980-01-100

⌀ 65 mm



Ø75 mm

Domino



GU10 IP 65



1x GU10


○ Ref.: 01-982-01-100

⌀ 65 mm



Ø75 mm

Domino



GU10



1x GU10

○ Ref.: 01-983-01-100

⌀ 65 mm



Ø75 mm





Tecno

CARDAN AR111



AR111



30°

253



1x GU10
○Ref.: 03-031-00-000



2x GU10
○Ref.: 03-032-00-000



1x GU10
●Ref.: 03-031-00-003

155x155 mm

105 mm



195x195 mm



2x GU10
●Ref.: 03-032-00-003

305x155 mm

105 mm



340x195 mm

Material: Aluminio / Aluminium / Aluminium / 230V 50/60Hz

Helium



254



1x GU10
○ Ref.: 01-010-00-000



1x GU10
● Ref.: 01-010-00-003



1x GU10
● Ref.: 01-010-00-006



1x GU10
● Ref.: 01-010-00-115



1x GU10
● Ref.: 01-010-80-180



Material: Aluminio/ Aluminium/ Aluminium / 220-240V 50Hz



Helium

PLUS



Ø85 mm

25 mm



Ø110 mm



1x GU10
● Ref.: 01-100-00-003



1x GU10
○ Ref.: 01-100-00-000

Material: Aluminio/ Aluminium/Aluminium / 220-240V 50Hz

Helium



256



1x GU10
● Ref.: 03-061-00-115



1x GU10
● Ref.: 03-061-00-007



1x GU10
● Ref.: 03-061-00-006



1x GU10
● Ref.: 03-061-00-003




1x GU10
● Ref.: 03-061-80-180



1x GU10
○ Ref.: 03-060-00-000



1x GU10
● Ref.: 03-061-00-000



Material: Aluminio / Aluminium / Aluminium / 230V 50/60Hz



Helium



257



4x GU10
● Ref.: 03-064-00-003



2x GU10
● Ref.: 03-062-00-003



2x GU10
○ Ref.: 03-062-00-000



4x GU10
● Ref.: 03-064-00-115





3x GU10
● Ref.: 03-063-00-115



2x GU10
● Ref.: 03-062-00-115



2x GU10
● Ref.: 03-062-80-180



Material: Aluminio / Aluminium / Aluminium / 230V 50/60Hz

Eclo



1x GU10
○ Ref.: 00-120-00-000



1x GU10
● Ref.: 00-120-00-001



1x GU10
● Ref.: 00-120-00-002



1x GU10
● Ref.: 00-120-00-003



1x GU10
● Ref.: 00-120-00-004




1x GU10
● Ref.: 00-120-00-006

Ø75 mm
20 mm



Material: Aluminio / Aluminium / Aluminium / 230V 50/60Hz



Terra



259



1x GU10
● Ref.: 00-121-04-002

Ø90 mm
40 mm
100x100 mm



1x GU10
○ Ref.: 01-021-04-000



1x GU10
● Ref.: 01-021-04-006



1x GU10
● Ref.: 01-021-04-002

Ø90 mm
40 mm
Ø100 mm

Material: Aluminio / Aluminium / Aluminium / 230V 50/60Hz





Zar

30°

261



1x GU10
○ Ref.: 01-020-00-000



1x GU10
● Ref.: 01-020-00-008



1x GU10
● Ref.: 01-020-00-001



1x GU10
● Ref.: 01-020-00-002



1x GU10
● Ref.: 01-020-00-006

Ø75 mm

15 mm



Ø85 mm

Material: Aluminio / Aluminium / Aluminium / 230V 50/60Hz

053100



Reemplazo de bombilla
por la parte delantera /
Front replace bulb /
Remplacer ampoule à l'avant

↻
30°



○Ref.: 053100-42-

⌀76 mm



⌀84 mm

Material: Zamak injectado / Zamak injection/ Zamak injection/ 50/60Hz - GU10 (100-250V)/ G5.3 (12V)

Ref.:

Serie / Serie / Série	+	Acabado / Finish / Couleur	+	Bombilla / Bulb / Ampoule
053100-		○ 06		- G5.3 ⬠
		● 08		- GU10 □
		● 22		
		● 42		
		● 68		
		● 72		

053300



Reemplazo de bombilla
por la parte delantera /
Front replace bulb /
Remplacer ampoule à l'avant

↻
30°



○Ref.: 053300-08-

⌀76 mm



⌀84 mm

Material: Zamak injectado / Zamak injection/ Zamak injection/ 50/60Hz - GU10 (100-250V)/ G5.3 (12V)

Ref.:

Serie / Serie / Série	+	Acabado / Finish / Couleur	+	Bombilla / Bulb / Ampoule
053300-		○ 06-		G5.3 ⬠
		● 08-		GU10 □
		● 42-		
		● 68-		
		● 72-		

353100



Reemplazo de bombilla
por la parte delantera /
Front replace bulb /
Remplacer ampoule à l'avant

↻
30°



263

Ref.:

Serie / Serie / Série	+	Acabado / Finish / Couleur	+	Bombilla / Bulb / Ampoule
353100-		○ 06		- G5.3
		● 08		- GU10
		● 19		
		● 22		
		● 42		
		● 68		
		● 72		

Material: Zamak inyectado / Zamak injection/ Zamak injection/ 50/60Hz - GU10 (100-250V)/ G5.3 (12V)

353300



Reemplazo de bombilla
por la parte delantera /
Front replace bulb /
Remplacer ampoule à l'avant

↻
30°



Ref.:

Serie / Serie / Série	+	Acabado / Finish / Couleur	+	Bombilla / Bulb / Ampoule
353300-		○ 06-		G5.3
		● 08-		GU10
		● 42-		
		● 68-		
		● 72-		

Material: Zamak inyectado / Zamak injection/ Zamak injection/ 50/60Hz - GU10 (100-250V)/ G5.3 (12V)

○Ref.: 353100-42-

⌀76 mm



Ø95 mm

○Ref.: 353300-42-

⌀76 mm



Ø95 mm

174100



Reemplazo de bombilla
por la parte delantera /
Front replace bulb /
Remplacer ampoule à l'avant

↻
30°



○Ref.: 174100-42-

⌀76 mm



Material: Zamak inyectado / Zamak injection/ Zamak injection / 50/60Hz - GU10 (100-250V)/ G5.3 (12V)

Ref.:

Serie / Serie / Série	+	Acabado / Finish / Couleur	+	Bombilla / Bulb / Ampoule
174100-		○ 06		- G5.3 ⬠
		● B 08		- GU10 □
		● A 19		
		● Ch 22		
		● N 42		
		● M 68		
		● M 72		

174300



Reemplazo de bombilla
por la parte delantera /
Front replace bulb /
Remplacer ampoule à l'avant

↻
30°



○Ref.: 174300-68

⌀76 mm



Material: Zamak inyectado / Zamak injection/ Zamak injection / 50/60Hz - GU10 (100-250V)/ G5.3 (12V)

Ref.:

Serie / Serie / Série	+	Acabado / Finish / Couleur	+	Bombilla / Bulb / Ampoule
174300-		○ 06		- G5.3 ⬠
		● B 08		- GU10 □
		● A 19		
		● Ch 22		
		● N 42		
		● M 68		
		● M 72		

374100



Reemplazo de bombilla
por la parte delantera /
Front replace bulb /
Remplacer ampoule à l'avant

↻
30°



265



○Ref.: 174100-72-

Ø76 mm



Ø86 mm

Ref.:

Serie / Serie / Série	+	Acabado / Finish / Couleur	+	Bombilla / Bulb / Ampoule
374100-		○ 06		- G5.3
		● 08		- GU10
		● 19		
		● 22		
		● 42		
		● 68		
		● 72		

Material: Zamak inyectado / Zamak injection/ Zamak injection / 50/60Hz - GU10 (100-250V)/ G5.3 (12V)

374300



Reemplazo de bombilla
por la parte delantera /
Front replace bulb /
Remplacer ampoule à l'avant

↻
30°



○Ref.: 374300-06

Ø76 mm



Ø86 mm

Ref.:

Serie / Serie / Série	+	Acabado / Finish / Couleur	+	Bombilla / Bulb / Ampoule
374300-		○ 06		- G5.3
		● 08		- GU10
		● 19		
		● 22		
		● 42		
		● 68		
		● 72		

Material: Zamak inyectado / Zamak injection/ Zamak injection / 50/60Hz - GU10 (100-250V)/ G5.3 (12V)

065200



Reemplazo de bombilla
por la parte delantera /
Front replace bulb /
Remplacer ampoule à l'avant



Ref.: 065200-42

Ø45 mm



Ø56 mm

Material: Zamak inyectado / Zamak injection/ Zamak injection / 50/60Hz - GU10 (100-250V)/ G5.3 (12V)

Ref.:

Serie / Serie / Série	+	Acabado / Finish / Couleur	+	Bombilla / Bulb / Ampoule
065200		○ 06 ● 42		- G5.3 - GU10

055200



Reemplazo de bombilla
por la parte delantera /
Front replace bulb /
Remplacer ampoule à l'avant



Ref.: 055200-19

Ø65 mm



Ø79 mm

Material: Zamak inyectado / Zamak injection/ Zamak injection / 50/60Hz - GU10 (100-250V)/ G5.3 (12V)

Ref.:

Serie / Serie / Série	+	Acabado / Finish / Couleur	+	Bombilla / Bulb / Ampoule
055200		○ 06 ● 08 ● 19 ● 22 ● 42 ● 68 ● 72		- G5.3 - GU10


491100



Reemplazo de bombilla
por la parte delantera /
Front replace bulb /
Remplacer ampoule à l'avant



○ Ref.: 491100-06



Material: Zamak inyectado / Zamak injection/ Zamak injection / 50/60Hz - GU10 (100-250V)/ G5.3 (12V)

Ref.:

Serie / Serie / Série	+	Acabado / Finish / Couleur	+	Bombilla / Bulb / Ampoule
491100		○ 06		- G5.3 - GU10


492100



Reemplazo de bombilla
por la parte delantera /
Front replace bulb /
Remplacer ampoule à l'avant



○ Ref.: 492100-06



Material: Zamak inyectado / Zamak injection/ Zamak injection / 50/60Hz - GU10 (100-250V)/ G5.3 (12V)

Ref.:

Serie / Serie / Série	+	Acabado / Finish / Couleur	+	Bombilla / Bulb / Ampoule
492100		○ 06		- G5.3 - GU10

Panel



Elige el tono de luz /

Choose the light tone /
Choisissez la tonalité de la
lumière.



W 3000K **N** 4000K **C** 6500K



4350lm 40W $\wedge 120^\circ$
○ Ref.: 30-125-40-333



4350lm 40W $\wedge 120^\circ$
N 4000K
○ Ref.: 30-125-40-400

EXTRAS



Ref.: 30-550-40-PER

*Marco de superficie/
Surface frame/
Cadre de surface



9 mm
595x595 mm


Material: Aluminio + Acrílico/ Aluminium + acrylic/ Aluminium + acrylique
170-240V 50/60Hz LED SANAN SMD CRI $\geq$ 85 P.F.:0,5 50.000H On/off 15.000



Eduba



269




Elige el tono de luz /
Choose the light tone /
Choisissez la tonalité de la
lumière.

W 3000K **N** 4000K **C** 6000K



4800lm 40W $\angle 120^\circ$
○ Ref.: 43-519-48-333



Material: Aluminio + Acrílico/ Aluminium + acrylic/ Aluminium + acrylique
170-240V 50/60Hz LED SANA SMD 2835 CRI $\geq$ 80 P.F.:0,5 20.000H On/off 15.000

Wall washer

LUZ NEUTRA
Neutral light lumière neutre

270



700lm 10W $\angle 60^\circ$
N 4000K
○ Ref.: 03-456-10-400

135x35 mm




1400lm 20W $\angle 60^\circ$
N 4000K
○ Ref.: 03-456-20-400

270x35 mm



Material: Aluminio + acrílico / Aluminium + acrylic / Aluminium + acrylique

220-240V 50/60Hz LED EPISTAR SMD 2835 CRI $\geq$ 80 P.F.: 0,9 50.000H On/off 20.000



Bilo



LUZ NEUTRA

Neutral light lumière neutre

271



3700lm 48W $\wedge 120^\circ$

N 4200K

○ Ref.: 26-877-48-420

40 mm



Ø600 mm

Material: Aluminio/ Aluminium/ Aluminium / 220V 50Hz PF0.9 CRI≥80 30.000H On/off 20.000

Flin



GU10



1x GU10

● Ref.: 43-656-01-008



1x GU10

○ Ref.: 43-656-01-000



86 mm
65x65 mm

Material: Aluminio/ Aluminium/ Aluminium - Acabado texturizado/ Textured finish/ Finition texturée / 220-240V 50/60Hz / GU10 max.50W



Neil

GU10

273









1x GU10
 ○ Ref.: 43-685-01-000



1x GU10
 ● Ref.: 43-685-01-008


 85 mm
 Ø60 mm

Material: Aluminio/ Aluminium/ Aluminium - Acabado texturizado/ Textured finish/ Finition texturée / 220-240V 50/60Hz / GU10 max.50W

Sira



274



1x GU10

● Ref.: 43-115-01-008



1x GU10

○ Ref.: 43-115-01-000




90x90 mm

Material: Aluminio/ Aluminium/ Aluminium - Acabado texturizado/ Textured finish/ Finition texturée /220-240V 50/60Hz / GU10 max.50W



Clark



275



2x GU10
○Ref.: 43-210-02-000



2x GU10
●Ref.: 43-210-02-008



200x100 mm

Material: Aluminio/ Aluminium/ Aluminium - Acabado texturizado/ Textured finish/ Finition texturée / 220-240V 50/60Hz / GU10 max.50W

Ice




276



1987lm 16W $\wedge 45^\circ$
 N 4000K + W 3000K
 ○ Ref.: 43-861-01-000

1987lm 16W $\wedge 45^\circ$
 N 4000K + W 3000K
 ● Ref.: 43-861-01-002



Material: Aluminio + Acrílico/ Aluminium + acrylic/ Aluminium + acrylique
 170-240V 50/60Hz LED EPISTAR SMD 2835 CRI≥80 P.F.:0,5 30.000H On/off 15.000



2 Modos de instalación: Empotrado o en superficie

2 Mounting ways: Recessed
or Surface mounted installation

2 Modes d'installation:
Encastré ou en surface.



412lm 9W $\angle 120^\circ$
W 3000K
 ○ Ref.: 43-055-01-300



412lm 9W $\angle 120^\circ$
N 4000K
 ○ Ref.: 43-055-01-000



412lm 9W $\angle 120^\circ$
N 4000K
 ● Ref.: 43-055-01-002

Ø65 mm



Ø80 mm

Material: Aluminio + Acrílico/ Aluminium + acrylic/ Aluminium + acrylic

70-240V 50/60Hz LED EPISTAR SMD 2835 CRI $\geq$ 80 P.F.:0,5 30.000H On/off 15.000

278

FPC 5 metres (circuit imprimé flexible) avec bande 3M Hautement fiable. Peut être coupé par 6 leds (100 mm)



Características / Characteristics / Caractéristiques

Disponible bajo pedido / Available upon request / Disponibles sur demande

Ref.:

Serie / + Max. longitud de conexión
Serie / Max. connection length/
Série Max. longueur de la connexion

REC1-070-
REC2-070- 100
REC1-144-
REC2-144- 101
SPF1-070-
SPF2-070- 102
SPF1-144-
SPF2-144-
COR1-190-
COR2-190-

Acabado difusor PC /
PC diffuser finish/
Diffuser PC finition

Ref.:
100 Mate/ Matt/ Mat
101 Transparente/ Transparente/ Transparent
102 Milky



Empotrado/ Recessed/ Encastré
REC1-144-

Longitud/ Length/ Longueur
1m



Empotrado/ Recessed/ Encastré
REC2-144-

Longitud/ Length/ Longueur
2m



Superficie/ Surface/ Surface
SPF1-070-

Longitud/ Length/ Longueur
1m



Superficie/ Surface/ Surface
SPF2-070-

Longitud/ Length/ Longueur
2m



Superficie/ Surface/ Surface
SPF1-144-

Longitud/ Length/ Longueur
1m



Superficie/ Surface/ Surface
SPF2-144-

Longitud/ Length/ Longueur
2m



Superficie/ Surface/ Surface
COR1-190-

Longitud/ Length/ Longueur
1m



Superficie/ Surface/ Surface
COR2-190-

Longitud/ Length/ Longueur
2m




Perfiles

De aluminio y PC incluye dos tapones y dos anclajes por metro
Aluminium and PC. Includes two caps and two hooks per metre
Aluminium et PC. Comprend deux capuchons et deux crochets par mètre

*Apto para tiras con IP65 / IP67

Suitable for IP65 / IP67 strips / Convient aux bandes IP65 / IP67





Tira LED




LUZ CÁLIDA

warm light lumière chaude



281



200lm 3W $\angle 100^\circ$

W 3000K

○ Ref.: 18-312-03-300



1200 mm

Material: Aluminio + Acrílico/ Aluminium + acrylic/ Aluminium + acrylique / 220-240V 50/60Hz






Iluminación

Solar exterior

Solar lighting/

Éclairage solaire





Open

SOLAR

LUZ NEUTRA
Neutral light lumière neutre



2600mA
10h

IP 65

Tiempo de carga
Charge / Charge

☀ 8h

☁ 16h

☁ ×


2 Modos de uso:

2 Mode os use:

2 modes d'utilisation:

1 100% 30° 10% 30° 0%

2 100% 30° 10% → 🔋



Colección:

Collection/ Collection:



P. 305-307



1050lm

4000K

● Ref.:43-415-08-182

150 mm
150x150 mm

Material: Aluminio + vidrio / Aluminium + glass / Aluminium + verre - Acabado texturizado/ Textured finish/ Finition texturée

Chimo

N LUZ NEUTRA
Neutral light lumière neutre




4 Modos de uso:

4 Mode os use:

4 Modes d'utilisation:

- 1 25%
- 2 10-100%
- 3 0-100%
- 4 100%



1000lm $\wedge 120^\circ$

N 4000K

● Ref.: 43-017-05-180



162x209 mm

Material: Metal + PC

Raksa

LUZ NEUTRA
Neutral light lumière neutre



2000mA
IP 54

4 Modos de uso:

4 Mode os use:

4 Modes d'utilisation:

- 1 25%
- 2 10-100%
- 3 0-100%
- 4 100%



1000lm $\wedge 120^\circ$

4000K

● Ref.: 43-009-05-180



158x50 mm

Material: Metal + PC



Iros

LUZ NEUTRA
Neutral light lumière neutre



2000mA
IP 54

4 Modos de uso:

4 Mode os use:

4 Modes d'utilisation:

- 1 25%
- 2 10-100%
- 3 0-100%
- 4 100%



1000lm $\wedge 120^\circ$

4000K

● Ref.: 43-008-05-181



264x62 mm



Material: Metal + PC






Vio



289

Tiempo de carga
Charge / Charge



120lm
W 3000K
● Ref.:43-257-03-380

120lm
N 4000K
● Ref.:43-257-03-480



Material: Acrílico / Acrylic / Acrylique

Calm



4 Modos de uso:

4 Mode as use:

4 Modes d'utilisation:

- 1 100%
- 2 50%
- 3 0%
- 4 2-3s.



Material: Acrílico / Acrylic / Acrylique




150lm

● Ref.: 43-255-02-180

Tiempo de carga
Charge / Charge



50 mm



Nalin



Tiempo de carga
Charge / Charge



120lm

W 3000K


● Ref.:43-258-01-380



120lm

N 4000K

● Ref.:43-258-01-480



Material: Acrílico / Acrylic / Acrylique

Diamante

291




4 Modos de uso:

4 Mode os use:

4 Modes d'utilisation:

- 1 100%
- 2 50%
- 3 0%
- 4 2-3s.




Material: Acrílico / Acrylic / Acrylique



120lm

● Ref.: 43-256-01-180

Tiempo de carga
Charge / Charge




NiI

W LUZ CÁLIDA
warm light lumière chaude



Tiempo de carga


Charge / Charge



120lm

W 3000K

● Ref.:43-259-02-380



Material: Acrílico / Acrylic / Acrylique


Telia



Tiempo de carga
Charge / Charge

☀️ - 5-6h

Extraplano
Extra - Slim / Extra-plat



850lm

● Ref.: 77-300-08-180

● 6500K

1650lm

● Ref.: 77-300-16-180

● 6500K



Material: Acrílico y cristal / Acrylic and glass / Acrylique et verre / ED SMD 2835

Bee



Tiempo de carga
Charge / Charge


☀️ - 5-6h



1560lm

● 3000K

● Ref.: 77-528-10-300



1560lm

● 6000K

● Ref.: 77-528-10-600



3900lm

● 3000K

● Ref.: 77-528-30-300



3900lm

● 6000K

● Ref.: 77-528-30-600



Material: Acrílico / Acrylic / Acrylique

Clip solar

293

LUZ NEUTRA
Neutral light lumière neutre



4 Modos de uso:

4 Mode os use:

4 Modes d'utilisation:

1 100% → 15% 15"

2 100% → 0% 15"

3 100% → ☾

4 10-100% → ☾



Material: Acrílico / Acrylic / Acrylique



300lm

● Ref.: 43-889-03-480

● 4200K

Tiempo de carga
Charge / Charge

☾ / ☼ 6-8h



190/210x100 mm

Mix

LUZ NEUTRA
Neutral light lumière neutre



2 Modos de uso:


2 Mode os use:

2 Modes d'utilisation:

1 100% 20" → 30%

2 100% 20" → 0%

100% 5h → 30%



Material: Acrílico / Acrylic / Acrylique



950lm

● 4000K

● Ref.: 43-508-08-480

Tiempo de carga
Charge / Charge

☾ / ☼ 5-6h



214x240 mm



Zeffa

SOLAR


LUZ NEUTRA
Neutral light lumière neutre



2000mA



IP 54



350lm $\wedge 120^\circ$
N 4000K

● Ref.: 07-001-01-180



404 mm
198 mm



350lm $\wedge 120^\circ$
N 4000K

● Ref.: 43-006-01-180



263 mm
270x188 mm

Material: Aluminio + vidrio / Aluminium + glass / Aluminium + verre

Balma

296

W LUZ CÁLIDA
warm light lumière chaude




Tiempo de carga
Charge / Charge



60lm

● Ref.: 06-247-02-381

W 3000K



Material: Acrílico y metal / Acrylic and metal / Acrylique et métal



Silver

LUZ NEUTRA
Neutral light lumière neutre



3000mA
8-10h

IP 44



297

Tiempo de carga
Charge / Charge

☀ - 5-6h



200lm

Ref.: 05-581-01-481

4000K

278 mm
Ø200 mm

Material: Acrílico / Acrylic / Acrylique

Guirnaldas

SOLARES

Outdoors tionsels/ Guirlande lumineuse



Etna

W LUZ CÁLIDA
warm light lumière chaude



1800mA
10h

IP 44





Tiempo de carga
Charge / Charge

☀️/🔌 6-8h

330lm

● Ref.: 16-580-03-300

W 2700K



Material: Acrílico y metal / Acrylic and metal / Acrylique et metal



Guirnalda



3000mA
2-4h

IP 44




Tiempo de carga
Charge / Charge

☀️/🔌 2,5-8h

600lm

● Ref.: 16-678-03-270

W 3000K



Material: Acrílico y metal / Acrylic and metal / Acrylique et metal

Teide

W LUZ CÁLIDA
warm light lumière chaude



1200mA
10h

IP 65



Tiempo de carga
Charge / Charge


⚡/☀️ 6-8h



430lm

● Ref.: 16-577-08-300

W 2700K



EXTRAS

⌚ (1m) CON-16-577-1

⌚ (2m) CON-16-577-2

⌚ (5m) CON-16-577-5

Material: Acrílico y metal / Acrylic and metal / Acrylique et métal



Iluminación

Exterior

*Outdoor lighting/
Éclairage extérieur*

301



Morgan

W LUZ CÁLIDA
warm light lumière chaude


IP 54



700lm 10W $\angle 120^\circ$
W 3000K
● Ref.: 43-239-10-180



700lm 10W $\angle 120^\circ$
W 3000K
○ Ref.: 43-239-10-100



Material: Aluminio + acrílico / Aluminium + acrylic / Aluminium + acrylique / 85-265V 50/60Hz



Elber

W LUZ CÁLIDA
warm light lumière chaude


IP 54

303



420lm 2x 3W $\angle 120^\circ$
W 3000K
○ Ref.: 43-338-06-100



420lm 2x 3W $\angle 120^\circ$
W 3000K
● Ref.: 43-338-06-180


145 mm
55x50 mm

Material: Aluminio + acrílico / Aluminium + acrylic / Aluminium + acrylique / 85-265V 50/60Hz



Colección:

Collection/ Collection:




Open

IP 65 IK 05

N LUZ NEUTRA
Neutral light lumière neutre

W LUZ CÁLIDA
warm light lumière chaude



700lm 5+5W $\angle 120^\circ$
N 4000K
○ Ref.: 43-410-10-100



700lm 5+5W $\angle 120^\circ$
W 3000K
○ Ref.: 43-410-10-300



700lm 5+5W $\angle 120^\circ$
N 4000K
● Ref.: 43-410-10-182



700lm 5+5W $\angle 120^\circ$
W 3000K
● Ref.: 43-410-10-382



700lm 5+5W $\angle 120^\circ$
N 4000K
● Ref.: 43-410-10-263

Material: Aluminio + vidrio / Aluminium + glass / Aluminium + verre

- Acabado texturizado/ Textured finish/ Finition texturée


110-240V 50/60Hz LED COB CRI≥80 P.F.: 0,5

Ta/Tc: -20°C/45°C 30.000H On/off 25.000 ☼

Open

SMART

306



180° LED orientable / 180° Adjustable LED / 180° LED orientable



W 3000K
N 4000K
C 6000K

700lm 5+5W $\wedge$ 120°
● Ref.: 43-410-10-777



Material: Aluminio + vidrio / Aluminium + glass / Aluminium + verre - Acabado texturizado/ Textured finish/ Finition texturée /
220-240V 50/60Hz LED COB CRI $\geq$ 80 P.F.: 0,5 Ta/Tc: -20°C/45°C 30.000H On/off 25.000



Open

PLUS

LUZ NEUTRA
Neutral light lumière neutre

IK 05
IP 65



1400lm 4x5W $\angle 120^\circ$

4000K

○ Ref.: 43-820-20-100

1400lm 4x5W $\angle 120^\circ$


4000K

● Ref.: 43-820-20-263

1400lm 4x5W $\angle 120^\circ$

4000K

● Ref.: 43-820-20-182



Material: Aluminio + acrílico / Aluminium + acrylic / Aluminium + acrylique - Acabado texturizado/ Textured finish/ Finition texturée / 220-240V 50/60Hz LED COB CRI $\geq$ 80 P.F.: 0,5 Ta/Tc: -20°C/50°C 30.000H On/off 25.000

Dunn

W LUZ CÁLIDA
warm light lumière chaude

IP 54 **IK 05**



1100lm 12W $\angle 45^\circ$

W 3000K

● Ref.:43-124-12-380



Material: Aluminio + PC / Aluminium + PC / Aluminium + PC - Acabado texturizado/ Textured finish/ Finition texturée /
100-240V 50/60Hz LED COB CRI $\geq$ 80 P.F.: 0,5 Ta/Tc: -15°C/50°C 30.000H On/off 25.000



Tivo

LUZ NEUTRA
Neutral light lumière neutre

IK **90°**
IP 54 08

309



450lm 6W $\angle 110^\circ$

N 4000K

● Ref.:43-151-06-481

100 mm



90x90 mm



450lm 6W $\angle 110^\circ$

N 4000K

● Ref.:43-351-06-481

100 mm




Ø90 mm

Material: Aluminio + acrílico / Aluminium + acrylic / Aluminium + acrylique - Acabado texturizado/ Textured finish/ Finition texturée /
220-240V 50/60Hz LED SMD CRI≥80 P.F.: 0,5 Ta/Tc: -20°C/50°C 30.000h On/off 25.000

Cipri

N LUZ NEUTRA
Neutral light lumière neutre

IK
IP 54 05




180° LED orientable / 180° Adjustable LED / 180° LED orientable



850lm 12W $\wedge 120^\circ$

N 4000K

● Ref.: 43-206-12-482



Material: Aluminio + vidrio / Aluminium + glass / Aluminium + verre - Acabado texturizado/ Textured finish/ Finition texturée
220-240V 50/60Hz LED SMD CRI $\geq$ 80 P.F.: 0,5 Ta/Tc: -20°C/45°C 30.000H On/off 25.000



Sun

LUZ NEUTRA
Neutral light lumière neutre

IK
IP 54 08

311




2,5 m
8-12 m
^120°
8s -
300s
3lux -
2000lux



585lm 8W ^120°
N 4000K

● Ref.:43-149-06-481



Material: Aluminio + acrílico / Aluminium + acrylic / Aluminium + acrylique - Acabado texturizado/ Textured finish/ Finition texturée
200-240V 50/60Hz LED SMD CRI≥80 P.F.: 0,5 Ta/Tc: -20°C/50°C 30.000H On/off 25.000

Urpi

LUZ NEUTRA
Neutral light lumière neutre


IK
IP 54 05



360lm 6W $\wedge 120^\circ$

4000K

● Ref.: 43-924-06-400



Material: Aluminio + vidrio / Aluminium + glass / Aluminium + verre - Acabado texturizado/ Textured finish/ Finition texturée /
220-240V 50/60Hz LED COB CRI $\geq$ 80 P.F.: 0,5 Ta/Tc: -20°C/50°C 30.000H On/off 25.000



Antop

LUZ NEUTRA
Neutral light lumière neutre

IK
IP 54 08

313



1078lm 6+6W $\wedge$ 80°
N 4000K
○ Ref.: 43-454-06-400

92 mm
90x90 mm

Material: Aluminio + vidrio / Aluminium + glass / Aluminium + verre - Acabado texturizado/ Textured finish/ Finition texturée /
110-240V 50/60Hz LED COB CRI $\geq$ 80 P.F.: 0,5 Ta/Tc: -20°C/50°C 30.000H On/off 25.000 $\oplus$

View

LUZ NEUTRA
Neutral light lumière neutre



IK
IP 54 05



360lm 6W $\wedge 110^\circ$

4000K

○Ref.:43-705-06-400


90 mm
220x77 mm

Material: Aluminio + vidrio / Aluminium + glass / Aluminium + verre - Acabado texturizado/ Textured finish/ Finition texturée /
220-240V 50/60Hz LED COB CRI $\geq$ 80 P.F.: 0,5 Ta/Tc: -20°C/50°C 30.000H On/off 25.000 



Aspen

LUZ NEUTRA
Neutral light lumière neutre

IK
IP 54 08


315



1800lm 18W $\angle 120^\circ$
N 4000K
○ Ref.: 24-610-18-100




1800lm 18W $\angle 120^\circ$
N 4000K
○ Ref.: 24-620-18-100



2400lm 24W $\angle 120^\circ$
N 4000K
○ Ref.: 25-610-24-100



2400lm 24W $\angle 120^\circ$
N 4000K
○ Ref.: 25-620-24-100




Material: Policarbonato / Polycarbonate / Polycarbonate
LED SANAN SMD 2835 220-240V 50/60Hz CRI $\geq$ 80 35.000H On/off 20.000

Satur

LUZ NEUTRA
Neutral light lumière neutre

IK $\overline{\text{90}}^\circ$
IP 54 08



719lm 8W $\wedge 120^\circ$
● **4000K**
● Ref.:07-201-05-481

220x250 mm
601 mm
Ø120 mm



719lm 8W $\wedge 120^\circ$
● **4000K**
● Ref.:43-201-08-481

Ø220 mm 80 mm

Material: Aluminio + acrílico / Aluminium + acrylic / Aluminium + acrylique - Acabado texturizado/ Textured finish/ Finition texturée /
220-240V 50/60Hz LED SMD CRI $\geq$ 80 P.F.: 0,5 Ta/Tc: -20°C/50°C 25.000H On/off 12.000

Pisa

LUZ NEUTRA
Neutral light lumière neutre

IP 65

IK 08



108x108 mm

350lm 9W $\angle 90^\circ$

N 4000K

● Ref.:07-573-09-481



108x108 mm

350lm 9W $\angle 90^\circ$

N 4000K

● Ref.:07-373-09-481



Material: Aluminio + acrílico / Aluminium + acrylic / Aluminium + acrylique - Acabado texturizado/ Textured finish/ Finition texturée
220-240V 50/60Hz LED COB CRI $\geq$ 80 P.F.: 0,5 Ta/Tc: -20°C/50°C 35.000H On/off 25.000

Maribo

LUZ NEUTRA
Neutral light lumière neutre

IP 54

IK 08



150x150 mm

400lm 5+5W $\angle 360^\circ$

N 4000K

● Ref.:07-406-10-482



150x150 mm

250lm 3+3W $\angle 360^\circ$

N 4000K

● Ref.:08-206-06-482

Material: Aluminio + acrílico / Aluminium + acrylic / Aluminium + acrylique - Acabado texturizado/ Textured finish/ Finition texturée
220-240V 50/60Hz LED SMD CRI $\geq$ 80 P.F.: 0,5 Ta/Tc: -20°C/50°C 20.000H On/off 10.000

12v

PROYECTOR

318



LUZ NEUTRA

Neutral light lumière neutre



IK
IP 65 08



800lm 10W $\wedge 120^\circ$

4000K

● Ref.: 77-652-10-181



2400lm 30W $\wedge 120^\circ$

4000K

● Ref.: 77-652-30-181



4000lm 50W $\wedge 120^\circ$

4000K

● Ref.: 77-652-50-181



108x33 mm

102 mm



175x33 mm

169 mm



216x33 mm

189 mm

Material: Aluminio + vidrio / Aluminium + glass / Aluminium + verre

12V 50/60Hz LED COB CRI $\geq$ 80 P.F.: 0,9 Ta/Tc: -20°C/50°C 15.000H On/off 7.500



Luxek



LUZ FRÍA

Cold light lumière froide



IK

IP 65 07

319

Caja de conexiones integrada de fácil instalación

Junction box easy to install

De joution intégrée facile à installer



800lm 10W $\wedge 120^\circ$

6400K

● Ref.: 77-102-10-181



1600lm 20W $\wedge 120^\circ$

6400K

● Ref.: 77-102-20-181



2400lm 30W $\wedge 120^\circ$

6400K

● Ref.: 77-102-30-181



126x33 mm

122 mm



161x33 mm

156 mm



198x33 mm

191 mm

Material: Acero + vidrio / Steel + glass / Acier + verre

IP65 180-260V 50/60Hz LED SMD CRI $\geq$ 80 P.F.: 0,9 Ta/Tc: -20°C/55°C 25.000H On/off 15.000

Put

N LUZ NEUTRA
Neutral light lumière neutre

IK
IP 65 08



Dos instalaciones:
Baliza y aplique de pared

Two installattions options:
Beacon and wall lamp


Deux modes d'installation:
Balise et applique murale



870lm 12W $\angle 120^\circ$

N 4000K

● Ref.:07-113-12-481



Material: Aluminio + vidrio / Aluminium + glass / Aluminium + verre - Acabado texturizado/ Textured finish/ Finition texturée /
220-240V 50/60Hz LED COB CRI≥80 P.F.: 0,5 Ta/Tc: -20°C/50°C 30.000H On/off 25.000




Laocai

LUZ NEUTRA
Neutral light lumière neutre

IK
IP 44 05

321



90lm 2,4W

N 4000K

S Ref.: 43-372-03-300

110x45 mm

107x42 mm

Material: Acero + vidrio / Steel + glass / Acier + verre

110-240V 50/60Hz LED COB CRI≥80 P.F.: 0,5 Ta/Tc: -20°C/50°C 30.000H On/off 25.000

Mint



IK
05



1x E27

● Ref.: 43-000-27-181

● Ref.: 43-000-27-263



Material: Aluminio + PC / Aluminium + PC / Aluminium + PC / 220-240V 50/60Hz

Mota



IK
05



1x E27

● Ref.: 43-070-27-181

● Ref.: 43-070-27-263



Material: Aluminio + PC / Aluminium + PC / Aluminium + PC / 220-240V 50/60Hz



Confo EVO

 IP 44
  IK 05
  GU10

323



1x GU10

○ Ref.: 43-751-01-100

● Ref.: 43-751-01-180



2x GU10

○ Ref.: 43-752-02-100

● Ref.: 43-752-02-180



Material: Aluminio / Aluminium / Aluminium / 220-240V 50/60Hz

Confo

324

IP 65 IK 08 GU10



1x GU10
○Ref.: 43-651-01-100



68x78 mm



2x GU10
○Ref.: 43-652-02-100



68x78 mm

Material: Aluminio / Aluminium / Aluminium / 220-240V 50/60Hz



Relax

 IP 44
  IK 08
  GU10


325



1x GU10
 ●Ref.: 43-441-01-180



2x GU10
 ●Ref.: 43-442-02-180



Material: Aluminio / Aluminium / Aluminium / 220-240V 50/60Hz

Durham

IP 44 IK 05 E27



1x E27
● Ref.: 07-280-01-180



1x E27
● Ref.: 43-170-27-180



1x E27
● Ref.: 43-171-27-180



Material: Aluminio + PMMA / Aluminium + PMMA / Aluminium + PMMA / 100-240V 50/60Hz



Rute

 IP 23
  IK 02
  E27

327



 0.5 m²
 





 300 mm
 180X175 mm

1X E27
 ● Ref.: 43-250-27-180

Material: Metal + cristal / Metal + glass / Metal + verre / 220-240V 50/60Hz

Ronda

328

IP 23 IK 02 E27



1X E27

● Ref.: 93-260-27-180



190X190 mm

600 - 1200 mm



1X E27

● Ref.: 43-260-27-180



210X190

Material: Aluminio + vidrio / Aluminium + glass / Aluminium + verre / 200-240V 50/60Hz

Nera



 IP 44
  IK 02
  E27

329




1X E27

● Ref.: 43-022-27-180



1X E27

● Ref.: 93-022-27-180



Material: Aluminio + vidrio / Aluminium + glass / Aluminium + verre - Acabado texturizado/ Textured finish/ Finition texturée
 220-240V 50/60Hz

Pendant

RÚSTICO

330



1X E27

● Ref.: 93-148-44-116

Material: Cuerda + PC / Rope + PC / Cordle + PC / 200-240V 50/60Hz



Small

W LUZ CÁLIDA
warm light lumière chaude

IP 44

IK 02



USB-C
USB 5V

8h

1 m

331



200lm 3W $\wedge 110^\circ$

W 3000K

Ref.:05-207-04-300



Material: Acrílico / Acrylic / Acrylique / 220-240V 50/60Hz LED SMD CRI $\geq$ 80 P.F.: 0,9 Ta/Tc: -10°C/50°C 25.000H On/off 10.000

Merida

W LUZ CÁLIDA
warm light lumière chaude

IP 44
IK 02
USB-C
USB 5V
8h
1 m



300lm 3W $\angle 120^\circ$
W 3000K
● Ref.:05-202-03-380



300lm 3W $\angle 120^\circ$
W 3000K
● Ref.:05-201-04-300


335 mm
Ø130 mm

Material: ABS + PC / 220-240V 50/60Hz LED COB CRI $\geq$ 80 P.F.: 0,5 Ta/Tc: -10°C/50°C 25.000H On/off 15.000



Kid



LUZ FRÍA

Cold light lumière froide



IP 44

IK 02



USB 5V

6-8h

1 m

333



○Cambiar de modo / Change modes / Changer de mode - On/Off 3 s.



110lm 1,8W $\wedge 120^\circ$

● 6000K + RGB LED

● Ref.:88-256-02-777



260 mm

Ø160 mm


Material: Acrílico / Acrylic / Acrylique / 220-240V 50/60Hz LED SMD CRI $\geq$ 80 P.F.: 0,9 Ta/Tc: -20°C/50°C 25.000H On/off 10.000

Lina

W LUZ CÁLIDA
warm light lumière chaude



IP 44



280lm 3W $\wedge 120^\circ$

W 3000K

● Ref.:88-200-03-777



Material: Material: Acrílico / Acrylic / Acrylique / 220-240V



Tapon



LUZ CÁLIDA

warm light lumière chaude



IP 54

IK 02



335



240lm 3,5W $\angle 120^\circ$

W 3000K

○Ref.:05-420-04-300



Material: Aluminio + acrílico / Aluminium + acrylic / Aluminium + acrylique
220-240V 50/60Hz LED SMD CRI $\geq$ 80 P.F.: 0,9 Ta/Tc: -10°C/50°C 25.000H On/off 10.000





Iluminación

Baños

LED mirror light/

Applique miroir LED

Madge

338



IP 44



W 3000K **N** 4000K **C** 5500K

MODOS DE INSTALACIÓN:

Instalación en pared

MOUNTING WAYS:

Wall installation


MODES D'INSTALLATION:

Installation murale




420lm 6W $\angle 120^\circ$

● Ref.: 43-960-06-180



560lm 8W $\angle 120^\circ$

● Ref.: 43-960-08-180



Material: Metal + PC / Metal + PC / Metal + PC / 230V 50Hz



Odile



339

W 3000K N 4000K C 5500K


MODOS DE INSTALACIÓN:
Instalación en pared

MOUNTING WAYS:
Wall installation

MODES D'INSTALLATION:
Installation murale



880lm 8W $\angle 120^\circ$
● Ref.:43-950-08-180



Material: Aluminio + PC/ Aluminium + PC/ Aluminium + PC / 230V 50Hz



LUZ FRÍA

Cold light lumière froide



IP 44



MODOS DE INSTALACIÓN / MOUNTING WAYS / MODES D'INSTALLATION:



Cabinet / Cabinet / Cabinet



Soporte de madera / Wooden baking / Fond en bois




Sobre espejo con pieza multienganche /
Mirror with multifixing block /
Miroir avec bloc multifixe



420lm 6W $\angle 120^\circ$

● 6000K

● Ref.:43-970-06-180



560lm 8W $\angle 120^\circ$

● 6000K


● Ref.:43-970-08-180



840lm 12W $\angle 120^\circ$

● 6000K

● Ref.:43-970-12-180



Material: Aluminio + PC + PMMA / Aluminium + PC + PMMA / Aluminium + PC + PMMA/ 220-240V 50/60Hz

Malaga


LUZ FRÍA

Cold light lumière froide



IP 44


MODOS DE INSTALACIÓN:



 Cabinet - Soporte de madera -
 Sobre espejo con pieza multienganche

MOUNTING WAYS:

Cabinet - Wooden baking - Mirror with multifixing block


MODES D'INSTALLATION:

Cabinet - Fond en bois - Miroir avec bloc multifixe


417lm 6W $\angle 111^\circ$

5700K

Ref.: 43-286-06-001





Material: Aluminio, ABS + PC / Aluminium, ABS + PC / Aluminium, ABS + PC
 IP44 220-240V 50/60Hz LED AC CRI $\geq$ 80 P.F.: 0,5 36.000H

Sevilla

N LUZ NEUTRA
Neutral light lumière neutre



IP 44



MODOS DE INSTALACIÓN:
Cabinet - Soporte de madera -
Sobre espejo con pieza multienganche

MOUNTING WAYS:
Cabinet - Wooden baking - Mirror with multifixing block


MODES D'INSTALLATION:
Cabinet - Fond en bois - Miroir avec bloc multifixe



392lm 6W $\angle 187^\circ$

N 4000K

Ref.:43-690-06-001





Material: ABS + PC / 220-240V 50/60Hz LED AC CRI $\geq$ 80 P.F.: 0,5 36.000H



Mallorca

LUZ NEUTRA
Neutral light lumière neutre

IP 44



MODOS DE INSTALACIÓN:
Soporte de madera -
Sobre espejo con pieza multienganche

MOUNTING WAYS:
Wooden baking - Mirror with multifixing block

MODES D'INSTALLATION:
Fond en bois - Miroir avec bloc multifixe



140lm 6W $\angle 236^\circ$
4000K
Ref.:43-898-03-001

117 mm
37x119 mm
42 mm
65x13 mm

Material: ABS + PC / 220-240V 50/60Hz LED AC CRI $\geq$ 80 P.F.: 0,9 36.000H

Leon





LUZ FRÍA

Cold light lumière froide



IP 44



MODOS DE INSTALACIÓN:

Cabinet - Soporte de madera -
Sobre espejo con pieza multienganche

MOUNTING WAYS:

Cabinet - Wooden baking - Mirror with multifixing block

MODES D'INSTALLATION:


Cabinet - Fond en bois - Miroir avec bloc multifixe



271lm 5W $\angle 141^\circ$

5700K

Ref.:43-617-05-001





Material: Metal + PC / 220-240V 50/60Hz LED AC CRI $\geq$ 80 P.F.: 0,5 36.000H



Murcia


LUZ FRÍA

Cold light lumière froide


IP 44


MODOS DE INSTALACIÓN:
 Cabinet - Soporte de madera -
 Sobre espejo con pieza multienganche

MOUNTING WAYS:
 Cabinet - Wooden baking - Mirror with multifixing block

MODES D'INSTALLATION:
 Cabinet - Fond en bois - Miroir avec bloc multifixe



240lm 3W $\angle 133^\circ$

5700K

Ref.:43-610-03-001



Material: Aluminio + PC / Aluminium + PC / Aluminium + PC / 220-240V 50/60Hz LED AC CRI $\geq$ 80 P.F.: 0,5 36.000H





Domino

 
GU10 IP 65

347



1x GU10
○ Ref.: 01-982-01-100

Ø 65 mm

 35 mm
Ø 75 mm

Colección:

Collection/ Collection:


GU10




 
GU10 30°




P.





Fred



 GU10 IP 65

349



1x GU10
 ○ Ref.: 43-851-01-000



1x GU10
 ● Ref.: 43-851-01-008



Material: Aluminio/ Aluminium/ Aluminium / 220-240V 50/60Hz / GU10 max.50W



Alhambra



GU10



IP 65

Reemplazo de bombilla
por la parte trasera /
Back replace bulb /
Remplacer ampoule à le
dernière



1x GU10
○ Ref.: 01-302-01-000



1x GU10
● Ref.: 01-302-01-008

Ø 75 mm



Ø 85 mm



1x GU10
○ Ref.: 00-302-01-000



1x GU10
● Ref.: 00-302-01-008

Ø 75 mm



Ø 81 mm

Material: Aluminio / Aluminium / Aluminium / 220-240V 50/60Hz - GU10 max. 50W



Alhambra I

GU10

IP 65

351



EXTRAS




○ Ref.: AR-403-00-000
 ■ Ref.: AR-403-00-002

○ Ref.: AR-404-00-000
 ■ Ref.: AR-404-00-002



1x GU10
 Ref.: 01-402-01-888



Material: Aluminio / Aluminium / Aluminium / 220-240V 50/60Hz - GU10 max. 50W





Sofia 7w

353



Serie / Serie / Série

DR077073-06-IP44



IP 44

DR077073-06-IP65



IP 65



○ **710lm 7W** $\angle 36^\circ$
 **3000K**

⌀ 73,5 mm



Material: Aluminio/ Aluminium / Aluminium
220-240V 50/60Hz PF0,5 300 mA CRI≥80
50.000H On/Off 15.000

Sofia 10w

Serie / Serie / Série

W 3000K

Serie / Serie / Série

N 4000K

Serie / Serie / Série

C 6000K

DR077103-06-IP44



IP 44

DR077104-06-IP44



IP 44

DR077106-06-IP44



IP 44

DR077103-06-IP65



IP 65

DR077104-06-IP65



IP 65

DR077106-06-IP65



IP 65

○ 1020lm 10W $\wedge$ 36°

Ø 73,5 mm

79 mm



Ø 82 mm

Sofia 12w

Serie / Serie / Série

W 3000K

Serie / Serie / Série

N 4000K

Serie / Serie / Série

C 6000K

DR077153-06-IP44



IP 44

DR077154-06-IP44



IP 44

DR077156-06-IP44



IP 44

DR077153-06-IP65



IP 65

DR077154-06-IP65



IP 65

DR077156-06-IP65



IP 65

○ 1200lm 12W $\wedge$ 36°

Ø 73,5 mm

79 mm



Ø 82 mm

Material: Aluminio/ Aluminium/ Aluminium / 220-240V 50/60Hz PF0,5 250 mA CRI $\geq$ 80 50.000H On/Off 15.000
 DRIVER 0-10V *DALI DRIVER - Bajo pedido mínimo / Upon minimum order / Sur commande minimum*




Material: Aluminio/ Aluminium / Aluminium / 220-240V 50/60Hz PF0,5 250 mA CRI≥80 50.000H On/Off 15.000
DRIVER 0-10V *DALI DRIVER - Bajo pedido mínimo / Upon minimum order / Sur commande minimum*

Acuario

GU10 IP 65

30°



1x GU10
○ Ref.: 01-970-01-100

Ø 65 mm
42 mm
Ø 85 mm



1x GU10
○ Ref.: 01-971-01-100

Ø 65 mm
35 mm
Ø 75 mm

Material: Metal / 220-240V 50/60Hz



Dalai



LUZ NEUTRA

Neutral light lumière neutre



IP 44

357



550lm 7W $\wedge 24^\circ$

N 4000K


○ Ref.: 01-935-06-100



550lm 7W $\wedge 24^\circ$

N 4000K

● Ref.: 01-935-06-180



Material: Aluminio / Aluminium / Aluminium / 220-240V 50 Hz





Lannic



359



Selector de temperatura LED
LED temperature selector /
Sélecteur de température LED



600lm 7W $\angle 120^\circ$
● Ref.: 02-908-07-180



600lm 7W $\angle 120^\circ$
● Ref.: 02-908-07-003



600lm 7W $\angle 120^\circ$
○ Ref.: 02-908-07-100



Material: Aluminio + acrílico / Aluminium + acrylic / Aluminium + acrylique / 220-240V 50/60Hz CRI $\geq$ 80 P.F.: 0,5 30.000H On/off 15.000

Sol



IP 44



2700lm 30W $\angle 90^\circ$
W 3000K
 ○ Ref.: 02-771-30-300



2700lm 30W $\angle 90^\circ$
N 4000K
 ○ Ref.: 02-771-30-000



2700lm 30W $\angle 90^\circ$
C 6000K
 ○ Ref.: 02-771-30-570



UGR 19

2700lm 30W $\angle 90^\circ$
W 3000K
 Ⓜ Ref.: 02-771-30-301



UGR 19

2700lm 30W $\angle 90^\circ$
N 4000K
 Ⓜ Ref.: 02-771-30-001



UGR 19

2700lm 30W $\angle 90^\circ$
C 6000K
 Ⓜ Ref.: 02-771-30-571



Material: Aluminio + PC / Aluminium + PC / Aluminium + PC

220-240V 50/60Hz LED EVERLIGHT SMD2835 CRI $\geq$ 80 P.F.:0,95 UGR19-22 50.000H On/off 15.000



Tango

IP 54

361



900lm 9W $\angle 180^\circ$
W 3000K
 ○ Ref.: 02-671-09-300



900lm 9W $\angle 180^\circ$
C 6000K
 ○ Ref.: 02-671-09-600

⌀ 75 mm
 27 mm
 ⌀ 90 mm



3600lm 36W $\angle 180^\circ$
W 3000K
 ○ Ref.: 02-671-36-300



3600lm 36W $\angle 180^\circ$
N 4000K
 ○ Ref.: 02-671-36-400



3600lm 36W $\angle 180^\circ$
C 6000K
 ○ Ref.: 02-671-36-600

⌀ 210 mm
 27 mm
 ⌀ 225 mm

Material: Aluminio + PC / Aluminium + PC / Aluminium + PC
 220-240V 50/60Hz LED EPISTAR SMD2835 CRI $\geq$ 80 P.F.:0,5 30.000H On/off 20.000

Gelys

N LUZ NEUTRA
Neutral light lumière neutre



IP 54



IP 65
DRIVER



1620lm 18W $\angle 120^\circ$

N 4000K

○ Ref.: 02-444-18-000

● Ref.: 02-444-18-380

39 mm



Ø223 mm



1620lm 18W $\angle 120^\circ$

N 4000K

○ Ref.: 02-644-18-000

● Ref.: 02-644-18-380

39 mm



Ø300 mm



2700lm 30W $\angle 120^\circ$

N 4000K

○ Ref.: 02-444-30-000

● Ref.: 02-444-30-380

39 mm



Ø223 mm



2700lm 30W $\angle 120^\circ$

N 4000K

○ Ref.: 02-644-30-000


● Ref.: 02-644-30-380

39 mm



Ø300 mm

Material: Aluminio + acrílico / Aluminium + acrylic / Aluminium + acrylique /
LED SMD 2835 85-265V 50/60Hz CRI $\geq$ 80 20.000H On/off 15.000



Soner

UGR
19

IP 44



363



W 3000K
N 4000K
C 5500K



1440lm 15W $\angle 120^\circ$
○ Ref.: 02-415-15-400

Ø 110 mm
45 mm
Ø 135 mm



1440lm 15W $\angle 120^\circ$
○ Ref.: 02-515-15-400

Ø 145 mm
45 mm
Ø 175 mm



1920lm 20W $\angle 120^\circ$
○ Ref.: 02-615-20-400

Ø 150 mm
45 mm
Ø 185 mm

EXTRAS

Emergency KIT

1H: Ref.: KE-1H-7W-TCI

3H: Ref.: KE-3H-7W-TCI

Disponibile 1CCT en pedidos de 500 uds.

Available with only 1CCT, MOQ, 500 pcs.

Disponibile avec seulement 1 CCT, MOQ, 500pcs.



1920lm 20W $\angle 120^\circ$
○ Ref.: 02-815-20-400

Ø 195 mm
55 mm
Ø 240 mm



2890lm 30W $\angle 120^\circ$
○ Ref.: 02-815-30-400

Ø 195 mm
55 mm
Ø 240 mm


Material: Aluminio + PMMA / Aluminium + PMMA / Aluminium + PMMA

220-240V 50/60Hz LED SAMAN SMD CRI $\geq$ 80 P.F.:0,5-0,9 UGR19 36.000H On/off 15.000 LED DRIVER LIFUD

Ara



IP 44



1620lm 18W $\angle 120^\circ$
 W 3000K
 ○ Ref.: 02-018-18-300



2160lm 24W $\angle 120^\circ$
 W 3000K
 ○ Ref.: 02-018-24-300



2880lm 32W $\angle 120^\circ$
 W 3000K
 ○ Ref.: 02-018-32-300



3600lm 40W $\angle 120^\circ$
 W 3000K
 ○ Ref.: 02-018-40-300



1620lm 18W $\angle 120^\circ$
 N 4000K
 ○ Ref.: 02-018-18-400







2160lm 24W $\angle 120^\circ$
 N 4000K
 ○ Ref.: 02-018-24-400



2880lm 32W $\angle 120^\circ$
 N 4000K
 ○ Ref.: 02-018-32-400



3600lm 40W $\angle 120^\circ$
 N 4000K
 ○ Ref.: 02-018-40-400



Material: Acrílico / Acrylic / Acrylique / 220-240V 50/60Hz CRI≥80 P.F.: 0.7 20.000H On/off 15.000



Kaju

IP44



LUZ NEUTRA

Neutral light lumière neutre

365



690lm 8W $\wedge 120^\circ$

N 4200K

Ch Ref.: 02-516-08-001

 $\varnothing 70$ mm



$\varnothing 90$ mm



2600lm 30W $\wedge 120^\circ$

N 4200K

Ch Ref.: 02-526-30-001

 25 mm



$\varnothing 225$ mm

Material: Aluminio/ Aluminium/ Aluminium / 230V 50/60Hz CRI $\geq$ 80 30.000H On/off 20.000

25-10w




IP 54



*Accesorio KIT de emergencia
/ Accessory Emergency KIT/
Accessoire Emergency KIT

H.: Ref.:
1H KE-1H-7W-TCI
3H KE-3H-7W-TCI



Ref.:

Serie / Serie / Série	+	Temperatura LED / LED temperature / Température des LED	+	Acabado / Finish / Couleur	+	Driver / Driver / Driver
L25110		W 621- N 620- C 626-		O 06- N 42- M 72-		- TCI DIMM DALI



10W $\wedge$ 120°

Ø 135 mm

45 mm



Ø155 mm

Temperatura LED / LED temperature / Température des LED

Ref.:	CCT (K)	Chip lm
621	W 3000	900 (90lm/W)
620	N 4000	1000 (100lm/W)
626	C 6000	1100 (110lm/W)

Driver

Ref.:	Marca	Dimm	P.F.	Garantía / Guarantee / Garantie
-	A.A.Spain	-	>0,9	5
TCI	TCI	-	>0,95	7
DIMM	TCI	1-10V/Push	>0,95	7
DALI	TCI	DALI	>0,95	7

Material: Zamak + acrílico/ Zamak + acrylic/ Zamak + acrylique
EDISON LED SMD 5630 220-240V 50/60Hz 300 mA CRI≥80 36.000H; 5SDCM

25-10w

ALTA EFICIENCIA



*KIT de emergencia / Emergency KIT/ Emergency KIT

H.:	Ref.:
1H	KE-1H-7W-TCI
3H	KE-3H-7W-TCI

Ref.:

Serie / Serie / Série	+	Temperatura LED / LED temperature/ Température des LED	+	Acabado / Finish / Couleur	+	Driver / Driver / Driver
L25110		W 621- N 620- C 625-		○ 06- ● 42- ● 72-		TCI-HP HP-DIMM HP-DALI



9,7W $\wedge$ 120°



Temperatura LED / LED temperature/ Température des LED

Ref.:	CCT (K)	Chip lm
621	W 3000	1516 (157lm/W)
620	N 4000	1595 (165lm/W)
625	C 6000	1618 (167lm/W)

Driver

Ref.:	Marca	Dimm	P.F.	Garantía / Guarantee/ Garantie
TCI-HP	TCI	-	>0,95	10
HP-DIMM	TCI	1-10V/Push	>0,95	10
HP-DALI	TCI	DALI	>0,95	10

Material: Zamak + acrílico/ Zamak + acrylic/ Zamak + acrylique

SAMSUNG LED SMD 5630 220-240V 50/60Hz 300 mA CRI $\geq$ 80 L80/B20 80.000H; 3SDCM

Bajo pedido mínimo / Upon minimum order / Sur commande minimum

25-13w

ALTA EFICIENCIA



*KIT de emergencia / Emergency KIT/ Emergency KIT

H.:	Ref.:
1H	KE-1H-7W-TCI
3H	KE-3H-7W-TCI

Ref.:

Serie / Serie / Série	+	Temperatura LED / LED temperature/ Température des LED	+	Acabado / Finish / Couleur	+	Driver / Driver / Driver
L25113		W 621- N 620- C 625-		○ 06- ● 42- ● 72-		TCI-HP HP-DIMM HP-DALI



13,8W $\wedge$ 120°



Temperatura LED / LED temperature/ Température des LED

Ref.:	CCT (K)	Chip lm
621	W 3000	2033 (148lm/W)
620	N 4000	2140 (155lm/W)
625	C 5000	2170 (158lm/W)

Driver


Ref.:	Marca	Dimm	P.F.	Garantía / Guarantee/ Garantie
TCI-HP	TCI	-	>0,95	10
HP-DIMM	TCI	1-10V/Push	>0,95	10
HP-DALI	TCI	DALI	>0,95	10

Material: Zamak + acrílico/ Zamak + acrylic/ Zamak + acrylique

SAMSUNG LED SMD 5630 220-240V 50/60Hz 300 mA CRI $\geq$ 80 L80/B20 80.000H; 3SDCM

Bajo pedido mínimo / Upon minimum order / Sur commande minimum

51-20w



*Accesorio KIT de emergencia
/ Accessory Emergency KIT/
Accessoire Emergency KIT

H.:	Ref.:
1H	KE-1H-7W-TCI
3H	KE-3H-7W-TCI

Ref.:

Serie / Serie / Série	+	Temperatura LED / LED temperature / Température des LED	+	Acabado / Finish / Couleur	+	Driver / Driver / Driver
L51122-		W 621- N 620- C 626-		O 06- M 72-		- TCI DIMM DALI



20W $\angle 120^\circ$



Temperatura LED / LED temperature / Température des LED

Ref.:	CCT (K)	Chip lm
621	W 3000	2100 (105lm/W)
620	N 4000	2200 (110lm/W)
626	C 6000	2300 (115lm/W)

Driver

Ref.:	Marca	Dimm	P.F.	Garantía / Guarantee / Garantie
-	A.A.Spain	-	>0,9	5
TCI	TCI	-	>0,95	7
DIMM	TCI	1-10V/Push	>0,95	7
DALI	TCI	DALI	>0,95	7

Material: Zamak + acrílico/ Zamak + acrylic/ Zamak + acrylique

EDISON LED SMD 5630 220-240V 50/60Hz (*600 mA - Driver TCI 500 mA)CRI $\geq$ 80 36.000H; 5SDCM

51-20w

ALTA EFICIENCIA



*KIT de emergencia / Emergency KIT/ Emergency KIT

H.:	Ref.:
1H	KE-1H-7W-TCI
3H	KE-3H-7W-TCI

Ref.:

Serie / Serie / Série	+	Temperatura LED / LED temperature/ Température des LED	+	Acabado / Finish / Couleur	+	Driver / Driver / Driver
L51122-		W 621- N 620- C 625-		O 06- M 72-		TCI-HP HP-DIMM HP-DALI



18,1W $\wedge$ 120°



Temperatura LED / LED temperature/ Température des LED

Ref.:	CCT (K)	Chip Im
621	W 3000	2792 (155lm/W)
620	N 4000	2943 (163lm/W)
625	C 6000	2987(165lm/W)

Driver

Ref.:	Marca	Dimm	P.F.	Garantía / Guarantee/ Garantie
TCI-HP	TCI	-	>0,95	10
HP-DIMM	TCI	1-10V/Push	>0,95	10
HP-DALI	TCI	DALI	>0,95	10

Material: Zamak + acrílico/ Zamak + acrylic/ Zamak + acrylique

SAMSUNG LED SMD 5630 220-240V 50/60Hz 500 mA CRI $\geq$ 80 L80/B20 80.000H; 3SDCM

Bajo pedido mínimo / Upon minimum order / Sur commande minimum

51-26w

ALTA EFICIENCIA



*KIT de emergencia / Emergency KIT/ Emergency KIT

H.:	Ref.:
1H	KE-1H-7W-TCI
3H	KE-3H-7W-TCI

Ref.:

Serie / Serie / Série	+	Temperatura LED / LED temperature/ Température des LED	+	Acabado / Finish / Couleur	+	Driver / Driver / Driver
L51128-		W 621- N 620- C 625-		O 06- M 72-		TCI-HP HP-DIMM HP-DALI



25,7W $\wedge$ 120°



Temperatura LED / LED temperature/ Température des LED

Ref.:	CCT (K)	Chip Im
621	W 3000	3744 (146lm/W)
620	N 4000	3948 (154lm/W)
625	C 5000	4006 (156lm/W)

Driver


Ref.:	Marca	Dimm	P.F.	Garantía / Guarantee/ Garantie
TCI-HP	TCI	-	>0,95	10
HP-DIMM	TCI	1-10V/Push	>0,95	10
HP-DALI	TCI	DALI	>0,95	10

Material: Zamak + acrílico/ Zamak + acrylic/ Zamak + acrylique

SAMSUNG LED SMD 5630 220-240V 50/60Hz 700 mA CRI $\geq$ 80 L80/B20 80.000H; 3SDCM

Bajo pedido mínimo / Upon minimum order / Sur commande minimum

00-20w



*Accesorio KIT de emergencia
/ Accessory Emergency KIT/
Accessoire Emergency KIT

H.: Ref.:
1H KE-1H-7W-TCI
3H KE-3H-7W-TCI

Ref.:

Serie / Serie / Série	+	Temperatura LED / LED temperature/ Température des LED	+	Acabado / Finish / Couleur	+	Driver / Driver / Driver
L00122-		W 621- N 620- C 626-		○ 06- ● 08- ● 22- ● 42- ● 68- ● 72-		- TCI DIMM DALI



20W $\angle 120^\circ$



Temperatura LED / LED temperature/ Température des LED

Ref.:	CCT (K)	Chip lm
621	W 3000	2100 (105lm/W)
620	N 4000	2200 (110lm/W)
626	C 6000	2300 (115lm/W)

Driver

Ref.:	Marca	Dimm	P.F.	Garantía/ Guarantee/ Garantie
-	A.A.Spain	-	>0,9	5
TCI	TCI	-	>0,95	7
DIMM	TCI	1-10V/Push	>0,95	7
DALI	TCI	DALI	>0,95	7

Material: Zamak + acrílico/ Zamak + acrylic/ Zamak + acrylique
EDISON LED SMD 5630 220-240V 50/60Hz (*600 mA - Driver TCI 500 mA)CRI $\geq$ 80 36.000H; 5SDCM

00-20w

ALTA EFICIENCIA



*KIT de emergencia / Emergency KIT/ Emergency KIT

H.:	Ref.:
1H	KE-1H-7W-TCI
3H	KE-3H-7W-TCI

Ref.:

Serie / Serie / Série	+	Temperatura LED / LED temperature/ Température des LED	+	Acabado / Finish / Couleur	+	Driver / Driver / Driver
L00122-		621- 620- 625-		06- 08- 22-		42- 68- 72- TCI-HP HP-DIMM HP-DALI



18,1W $\wedge$ 120°



Temperatura LED / LED temperature/ Température des LED

Ref.:	CCT (K)	Chip Im
621	3000	2792 (155lm/W)
620	4000	2943 (163lm/W)
625	6000	2987(165lm/W)

Driver

Ref.:	Marca	Dimm	P.F.	Garantía/Guarantee/ Garantie
TCI-HP	TCI	-	>0,95	10
HP-DIMM	TCI	1-10V/Push	>0,95	10
HP-DALI	TCI	DALI	>0,95	10

Material: Zamak +acrílico/ Zamak + acrylic/ Zamak + acrylique

SAMSUNG LED SMD 5630 IP54 220-240V 50/60Hz 500 mA CRI $\geq$ 80 L80/B20 80.000H; 3SDCM

Bajo pedido mínimo / Upon minimum order / Sur commande minimum

00-26w

ALTA EFICIENCIA



*KIT de emergencia / Emergency KIT/ Emergency KIT


H.:	Ref.:
1H	KE-1H-7W-TCI
3H	KE-3H-7W-TCI

Ref.:

Serie / Serie / Série	+	Temperatura LED / LED temperature/ Température des LED	+	Acabado / Finish / Couleur	+	Driver / Driver / Driver
L00128-		621- 620- 625-		06- 08- 19- 22-		42- 68- 72- TCI-HP HP-DIMM HP-DALI



25,7W $\wedge$ 120°



Temperatura LED / LED temperature/ Température des LED

Ref.:	CCT (K)	Chip Im
621	3000	3744 (146lm/W)
620	4000	3948 (154lm/W)
625	5000	4006 (156lm/W)

Driver


Ref.:	Marca	Dimm	P.F.	Garantía/Guarantee/ Garantie
TCI-HP	TCI	-	>0,95	10
HP-DIMM	TCI	1-10V/Push	>0,95	10
HP-DALI	TCI	DALI	>0,95	10

Material: Zamak +acrílico/ Zamak + acrylic/ Zamak + acrylique

SAMSUNG LED SMD 5630 220-240V 50/60Hz 700 mA CRI $\geq$ 80 L80/B20 80.000H; 3SDCM

Bajo pedido mínimo / Upon minimum order / Sur commande minimum





56-20w



373

*Accesorio KIT de emergencia
/ Accessory Emergency KIT/
Accessoire Emergency KIT

H.: Ref.:
1H KE-1H-7W-TCI
3H KE-3H-7W-TCI



Ref.:

Serie / Serie / Série	+	Temperatura LED / LED temperature / Température des LED	+	Acabado / Finish / Couleur	+	Driver / Driver / Driver
L56122		W 621- N 620- C 626-		○ 06- ● 42- ● 72-		- TCI DIMM DALI



20W $\wedge$ 120°

200x200 mm

45 mm



Ø230 mm

Temperatura LED / LED temperature / Température des LED

Ref.:	CCT (K)	Chip Im
621	W 3000	2100 (105lm/W)
620	N 4000	2200 (110lm/W)
626	C 6000	2300 (115lm/W)

Driver

Ref.:	Marca	Dimm	P.F.	Garantía / Guarantee / Garantie
-	A.A.Spain	-	>0,9	5
TCI	TCI	-	>0,95	7
DIMM	TCI	1-10V/Push	>0,95	7
DALI	TCI	DALI	>0,95	7

Material: Zamak + acrílico/ Zamak + acrylic/ Zamak + acrylique

EDISON LED SMD 5630 220-240V 50/60Hz (*600 mA - Driver TCI 500 mA)CRI≥80 36.000H; 5SDCM

Pictogramas

Pictograms/ Pictogrammes

374

Tono de iluminación /
Light tone / Tonalité claire



2CCT 3CCT



Iluminación combinada /
Combined lighting /
Éclairage combiné



Doble encendido /
Double lighting /
Double Éclairage



LED RGB /
RGB LED /
LED RVB



Memoria de iluminación/
Lighting memory /
Mémoire d'éclairage



Regulable /
Dimmable/ Dimable



Regulable por pasos /
Step dimmable/
Dimmable par paliers



Luz de noche /
Night light/
Lumière de nuit



Tipo de bombilla /
Bulb type / Type d'ampoule



Madera natural /
Natural wood / Bois naturel




Norma FSC /
FSC Standard / Norme FSC



ECO- cero consumo/
ECO - zero consumption /
ÉCO - consommation nulle



Carga solar /
Solar charge / Charge solaire



Soleado/
Sunny /
Ensoleillé

Nublado/
Cloudy/
Nuageux

Lluvia/
Rainy/
Pluie

Batería /
Battery / Batterie



Sensor de movimiento/
Motion sensor/
Détecteur de mouvement



Sensor crepuscular/
Light sensor/
Capteur d'éclairage



Cargador inalámbrico/
Wireless charger/
Chargeur sans fil



SMART/
SMART/
SMART



Colores y acabados

Colors and Finish/ Couleurs et Finitions

S **Plataado /**
Silver / Argent

Ch **Cromo /**
Chrome / Chrome

G **Oro /**
Gold / Or

M **Oro mate /**
Matte gold / Or mat

A **Oro viejo /**
Antique gold / Or antique

N **Niquel /**
Nickel / Nickel

B **Bronce /**
Bronze / Bronze

○ **Blanco /**
White / Blanc

● **Gris /**
Grey / Gris

● **Negro /**
Black / Noir

U **Marrón oxidado/**
Rust brown / Brun rouille

● **Gris Antracita /**
Anthracite / Anthracite

● **Marrón - Natural /**
Brown - Natural /
Brun - Naturel

Pictogramas

Pictograms/ Pictogrammes

375

Mando y pilas/
Motion sensor/
Télécommande et batteries



Control por APP/
APP Control/
Contrôle via APP



Bluetooth/
Bluetooth/ Bluetooth



Tipo de USB/
USB type / Type d'USB



Índice de protección/
Protection index/
Indice de protection



IP 65

Resistencia a impactos/
Impact resistance/
Résistance aux impacts

IK
08

Efecto 3D/
3D effect / Effet 3D



Efecto estrellado/
Star effect / Effet de star




Táctil
Tactile / Touche



Tipo de corte /
Cutting type / Type de coupe



Ángulo de oscilación/
Oscillation angle/
Angle d'oscillation



Cable/
Cable / Câble



Cable USB/
USB Cable / Câble USB



Imantado /
Magnetized / Imantado



Alarma/
Alarm / Alarme



Temporizador/
Timer/ Minuterie



Altavoz/
Speaker/ Intervenants



Flexible o articulable/
Flexible or articulated/
Flexible ou articulé



Hecho en España/
Made in Spain/
Fabriqué en Espagne



Colores y acabados

Colors and Finish/ Couleurs et Finitions

Oro rosa /
Rose gold/ Or rose

Verde menta /
Green mint / Vert mint

Rosa pastel/
Pink pastel / Rose pastel

Azul /
Blue / Bleu

Azul cian/
Cyan / Cyan bleu

Magenta /
Magent / Magenta

Rojo /
Red / Rouge

Naranja /
Orange / Orange

Amarillo /
Yellow / Jaune

Madera clara /
Light wood / Bois clair

Madera /
Wood / Bois

Cuero /
Leather / Cuir

Beige /
Beige / Beige



Todos nuestros productos cumplen con:
 All our products comply with / Tous nos produits sont conformes aux

Financiado por la Unión Europea - NextGenerationEU/ Funded by the European Union - NextGenerationEU/
 Financé par l'Union européenne - NextGenerationEU



Financiado por la Unión Europea
 NextGenerationEU



GOBIERNO
 DE ESPAÑA
 MINISTERIO
 DE ECONOMÍA, COMERCIO
 Y EMPLEO



Cámara
 de Comercio de España



Plan de
 Recuperación,
 Transformación
 y Resiliencia



CristalRecord
Iluminación - Lighting

Pol. Ruiseñores I
Ctra. de Logroño, km. 8,5
50011 Zaragoza. Spain
+34 976 459 277

www.cristalrecord.com
pedidos@cristalrecord.com
orders@cristalrecord.com