

NOVEDADES

New Products - Nouveaux

2026



CristalRecord
Iluminación - Lighting



ÍNDICE *Index/Index*

Iluminación Decorativa *Decorative Lighting/Éclairage Décoratif*

Targes - pg.4



Atlas - pg.5



Aneto - pg.5



Brisa - pg.6



Nasot - pg.6



Charly - pg.8



Panam - pg.10



Linor - pg.10



Sun - pg.10



Lidias - pg.11



Gio - pg.12



Arda - pg.13



Neda - pg.13



Tiamis - pg.14



Armis - pg.15



Sysmo - pg.16



Tiss - pg.16



Slim - pg.17



Sofia - pg.18



Denzel - pg.20



Vinet - pg.21



Greip - pg.22



Delfi - pg.22



Troy - pg.23



Oliver - pg.23



Melie - pg.23



Ellie - pg.24



Attom - pg.24



Iluminación Técnica *Technical Lighting/Éclairage Technique*

Aro confort GU11 - pg.25



Empotrables - pg.26



Bombillas + aros decorativos - pg.27



Bombillas + aros empotrables - pg.28



Bombillas GU10 - pg.29



Bombillas GU11 - pg.30



Kone - pg.30



Benno - pg.31



Rin - pg.32



ÍNDICE *Index/Index*

Iluminación Solar *Solar Lighting/ Éclairage Solaire*

Tali - pg.33



Liot - pg.33



Onigi - pg.33



Allua - pg.34



Surfe - pg.34



Iluminación Exterior *Outdoor Lighting/ Éclairage Extérieur*

Guimalda de exterior - pg.35



Pope - pg.36



Ventiladores *Fans/ Ventilateurs*

ICE Pro - pg.37



Split - pg.38



Travel - pg.39



Nico - pg.40



Aura - pg.41



Minifan - pg.42



Etter - pg.43



Aireo - pg.44



Cefir.1 - pg.45



Cefir.2 - pg.45



Calefactor *Portable Heater/ Soufflant mobile*

Linterna recargable - pg.46



Calefactor - pg.47






3000K



4000K



6000K



Targes

Material: Metal + PMMA / 220-240V 50/60Hz



5060lm 46W \wedge 120°
○ Ref.: 26-303-46-000



7920lm 72W \wedge 120°
○ Ref.: 27-303-72-000



8800lm 80W \wedge 120°
○ Ref.: 28-303-78-000



2xAAA

Atlas

Material: Metal + PMMA / 230V 50/60Hz




7920lm 72W \wedge 120°
 ○ Ref.: 27-301-72-000


 500mm



2xAAA



Aneto

Material: Metal + PMMA / 230V 50/60Hz




7920lm 72W \wedge 120°
 ○ Ref.: 27-307-72-000


 500mm



2xAAA



Brisa

Material: Metal + PMMA / 230V 50/60Hz




7920lm 72W \wedge 120°
Ref.: 27-306-72-000


500mm



2 x AAA




W 3000K **N** 4000K **C** 6000K

6

Nasot

Material: Metal + PMMA / 230V 50/60Hz



W 3000K **N** 4000K **C** 6000K



2 x AAA

7920lm 72W \wedge 120°
O Ref.: 27-302-72-000


500mm




3000K



4000K



6000K



Charly

Material: Metal + PMMA / 230V 50/60Hz



1-2h



5060lm 46W \wedge 120°
○ Ref.: 26-304-46-000



400mm



7920lm 72W \wedge 120°
○ Ref.: 27-304-72-000



500mm



8800lm 80W \wedge 120°
○ Ref.: 28-304-78-000



600mm



2xAAA



Panam

Material: Metal + PMMA / 230V 50/60Hz



7920lm 72W \wedge 120°
● Ref.: 27-305-72-102



5060lm 46W \wedge 120°
● Ref.: 26-305-46-102




8800lm 80W \wedge 120°
● Ref.: 28-305-78-102



2x AAA

Linor

Material: Metal + PMMA / 220-240V 50/60Hz




W 3000K **N** 4000K **C** 6000K

5200lm 60W \wedge 120°
○ Ref.: 26-500-60-100



Sun

Material: Metal + PMMA / 220-240V 50/60Hz



W 3000K **N** 4000K **C** 6000K


4300lm 60W \wedge 120°
○ Ref.: 29-251-60-100



Lidias



5000lm 60W



● Ref.:93-350-60-008



2xAAA



○ Ref.:93-350-60-100



● Ref.:93-350-60-180



LampSmart Pro


Gio



7x GU10

MAX. 20W LED


Ref.: 93-311-07-102





Arda



2500lm 30W 3000K
 Ref.: 93-170-22-116



Neda




4xE27
 MAX. 20W LED
 Ref.: 93-200-04-115



1xE27
 MAX. 20W LED
 Ref.: 93-200-01-115

Tiamis

5020lm LED 52W3000K



● Ref.: 93-220-60-180



● Ref.: 93-220-60-106



Armis




1x E27

MAX. 20W LED

Ref.: 93-415-01-000

15




Sysmo



1x E27

Material: Ratán /
220-240V 50/60Hz

Ref.: PAN- 230- 01- 100



Ø330 mm


Tiss



1x E27

Material: Ratán /
220-240V 50/60Hz

Ref.: PAN- 240- 01- 180




Aplique Slim *Wall lamp / Applique /*

1x G9
MAX. 5w LED
USB + USB tipo C
Ref.: 43-213-95-100

Bombilla G9




Ref.: 51-920-03



Regleta Slim *Strip / Barre /*

5x G9
MAX. 5w LED



○ Ref.: 43-213-96-000





● Ref.: 43-213-96-180

Sofia



900lm 12W
Ref.: 43-020-18-100





Denzel


Material: Metal + acrílico / 230V 50/60Hz




3000lm 30W + 6W
○ Ref.: 06-350-36-100



3000lm 30W + 6W
● Ref.: 06-350-36-181





2200lm 34W
● Ref.: 06-350-24-180



3000lm 30W + 6W
● Ref.: 06-350-36-180

Vinet

Material: Metal + acrílico / 230V 50/60Hz




Ø250 mm

175 mm

3000lm 30W + 6W

● Ref.: 06-351-36-180



Greip



1x E14

Material: Metal + PMMA /
MAX. 40W LED



130cm



Ref.: 05-008-14-000



Ref.: 05-008-14-150



Ref.: 05-008-14-160



Ref.: 05-008-14-180

Delfi



1x E27

Material: Metal + PMMA /
MAX. 40W LED




130cm




○ Ref.: 05-072-00-100



● Ref.: 05-072-00-181




Troy

 **1x E14**
MAX. 40W LED
Ref.: 05-009-14-008




Oliver

 **1x E14**
MAX. 40W LED
Ref.: 05-009-14-007



Melie

 **1x E27**
Ref.: 05-071-00-100



Ellie



1x E14

MAX. 40W LED

● Ref.: 05- 070- 00- 100



Attom

Material: Metal + acrílico / 230V 50/60Hz




W 3000K

N 4000K

C 6000K

Tiempo de carga
Charge/ Charge

☀ 3h



610lm 5W

○ Ref.: 88- 201- 06- 000



610lm 5W

● Ref.: 88- 201- 06- 180

Aro Confort GUT1 *Confort ring / Anneau de confort /*


Cajas 20 UDS / Boxes 20 units / Boîtes 20 unités /



Ref.: 00-700-05-003



Ref.: 00-700-05-006



Ref.: 00-700-05-000



Ref.: 00-700-05-056



Ref.: 00-700-05-180



Empotrables *Spotlight rings / Anneaux encastrables*

1x GU10
Material: Aluminio /

Vagar




01-000-00-005



01-000-00-008



01-000-00-100



Saphira



01-008-01-005



01-008-01-013



01-008-01-008



01-008-01-000


Sira



01-005-01-100



01-005-01-008



03-005-01-008





03-005-01-100


Ref	mm	Corte
01-000-00	ø 80*47mm	ø 70mm
01-008-01	ø 84*37mm	ø 80mm
01-005-01	ø 92*41mm	ø 80mm
03-005-01	ø 92*92*41mm	ø 80mm

Bombilla + Aros decorativos

Light bulb + Decorative rings / Ampoule + Anneaux décoratifs /



 Fit 50mm
Ref.:00-700-00




 Fit 35mm
Ref.:00-700-02




Bombilla + Aros empotrables


Bulb + Spotlight rings / Ampoule + Anneaux encastrables /



 **Empotrable Fit 35mm**
Spotlight / Spot Encastrables /
Ref.: 00-700-03



 **Empotrable Fit 62mm**
Spotlight / Spot Encastrables /
Ref.: 00-700-04



 **Empotrable Fit 75mm**
Spotlight / Spot Encastrables /
Ref.: 00-700-01

Bombilla GU10 *Bulb GU10 / Ampoule GU10 /*

29



400lm 4,7W

○ Ref.: 50-122-05-400



4000k



400lm 4,7W

○ Ref.: 50-122-05-300

3000k



Sensor crepuscular y de movimiento
Twilight and motion sensor
Capteur crépusculaire et de mouvement
Sensor crepuscular e de movimento

Bombilla GUT1 *Bulb GUT1 / Ampoule GUT1 /*





420lm 4.9W
○ Ref.: 51-925-05-300

750lm 8W
○ Ref.: 51-925-08-300


750lm 8W
● Ref.: 51-925-08-380

Kone x2



1080lm 12W
Ref.: 22-005-12-333

1800lm 18W
Ref.: 22-005-18-333



3000K

4000K

6000K


Benno

Material: Acrílico / 220-240V 50/60Hz CRI≥80 PF: 0.7 20.000H On/off 15.000



LUZ NEUTRA

Neutral light / lumière neutre




720lm 8W 400k

● Ref.: 43-990-08-180





Rin


3000K
4000K
6000K




USB-C
5V = 1A




 **80lm 1W**
Ref.: 43-100-20-281



 **130lm 1.5W**
Ref.: 43-100-30-281



 **170lm 2W**
Ref.: 43-100-40-281



 **220lm 2.5W**
Ref.: 43-100-60-281



Sensor crepuscular y de movimiento
Twilight and motion sensor
Capteur crépusculaire et de mouvement
Sensor crepuscular e de movimento


Tali ^W LUZ CÁLIDA

warm light / lumière chaude

Material: Metal + acrílico / 230V 50/60Hz

500lm 3000k

● Ref.: 43-035-05-180



250x66 mm



3 Modos de uso:

3 Mode of use:

3 Modes d'utilisation

- 1 10-100% 30s
- 2 0-100% 30s
- 3 10%



Tiempo de carga

Charge / Charge

4-6h



Liot ^N LUZ NEUTRA



warm light / lumière chaude

Material: Metal + acrílico / 220-240V 50/60Hz



Tiempo de carga

Charge / Charge



120x75 mm

240 mm



3 Modos de uso:

3 Mode of use:

3 Modes d'utilisation

- 1 10-100% 30s
- 2 0-100% 30s
- 3 10%

500lm 4000k

● Ref.: 43-035-05-000

Onigi ^N LUZ NEUTRA


warm light / lumière chaude

Material: Metal + acrílico / 220-240V 50/60Hz



Tiempo de carga

Charge / Charge



ø220x63 mm



3 Modos de uso:

3 Mode of use:

3 Modes d'utilisation

- 1 10-100% 30s
- 2 0-100% 30s
- 3 10%

500lm 4000k

● Ref.: 43-035-05-100

Allua


280lm 2700K LED 3W Clase III eléctrica



Tiempo de carga Charge/Charge ☀️ 5h



● Ref.: 05-013-00-180 ○ Ref.: 05-013-00-000 ● Ref.: 05-013-00-160



Surfe

600lm 3000k 25W

● Ref.: 43-001-00-180





Tiempo de carga Charge/Charge

☀️ 25h



3 Modos de uso:
3 Mode of use:
3 Modes d'utilisation

- 1 100% 30s
- 2 100-10% 30s
- 3 10%



Guirnalda de exterior

Outdoor garland / Guirlande extérieure /



220V



10x E27

Material: Acrílico

Ref.:16-600-27-180

35




7,5 m



6 m



Pope




Tiempo de carga
Charge/Charge
☀️ 2h

3000lm 2W

○ Ref.: 05-012-00-000 ● Ref.: 05-012-00-180



ICE Pro



37



Colores / Colours / Couleurs /

○ Ref.:85-026-00-001

● Ref.:85-026-00-008

● Ref.:85-026-00-160



53x48 mm

	1	2	3	4	5
RPM	6040	7330	8050	9040	9640
(m^3/s)	5.0	6.1	7.0	7.9	8.6
h	9:40h	6:10h	4:10h	3h	2:30h

Split

USB-C



5V 1A



3600mAh



5h



12h

Ref.: 85-025-00-001



	1	2	3	4
RPM	1400	1730	2010	12200
(m ³ /s)	3.3	4.0	4.5	5.2
	12h	8h	4h	2:30h

Travel

USB-C
5V 1A

1200mAh

2h

6,5h

39



Colores / Colours / Couleurs /

○ Ref.: 85-029-00-001

● Ref.: 85-029-00-008

● Ref.: 85-029-00-160

● Ref.: 85-029-00-140



	1	2	3
RPM	3815	5354	6379
(m ³ /s)	3.7	4.4	5.6
	6:50h	2:40h	1:30h
V	4.78V	7.19V	9.15V

OFERTA EXPOSITOR

Ref.: EXP-85-030-00-00

Nico

USB-C
5V 2A

3000mAh

3h

8h

40





Colores / Colours / Couleurs /

○ Ref.: 85-027-00-001

● Ref.: 85-027-00-008

● Ref.: 85-027-00-160



	1	2	3	4	5
 RPM	11200	13200	14800	16100	17400
(m ³ /s)	5.2	6.3	7.1	8.1	9.0
 h	8h	5:30h	4:20h	3:10h	2:30h
DB	2db	2db	2db	2db	2db

Aura




MOTOR AC

MAX. 40W

16"

Ref.: 85-023-01-000

41



2,35KG

	1	2	3
RPM	950	1100	1250
W	31	34	40

Minifan

USB-C
5V 1A

3600mAh

5-6h

13h



OFERTA EXPOSITOR

Ref.: EXP-85-030-00-00



Colores / Colours / Couleurs /

○ Ref.: 85-030-00-001 ● Ref.: 85-030-00-120



	1	2	3	4
RPM	1790	2390	2730	2950
(m ³ /s)	3.2	3.7	4.3	4.6
V	4.5V	6.4V	7.48V	8.45V
	13h	9h	6:30h	4:17h
 con oscilación / with oscillation / avec oscillation	6:50h	5:30h	4h	3:10h

Etter



MAX. 38W




0-60 min




MOTOR AC

Ref.: 85-023-02-000

43



2KG

	1	2	3
 RPM	1100	1250	1400
W	23	27	40

Aireo

MOTOR AC





MAX. 75W



16°

Ref.: 85-023-02-181



2,35KG

	1	2	3
RPM	1800	2000	2200
W	62	66	75

Cefir.1

MOTOR AC




MAX. 35W



12"

Ref.: 85-024-01-000

	1	2	3
RPM	1000	1150	1300
W	26	29	35



Cefir.2



MAX. 20W




9"


MOTOR AC

Ref.: 85-024-02-000

	1	2
RPM	1900	2100
W	15	19



Literna recargable



2 USB-C
5V 2A

6000mAh

8h

Tiempo de carga
Charge / Charge
☀️ 3,5h

x2
USB
OUTPUT ✓ 0.5m



Powerbank
6000mAh




Expositor

Stand / Présentoir /
20 uds: ● 5 ● 5 ● 5 ● 5

Ref.: EXP-66-000-01

Calefactor *Heater/ Soufflant/*


ABS + PC



500W
110-220V-50Hz

1 m

47



Calor en 3 segundos
Heat in 3 seconds
Chauffer en 3 secondes



Silencioso
Silent
Silencieux



Protección de seguridad
Safety protection
Protection de la sécurité

● Ref.: 87-100-10-180

○ Ref.: 87-100-10-100



Expositor *Stand / Présentoir /*

6 uds:

○ 3

● 1

● 1

● 1

Ref.: 87-100-60-000



NOVEDADES

New Products - Nouveaux

2026



CristalRecord
Iluminación - Lighting

